

NEW Lower Price 12 Tips for Razor-Sharp Tools

AMERICAN WOODWORKER®

www.americanwoodworker.com

#82 October 2000

Tool Tests:

- Bench Vises
- Oscillating Spindle Sanders

Farm Table

You don't need huge tools to build this huge table

Euro Hardware

3-Way Adjustment for Trouble-Free Doors

\$3.95 U.S. / \$4.95 CAN



A READERS' DIGEST PUBLICATION

Ultimate TOOL STAND

From planer stand to router table to chop saw stand – plus six other uses!

**2 H.P.
12" PLANER**



**FREE STAND
700 LB. CAPACITY!**

Grizzly

Industrial, Inc.®

The Preferred Choice of Woodworkers Since 1983

2 H.P. 12" PLANER

- MAX. CUTTING WIDTH: 12" • MAX CUTTING HEIGHT: 6" • MAX. CUTTING DEPTH: 1/8"
- MIN. BOARD THICKNESS: 1/4"
- FEED RATE: 26 FPM • 2 H.S.S. KNIFE CUTTERHEAD
- CUTTERHEAD RPM: 8,500 • FEED RATE: 26 RPM
- 55 CUTS PER INCH • HEAVY STEEL COLUMNS
- 2 H.P., SINGLE PHASE MOTOR, 110V, 16 AMPS
- APPROX. SHIPPING WEIGHT: 85 LBS.



G1017 WITH STAND

REG. \$399⁹⁵

\$369⁰⁰

\$20⁰⁰
ANYWHERE IN LOWER 48 STATES



6" x 47" HEAVY-DUTY JOINTER

NEW!

- TABLE SIZE: 6" x 47"
- HEAVY-DUTY ONE PIECE STEEL STAND W/BUILT IN CHIP CHUTE
- RE-DESIGNED FENCE SYSTEM - POSITIVE STOPS @ 45° & 90°
- 1/2" RABBETING CAPACITY
- 3-KNIFE BALL BEARING CUTTERHEAD
- MOTOR: 1 H.P., SINGLE PHASE, 110/220V
- APPROX. SHIPPING WEIGHT: 235 LBS.

INCLUDES A FREE PAIR OF SAFETY PUSH BLOCKS!

**G1182ZX
INTRODUCTORY PRICE!**

\$445⁰⁰

\$42⁰⁰
ANYWHERE IN LOWER 48 STATES




HOLLOW CHISEL MORTISER

- 30 1/4" OVERALL HEIGHT
- ADJUSTABLE DEPTH STOP
- 1/2 H.P. MOTOR, 110 V ONLY
- 6 AMPS, 3400 R.P.M.
- APPROX. SHIPPING WEIGHT: 50 LBS

Rated "Best Instruction Manual" in a Hollow Chisel comparison by American Woodworker - February 1998



**G3183
\$225⁰⁰**



NEW!

12 1/2" PORTABLE PLANER

- MAX. CUTTING WIDTH: 12 1/2" • MAX CUTTING HEIGHT: 6"
- MAX. CUTTING DEPTH: 1/8" • MIN. BOARD THICKNESS: 3/8"
- H.S.S. KNIFE CUTTERHEAD
- CUTTERHEAD RPM: 8,540
- FEED RATE: 25 FPM
- 57 CUTS PER INCH
- ON/OFF TOGGLE SWITCH
- 2 H.P., SINGLE PHASE MOTOR, 110V, 15 AMPS
- APPROX. SHIPPING WT: 85 LBS.
- **FREE STAND!**



G8794 WITH STAND

\$279⁹⁵

\$20⁰⁰
ANYWHERE IN LOWER 48 STATES



NEW!

15" PLANER w/CABINET STAND

- MAX. CUTTING WIDTH: 14 7/8"
- MAX CUTTING HEIGHT: 6 1/8"
- MAX. CUTTING DEPTH: 1/8"
- CUTTERHEAD RPM: 5,000
- 3 H.S.S. KNIFE CUTTERHEAD
- FEED RATE: 16 FPM & 20 FPM
- INCLUDES JACKSCREW & SPRING LOADED KNIFE SETTING
- 3 H.P., SINGLE PHASE MOTOR, 220V
- APPROX. SHIPPING WEIGHT: 540 LBS.



G1021Z

\$995⁰⁰

\$105⁰⁰
ANYWHERE IN LOWER 48 STATES

1 1/2 H.P. SHAPER

- TABLE SIZE: 20 1/4" x 18"
- 1/2" & 3/4" INTERCHANGEABLE SPINDLES
- 3" SPINDLE TRAVEL
- 1 1/4", 3 1/2" & 5" SPINDLE OPENINGS
- 5" MAXIMUM CUTTER DIAMETER
- MOTOR: HEAVY-DUTY 1 1/2 H.P., 110/220V
- TWO SPEEDS: 7000 & 10000 RPM
- SHOWN WITH OPTIONAL WING
- APPROX. SHIPPING WEIGHT: 220 LBS.

**G1035
REG. \$449⁰⁰
\$395⁰⁰**

\$42⁰⁰
ANYWHERE IN LOWER 48 STATES



1 H.P. DUST COLLECTOR

Voted Best New Tool for 1999 in the single-stage dust collector category by Popular Woodworking Magazine!

- PORTABLE BASE SIZE: 15" x 25 1/2"
- NUMBER OF 4" INTAKE PORTS: 1
- MOTOR SIZE: 1 H.P., SINGLE PHASE
- MOTOR AMP DRAW: 14 AMPS (AT 110V)
- AIR SUCTION CAPACITY: 500 CFM
- APPROX. SHIPPING WEIGHT: 79 LBS.

**G8027
\$129⁹⁵**

\$20⁰⁰
ANYWHERE IN LOWER 48 STATES



2 H.P. DUST COLLECTOR

- PORTABLE BASE SIZE: 21 1/4" x 33 1/2"
- (2) 4" INTAKE PORTS
- 1550 CUBIC FEET/MIN. AIR SUCTION
- 30 MICRON BAG FILTRATION
- MOTOR: 2 H.P. SINGLE PHASE, 220V
- APPROX. SHIPPING WEIGHT: 130 LBS.
- INCLUDES A FREE 2 - STAGE CYCLONE SEPARATOR (A \$34.95 VALUE!)



**G1029
REG. \$279⁹⁵
\$249⁹⁵**

\$42⁰⁰
ANYWHERE IN LOWER 48 STATES



**CALL FOR A
FREE
356 PAGE FULL COLOR
CATALOG TODAY!**

1(800)523-4777

Customer Service: (570) 326-3806 FAX: (800) 438-5901

BUY DIRECT & SAVE!

- FRIENDLY SERVICE
- 2 QUALITY CONTROL OFFICES OVERSEAS
- FAST SHIPPING! • TRAINED ENGINEERS ON STAFF
- OVER ONE MILLION PARTS IN STOCK AT ALL TIMES!



VISIT THE LARGEST WOODWORKING & METALWORKING SHOWROOM IN THE UNITED STATES
Located in Springfield, Missouri - Near Branson

12" Disc Sander

- 1 H.P. MOTOR, 110V
- SAFETY TOGGLE ON/OFF SWITCH
- 17 1/4" x 8 1/4" ALUMINUM TABLE
- CAST IRON BASE WITH BUILT-IN DUST PORT




Table tilts from 0° - 45°!

This is really a super deal!

G7297 REG. \$149.00

SPECIAL \$129.95



GRIZZLY POWER TOOLS

NEW!



18V 5 1/2"

CORDLESS
Saw Kit

G8598 \$79.95

You can't find better cordless power tools for a lower price!
BEAUTIFUL HARD CASE INCLUDED!



14.4 V, 3/8"

CORDLESS DRILL KIT

G8595 \$54.95



18 V, 3/8"

CORDLESS DRILL KIT

G8596 \$69.95



18 V, 1/2"


CORDLESS DRILL KIT

G8597 \$89.95

OUR DRILLS ARE BUILT WITH JOHNSON MOTORS, JACOBS® CHUCKS & PANASONIC® BATTERIES

5 SPEED BENCH-TOP RADIAL DRILL PRESSES

- 34" MAX. SWING • DRILL CHUCK: 5/8"
- SPINDLE TAPER (EXTERNAL): JT #33
- SPINDLE TRAVEL: 3 1/4" • NO. OF SPEEDS: 5
- RANGE OF SPEEDS: 550, 880, 1520, 2490, 3470 RPM
- TABLE SIZE: 8 1/2" • TABLE TILT: 90° IN BOTH DIRECTIONS
- MOTOR SIZE: 1/2 H.P., 110V
- APPROX. SHIPPING WEIGHT: 100 LBS.



Head Pivots at just about any angle.
Truly Versatile!

G7945

\$149.95

\$42.00
ANYWHERE IN
LOWER 48 STATES

NEW!

MINI MILLING MACHINE

- TABLE SIZE: 3 3/8" x 15 1/4"
- TABLE TRAVEL (LONGITUDINAL): 9 1/4"
- TABLE TRAVEL (CROSS): 4"
- HEAD TRAVEL: 9 1/4" • HEAD TILT: 45° L/R
- SPINDLE TAPER: MT #3
- MAX. DIST. FROM SPINDLE TO TABLE: 11 1/2"
- VARIABLE SPEED: 0-2500 RPM
- MOTOR: 3/4 HP, SINGLE-PHASE, 110V
- APPROX. SHIPPING WEIGHT: 153 LBS.



G8689


\$495.00

\$42.00
ANYWHERE IN
LOWER 48 STATES

NEW!

7" x 12" MINI METAL LATHE

- SWING OVER BED: 7" • DISTANCE BETWEEN CENTERS: 12"
- HOLE THROUGH SPINDLE: 5/8" • TAILSTOCK TAPER: MT #2
- TAILSTOCK TRAVEL: 2 1/2" • CROSS-SLIDE TRAVEL: 2 1/4"
- SPEEDS: LOW 0-1100 RPM - HIGH 0-2500 RPM
- 3/4 H.P. MOTOR, 110V AC
- APPROX. SHIPPING WEIGHT: 85 LBS.



G8688

\$495.00

\$20.00
ANYWHERE IN
LOWER 48 STATES

A PERFECT MACHINE FOR
HOBBY & SMALL JOBS!

14" BANDSAW

- CUTTING CAPACITY / THROAT: 14 1/4"
- MAXIMUM CUTTING HEIGHT: 6 1/4"
- TABLE TILT: 45° RIGHT, 15° LEFT
- BLADE SPEEDS: 2500 AND 3350 F.P.M.
- BLADE SIZE: 98" (1/4" TO 3/4" WIDE)
- MOTOR: 1 H.P., TEFC, 110V/220V, SINGLE PHASE
- APPROX. SHIPPING WEIGHT: 165 LBS.



COMES COMPLETE WITH A
1/2" BLADE, RIP FENCE
AND MITER GAUGE!

G1019Z

\$325.00

\$42.00
ANYWHERE IN
LOWER 48 STATES

NEW!

10" HEAVY-DUTY TABLE SAW

- TABLE SIZE w/ EXTENSION WINGS: 27 1/8" x 40 5/8"
- RAIL DIMENSIONS: 44" x 13 1/8" • MAXIMUM RIPPING CAPACITY: 24"
- CUTTING CAPACITY AT 90°: 3 1/8" • CUTTING CAPACITY AT 45°: 2 1/4"
- MOTOR: 1 1/2 H.P., SINGLE-PHASE, 110/220V (PRE-WIRED TO 110V) • APPROX. SHIPPING WEIGHT: 220 LBS.



G1022SM

REG. \$375.00
\$299.95

\$42.00
ANYWHERE IN
LOWER 48 STATES

NEW!

10" TILTING ARBOR SUPER HEAVY-DUTY TABLE SAW

- TABLE SIZE w/ EXTENSION WINGS: 36 1/4" x 27 1/4"
- CUTTING CAPACITY: 8" LEFT AND 25" RIGHT OF BLADE
- MOTOR: 3 H.P., SINGLE-PHASE, 220V
- ALL SEALED BALL BEARINGS • MAGNETIC SAFETY SWITCH
- COMES WITH SHOP FOX® CLASSIC FENCE
- APPROX. SHIPPING WEIGHT: 360 LBS.



G1023S

REG. \$895.00
\$775.00

\$65.00
ANYWHERE IN
LOWER 48 STATES

Visit our website with OVER 8,000 TOOLS!

RECEIVE A FREE GIFT WITH EVERY ONLINE ORDER

(LIMITED TIME OFFER)

grizzly.com



94J

MEDIA CODE

VISA

MasterCard


DISCOVER

284800658

BELLINGHAM, WA • SPRINGFIELD, MO • WILLIAMSPORT, PA

DELTA TAKES A SERIOUS LOOK AT ALL THE ANGLES.

The new 10" Compound Miter Saw: 33 lbs. of power and precision.



We've always been serious about Miter Saws. After all, we invented the very first one. Which means we've gotten pretty good at understanding what should go into them. Like the 33 lbs. of raw power and precision you're looking at here. Packed with features that'll have you looking forward to cutting angles you used to try to avoid. And it's just one of a full family of Delta Miter Saws. For the name of your nearest dealer, call Delta Machinery, 800-438-2486. In Canada, call 519-836-2840. www.deltawoodworking.com

SERIOUS
WOODWORKING TOOLS
SINCE 1919.

DELTA
MACHINERY
A Pentair Company



Delta is a proud sponsor of The New Yankee Workshop with Norm Abram on PBS.

Contents

Ultimate Tool Stand

Do more woodworking in your shop than you ever thought possible.

48

Two-Part Bookcase

Make it easier by making it in halves.

56

Euro Hardware

Try this adjustable, German-engineered hardware on your next cabinet and you'll be hooked.

64

Farm Table

Build this huge dining table even if your tools are small.

68

12 Tips for Better Sharpening

A dozen ways to help you keep your tools razor sharp.

78

Tool Test:

Oscillating Spindle Sanders

82


They're portable, storable and surprisingly useful.

Tool Test:

Vises

88


We put the squeeze on this workshop essential.




page 88



page 82




page 48



page 64




page 68



page 78

AMERICAN WOODWORKER



HARDWARE
• c o m •

Excited to find ways to work even smarter? Hardware.com was created for pros like you for instant access to specialty products and design trends, plus installation tips and the news. All the things contractors need. All at one place. Hardware.com. Build on it. *Give us a try and receive a special promotion on your first purchase. Log on to www.hardware.com today.*

EDITOR **Ken Collier**

ASSOCIATE EDITORS **Tom Caspar, Tim Johnson, Dave Munkittrick**

CONTRIBUTING EDITORS **Michael Dresdner, George Vondriska**

ART DIRECTORS **Patrick Helf, Barbara Pederson, Joel Spies**

GRAPHIC DESIGN INTERN **Shelley Moen**

COPY EDITOR **Mary Flanagan**

FACT CHECKING SPECIALIST **Nina Childs Johnson**

PRODUCTION TEAM **Judy Rodriguez, Bill Sympson**

SHOP ASSISTANTS **Jeff Larson, Al McGregor**

READER SERVICE SPECIALIST **Roxie Filipkowski**

ADMINISTRATIVE ASSISTANTS **Lori Callister, Shelly Jacobsen**

PUBLISHER **Michael P. Reilly**

ADVERTISING SALES DIRECTOR **Rick Straface**

MARKETING DIRECTOR **Robert Calandrucchio**

SHOW MANAGER **Jonathan Frank (215-862-9081)**

AMERICAN WOODWORKER SHOW BOOTH SALES

Bob Ryan (215) 321-9662 ext. 31, Kristin Metzner

(215) 321-9662 ext. 42

PROMOTION MANAGER **Andrea Vecchio**

PROMOTION COORDINATOR **Joanne Noé**

ADVERTISING COORDINATOR **Susan Bordonaro**

ADVERTISING SALES

260 Madison Ave., New York, NY 10016; 212-850-7226

CHICAGO **Jim Ford (312) 540-4804**

LOS ANGELES **Carl Mischka (949) 759-3450**

NEW YORK **David Clutter (212) 850-7124, Tuck Sifers**

(212) 850-7197

SAN FRANCISCO **Ron Evans (949) 759-3450**

CLASSIFIED ADVERTISING **The McNeill Group, Inc.**

(215) 321-9662

PUBLISHED BY HOME SERVICE PUBLICATIONS, INC.,

a subsidiary of the Reader's Digest Association, Inc.

EDITOR-IN-CHIEF **Gary Havens**

OFFICE ADMINISTRATIVE MANAGER **Alice Garrett**

VICE PRESIDENT, U.S. MAGAZINE FINANCE

Joseph Williams

VICE PRESIDENT, CIRCULATION, US MAGAZINE

PUBLISHING **Craig Reynolds**

DIRECTOR OF OPERATIONS **Thomas Tzoucalis**

VICE PRESIDENT GLOBAL ADVERTISING

RESEARCH **Wayne Eadie**

QUALITY CONTROL MANAGER **Ernie Salto**

PRESIDENT, US MAGAZINE PUBLISHING

Gregory G. Coleman

CHAIRMAN, CHIEF EXECUTIVE OFFICER

Thomas O. Ryder

American Woodworker® (ISSN 1074-9152; USPS 0738-710) is published seven times a year in February, April, June, August, October, November, and December by Home Service Publications, Inc., 2915 Commers Drive, Suite 700, Eagan, MN 55121. Periodicals postage paid at New York, NY and additional mailing offices. Postmaster: Send change of address notice to American Woodworker®, P.O. Box 2134, Harlan, IA 51593-0323. Subscription rates: U.S. one-year, \$23.88; two-year, \$43. Single-copy, \$3.95. Canada one-year, \$31.88; two-year, \$58 (Canadian funds). GST # R122988611. Foreign surface one-year, \$35; two-year, \$65 (U.S. funds). Foreign air one-year, \$42; two-year, \$80 (U.S. funds). U.S. newsstand distribution by Hearst Distribution Group, New York, NY 10019. In Canada: Postage paid at Gateway, Mississauga, Ontario; CPM# 1447866. Send returns and address changes to American Woodworker®, P.O. Box 2134, Harlan, IA, USA 51593-0323. Printed in USA. © 2000 Home Service Publications, Inc. All rights reserved.

We make our mailing lists available to divisions of Reader's Digest and other carefully selected companies whose products and services may be of interest to our customers. If you would like your name excluded from these mailings, simply send your request to: Reader's Digest Mailing List, Attn: Circ. Dept., Reader's Digest Road, Pleasantville, NY 10570. Please include a copy of your address label.

Contents

DEPARTMENTS

8 Question & Answer

14 Workshop Tips

20 One-Day Project Portable Food Safe

24 Practical Design Sizing a Dining Table

34 Small Shop Tips


42 Woodturning Turning Table Legs

96 Product Reviews

104 Finishing Tips

110 Blue Highway Tip

124 Shop Solution Flammables Cabinet



page 20



page 34



page 24

Subscription inquiries

American Woodworker, Subscriber Service Dept., P.O. Box 2134, Harlan, IA 51593-0323; (800) 666-3111; e-mail: AWWcustserv@cdsfulfillment.com

Back issues

Some are available for \$5 each. Copies of past articles: photocopies are available for \$3 each. For either, write or call: American Woodworker Reprint Center, 511 Wisconsin Drive, New Richmond, WI, (715) 246-4344, 8 AM to 5 PM CST, Mon. through Fri.

How to reach us

We welcome your comments, suggestions, or complaints. Write to us at: American Woodworker, 2915 Commers Dr., Suite 700, Eagan, MN 55121
Phone: (651) 454-9200 Fax: (651) 994-2250
e-mail: amwood@concentric.net



page 124



Dodge Ram Offroadster  Different.



800-4-A-DODGE or www.4adodge.com

Mopar® accessories shown optional. Always use seat belts.
Remember, a backseat is the safest place for children 12 and under.



It comes with a burly, overbuilt suspension. Big, honking, 17" wheels and special tires. Solid steel and high-tech composite skid plates. It's just this simple. If you're going off road, don't settle for a truck whose off-road credentials only go decal deep. Get the real deal. Get the Ram Offroadster.

Question & Answer

Ask Us

If you have a question you'd like answered, send it to us at: **Question & Answer, American Woodworker, 2915 Commers Drive, Suite 700, Eagan, MN 55121.** Sorry, but the volume of mail prevents us from answering each question individually.

Final Rubout

Q. I always have problems getting a smooth finish. I sand the wood with 220 paper, wipe it with a tack cloth, apply three coats of high-quality varnish, and still get a rough surface! What can I do to get that "professional" look?

Jim Salas
Harlingen, TX

A. You've got dust problems, like everybody else. Even if you carefully tack the wood prior to finishing, the air (and you!) are full of small dust particles that settle on your finish right after you've laid it down. To get rid of the "nibs," rub out the last dried coat with a dab of wax and extra-fine steel wool. This will polish the last coat and scrape off the nibs leaving a silky smooth finish.



GIVE YOUR WORK a final rubdown with wax and extra-fine steel wool.

Rub-Joint Gluing



Q. My panel glue ups drive me nuts because the boards slide around whenever I clamp them together. Then I end up beating them back into position. What's going on?


Brian Morgan
Rockford, IL

A. Most likely you're putting too much glue on the joints and your boards are simply "swimming" around on the excess glue. Try the rub-joint gluing method instead.

Apply glue to only one edge of the joint, slide the two boards back and forth until the glue becomes tacky, and *then* clamp the boards. Bonus: rubbing the boards together distributes the glue evenly and produces a strong, thin glue line.

BEFORE CLAMPING, rub the boards back and forth for a no-slip glue up.

WITH YOU EVERY 1/64" OF THE WAY.



Introducing the latest from DeWALT. We call it the DeWALT Woodworker's Table Saw. You'll call it the best saw you've ever used, because we designed it with woodworkers in mind.

Accurate, Dependable Fence We started from scratch to design the most accurate, dependable and easy-to-use fence in the industry. The DeWALT Precision Rip Fence delivers smooth action, solid locking and always travels parallel to the blade, making precise adjustments quickly and easily.

Crank Ergonomics We positioned the blade elevation crank with plenty of hand clearance to make blade-height adjustments quick and easy. Accurate blade-angle adjustments are also easy thanks to the large, adjustable bevel scale and the graduated bevel crank (each revolution equals a 2° adjustment).

Switch Ergonomics The large, easy-access on/off switch eliminates fumbling around when you're ready to start or stop cutting operations.

Powerful & Space Efficient The 1 3/4 hp TEFC Induction motor provides the

power you need to cut the toughest hardwoods. And unlike other saws in the category, we put the motor inboard and out of your way, making it easy to store the saw against the wall when not in use.

Easy Dust Collection The DW746 is equipped with a dust collection port making it easy to connect your saw to your vacuum or dust collection system.

Sliding Table Accessory Option Unique, high-capacity/high-accuracy sliding table cross-cutting system delivers 30" of cross-cutting capacity at 90°, and makes large, angled cross-cuts quick and easy. When not in use, this unit stores away without leaving any cumbersome mounting hardware in your way.

A solid ground, cast-iron table, industrial slides and a precision mitering guide delivers the quality and accuracy you demand.

Full Range of Accessories



1-800-4DEWALT www.dewalt.com

Question & Answer


Truing a Framing Square

Q. I just inherited my grandpa's framing square. It's big and heavy and I'd like to use it but it isn't square! How on earth can I fix it?

Sam O'Donnell
Peabody, MA

A. Get yourself a hammer and a center punch. Then:

1. Draw a line on a straight-edged board (MDF works great) using the square.
2. Flip over the square and draw another line just to the right of the first.
3. If the lines diverge, peen the inside corner of the square with a hammer and center punch.
4. If the lines converge, peen the outside corner.
5. Repeat steps 1 through 4 until the lines are parallel.



TO TEST A SQUARE, draw a line on an MDF sheet. Flip over the square and draw another line next to the first.



PEENING THE OUTSIDE CORNER
"closes" the square.



PEENING THE INSIDE CORNER
"opens" the square.

Rusty Router Collets



CLEAN rusty router collets with a dowel and synthetic steel wool.

Q. Returning to my shop after working outside this summer, I noticed a rusty film on my router collets and bits. What's the best way to remove the rust without damaging the collets and bits?

Gary Hutchinson
New Haven, CT

A. Use a synthetic steel wool or 3M Scotch-Brite pad. To clean a 1/2-in. collet, wrap the pad around a 1/4-in. dowel and spin it inside the collet. Clean the rust off the bit shanks by rubbing the pads around them. *Do not* use an emery cloth or sandpaper; you don't want to remove any metal that could cause the bit to wobble later. Wipe the collet's inside and the bit's shank with a light, general-purpose grease, then wipe off the excess. A thin film of grease will remain in the surface to slow future rusting.

THE PERFECT EDGE.

DEWALT HEAVY-DUTY ROUTERS



DW625

Heavy-Duty 3 HP
VS Electronic Plunge Router



DW610

Heavy-Duty 1-1/2 HP Router



DW621

Heavy-Duty 2 HP
Electronic Plunge Router

DW621

95% Dust Collection

Exclusive, built-in, dust-extraction column attaches to standard shop vacuum

Quality Finish

Electronic Variable Speed (8,000 - 24,000 rpm) for constant speed under load

Fast and Accurate

Depth Setting

Rack-and-Pinion, microfine depth adjustment starting at 1/256"

Versatility

Converts from fixed base to plunge with the lock-down knob

Control

Rubber-coated knobs have built-in plunge lock and on/off switch

Durability

100% Ball Bearing Construction

Power

2 Horsepower Motor

Capacity

Accepts 1/4" and 1/2" collets

The DeWALT Heavy Duty Routers deliver accuracy, durability, power and the most innovative features available. For example, the DW621 includes the industry's first built-in dust-collection system. It can also convert from a fixed base to a plunge router with the twist of the left knob. The DeWALT line includes the DW625, which boasts 15 Amps and a 3 horsepower motor.

Additionally, it contains phosphorous bronze guide bushings for a smooth and even plunge. Our fixed-base router, the DW610, won the 1998 Wood Magazine® Editors' Choice Award and our Plunge Router, the DW621 won the American Woodworker's Editors' Choice Award for 1998. So get the best of all worlds, and get a DeWALT heavy-duty router. Guaranteed Tough.™


**For more information, call 1-800-4 DEWALT
or visit our web site at www.dewalt.com.**

DEWALT
High Performance Industrial Tools

Board Feet Calculation

Q. I used to buy planed and jointed lumber (S4S) at a home center where it was sold by the lineal foot. Now that I have a planer and jointer, I want to buy my lumber in the rough but I'm confused. It's sold by the "board foot." What does board foot (bd. ft.) really mean and how do I calculate it?

George Robison, Horicon, WI



One board foot is 1-in. thick x 12-in. wide x 12-in. long.

A. Lineal feet is a measure of length. Board feet is a measure of volume. In the same way that sand is sold by the cubic yard, rough lumber is sold by the board foot.

Calculating board feet for 4/4 (1-in. thick) lumber is easy. Simply figure out the board's surface measure:

Full width in inches times length in feet divided by 12.

"Full width" is rounded up or down to the nearest whole inch. "Length in feet" is a whole number, too. Board feet are rounded to the nearest whole foot.


To calculate the number of board feet in a thicker board, multiply the surface measure by the thickness of the board. Here's an example for a 6/4 (1-1/2-in. thick) board that's 7-3/8-in. wide and 8 ft. 3-in. long:

$$\begin{aligned}\text{Board feet} &= (W \times L \times TH)/12 \\ &= (7 \times 8 \times 1\text{-}1/2)/12 \\ &= 7 \text{ board feet}\end{aligned}$$

For your calculations, be sure to ask your lumber supplier if their 3/4-in. planed boards are considered 1-in. thick. Some are, some aren't.

For more information you can order a copy of "Rules for the Measurement and Inspection of Hardwoods and Cypress" from The National Hardwood Lumber Association, P.O. Box 34518, Memphis, TN 38134; (800) 933-0318; \$7 plus shipping. **AW**

Prototype



ARROW
ELECTRO-MATIC

New!

Finished Product




HEAVY DUTY ET100™
Nail Master™
ELECTRIC BRAD GUN

Grab hold of the all-new ARROW ET100™ and experience the beauty of ergonomically designed comfort. Its non-slip cushioned grip and superb balance assures effortless work, even during long jobs.

In addition to performing routine nailing jobs, this powerful 10 amp brad nailer is specially angled to handle difficult corner, edging and framing jobs. No scratched or damaged surfaces.

The ET100™ provides nail driving muscle without the burden of an air compressor. It shoots 3 different size brads.

Solid state circuitry, a hardened carbon steel delivery system for jam-proof performance, and both trigger and surface contact safety locks combine to offer increased years of safe, accurate, trouble-free service.



**SHOOTS
3 BRAD
SIZES**

5/8" (15mm)

3/4" (20mm)

1" (25mm)

The ET100™ is available wherever fine tools are sold.

Arrow Fastener Co., Inc., 271 Mayhill Street, Saddle Brook, New Jersey 07663


Canada: Jardel Distributors, Inc., 6505 Metropolitan Blvd. East, Montreal, Quebec H1P 1X9

United Kingdom: Arrow Fastener (U.K.) Ltd., 14 Barclay Road, Croydon, Surrey CR0 1JN

www.arrowfastener.com

© 1999 Arrow Fastener Company, Inc.

ARROW
Celebrating our
70th Anniversary



DW733
12-1/2" HEAVY-DUTY
THICKNESS PLANER

Dust hood with
shop vacuum
adapter
included



Extra set
of knives
included

\$50 **MAIL-IN REBATE**
Must be postmarked by 2/28/01.

PLANE AND SIMPLE. THE SMOOTHEST FINISH.


A bold statement? Not when you're an industry leader. The DW733 heavy-duty thickness planer is that good. When smooth finishes, superb accuracy and an extra-long service life are your attributes, it's easy to show off to your friends. You can tell them about its unique carriage head lock for stability. Heavy-duty M2 laminated, high-speed steel knives that last up to five times longer than other knives and can be resharpened. A powerful 15-amp motor that spins at 10,000 rpm for 64.1 cuts per inch. Collapsible feed tables that provide 33" of material support. A carriage head that rides on four steel columns for a completely stable cutter head. The DW733 is also portable, which allows you to do the best job in neighborhoods all over. The only question left is, what should your next project be?

DEWALT
High Performance Industrial Tools

1-800-4-DEWALT www.Dewalt.com


From Our Readers

WorkShop Tips



Sandpaper File

Sorting through my sandpaper pile to find the right grit was a pain in the neck, so I bought a file folder case and hanging files, wrote the grit number on the tabs, and filed the grits in the proper folders. It's also great for carrying around in and out of the shop.



*Elizabeth Sawyer
Portland, ME*

Pattern Transfer Tool

When faced with copying a curved leg for a broken chair I had a hard time making a pattern. I tried guiding a pencil against the leg but the pencil wobbled and I couldn't keep it upright. I solved my tracing problem by making a jig to transfer the profile.

In the end of a piece of 2x4 scrap I cut a (tight) slot for a flat carpenter's pencil. I cut away the pencil's edge to expose the lead. Then I sharpened the pencil, beveling only one side. Finally, I added a strip of masking tape to protect the leg. With the pencil in the block and pressed against the leg I can trace any profile onto paper.

*Julian McFowl
Tyler, TX*

If you have an original Workshop Tip, send it to us with a sketch or photo. We pay \$200 for each one we print. Send to: **Workshop Tips, American Woodworker, 2915 Commers Drive, Suite 700, Eagan, MN 55121.** Submissions can't be returned and become our property upon acceptance and payment.

HOT BLADE.

COOL CUT.

What is it?

Our new line of Teflon® coated blades. TCS®, short for a new industrial coating by DuPont® that makes our blades run super fast, super smooth and super cool.

How?

- The coating makes these blades more resistant to friction and heat buildup. The blade stays up to 50% cooler than non-coated blades. This helps the wood glide by the blade with a lot less effort compared to conventional blades. So, you get some major benefits.
- This puts less stress on the blade. Studies by DuPont tell us that TCS coated blades last up to 50% longer than conventional blades before sharpening.
- It also causes less pull on the saw, 38% to be exact. Which translates into over 1/3 more cutting power. And as a bonus, the smoother cutting action means less wear and tear on the motor.
- TCS blades won't bind like conventional blades. The self-lubricating, non-stick finish sheds sappy wood residue before it builds up. So you will get a smoother, more professional cut with TCS blades.
- Clean up with these blades is also easy. Pitch and resins just don't stick well to the industrial Teflon. So, even after extensive use, simply wipe clean with hot water.
- Don't be concerned about cleaning the blades with water. The Teflon coating makes the blade rust resistant, in fact, you don't need oils, greases or rust-preventatives.

The industrial Teflon coating gives you a lot of great benefits, but remember that under the Teflon coating is a Freud blade.

For Catalog Call 1-800-334-4107 or E-Mail freudinc@aol.com

Information courtesy of DuPont Industrial Coatings®.

ISO 9002
CERTIFICATE REGISTRATION # 12 100 9159

22 TEETH
ALTERNATE TOP BEVEL

REQUIRES LESS POWER

Rip Wood			
Crosscut Wood			
Chip Board			
Plywood			
Laminate			
Non-Ferrous Metals	Not Recommended		

Fair Good Excellent
Copyright of Freud Inc. 1990




TEFLON
CONVENTIONAL

freud®

Precisely what you need.

Workshop Tips



Stippling Tool


I came across an old pattern my grandfather drew many years ago on a big sheet of paper. I was itching to build the piece but I couldn't figure out how to transfer the pattern onto boards so I could cut them out on a bandsaw. I didn't want to cut up the paper because of sentimental value and I don't have access to a big copier. Borrowing from my wife's sewing expertise, I made a stippling tool by snipping off the head of a needle and pushing it into the eraser of a wooden pencil, sharp-pointed end out. I taped the pattern on my board and pricked through the paper into the wood. I removed the pattern and connected the prick marks with a pencil line. Slick!

Mike Huber
Fenton, MO

Jointer Push Pads

My next-door neighbor borrowed my jointer push blocks (he lost his...) and he never returned them. I was under the gun to finish a job and I needed to joint the faces of some boards. I scrounged the garage for something and came up with some great alternative push blocks: concrete float pads. They've got a comfortable handle and a solid, wide, no-slip pad on the bottom—even larger than my original push blocks. Heck, now my neighbor can keep my old ones!

Eric Hoffstad
Stevens Point, WI



RECORDS WERE MADE TO BE BROKEN. EXCEPT THIS ONE.

You can count on our record of making dependable tools. Because your planes and vises need to be reliable and strong, RECORD® tools are created from the finest steel and crafted in our foundry in Sheffield, England. We've been making woodworking tools for over 100 years, which is why we can promise you such high quality. RECORD tools—planes, vises and clamps you can depend on.

Record
Hand Tools

www.recordtool.com



Wallpaper Knife Sander

After cleaning up glue squeeze out with a damp rag I've always had a real tough time sanding inside corners to remove the raised grain. A sanding block is too bulky to sand completely up to the joint. I wanted something stiff and controllable. The solution is quite simple: I lay one 150-grit, self-adhesive sandpaper disk on one side of a flexible wallpaper knife and trim to fit. On the other side goes 220-grit, self-adhesive paper which gets trimmed too. Now I can sand cleanly to all inside corners. I just peel off and replace the sandpaper when it's worn.

*Matt Weathers
Athens, OH*

Quick Screw Pockets

I don't own a jig for making screw pockets but I wanted to use pockets to fasten a plywood tabletop to a skirt. Here's my simple way of making the pockets: First I drill a 1-in. hole inside the skirt. I ground the tip short on the 1-in. spade bit so it wouldn't blow through the other side. I followed that with a 5/32-in. bit in the edge of the hole. The pocket is large enough to accommodate a countersink bit for a flat-head screw.

*Mike Burton
Ogden, UT*

START 1" BIT
AT 90 DEGREES, THEN
TILT 30 DEGREES

DRILL 5/32" HOLE

1 5/8"
DRYWALL
SCREW


THESE CHISELS DON'T COME WITH A RETIREMENT PLAN.

When you create something, you want it to last a lifetime. That's what we had in mind when we created MARPLES® chisels. Forged in one piece from the finest quality steel, they are hardened and tempered to within an inch of the tang—unlike most other chisels. We manufacture them for long-term performance; in fact, you'll probably retire first.

Marples®


Woodworking Tools

www.marpleschisel.com



©1999 AMERICAN TOOL
CORP. BOSTON, MA


Workshop Tips



Extension Cord Hanger

I've got a small garage shop but I use every square inch of it. That means pulling an extension cord from my *one* outlet to all my projects. I was always tripping over the cord and getting it snagged on stuff. Then I came up with this ingenious, simple cure. I hang the extension cord from the ceiling! A steel cable runs from one end of my garage shop to the other. The extension cord (I use a very flexible, outdoor cord) is hung from the cable using metal shower curtain rings. Now I pull the cord to where I need it and it stays out of the way. Best yet, it cost me under \$25, including the cord.

*Jerry Glazman
Winstead, CT*



When the Sawdust Settles...

Premium Quality ZAR® Rises Above the Rest!

Whether you're creating your own masterpiece or want to give new life to a treasured family heirloom only the best wood stain will do. ZAR Wood Stain is formulated using only the finest ingredients. ZAR Wood Stain's controlled penetration formula allows you to work at your own pace. ZAR wipes on easily and penetrates evenly for uniform color tone without streaks, lapmarks or blotches. ZAR Wood Stain's extra rich formula makes it ideal for all types of wood; from Oak to Aspen to Poplar to Pine with beautiful results every time. So whether you're a professional or just want professional looking results - use ZAR Wood Stains and Clear Finishes.

YOU CONTROL THE STAIN IT DOESN'T CONTROL YOU!

ZAR Wood Stain wipes on evenly. Its controlled penetration gives you a uniform color tone without streaks or lap marks.



ZAR Wipes on Evenly!

Other Brands Leave Uneven, Blotchy Color Tone.

ZAR's controlled penetration allows you to apply the same stain to different species of wood and get matching color tones.




Match Color Tone on Different Kinds of Woods.

ZAR

The Best Thing That Ever Happened to Wood!

For a free brochure and the name of your nearest dealer call 1-800-272-3235, or visit us at www.ugl.com.



Dust Bag Hangers


When it came time to rehang the bag on my dust collector I always wished I had five hands. One day I had an idea: I made five hooks out of a wire coat hanger. I simply pull the bag over the dust collector's flange, slip the hangers through the bag's belt loops and then adjust and tighten the bag belt. **AW**

*John King, Jr.
Thomasville, GA*

INVEST YOUR STOCK IN THIS.

Maximize the return on your woodworking investment with the RIDGID TP1300 13" Portable Thickness Planer. With the largest capacity in its class, this tool's got the power and performance to pay dividends for years to come.

15 amps of power, in fact, and complete with an extra set of dual edge, quick change knives to keep you humming while the others are down with nicks or getting sharpened. The planer's 4-post design and Sure-Cut mechanism isolate the cutterhead to minimize annoying "snipe" and produce superior finishes.



If it's guaranteed performance you demand, then the TP1300's got that too...with Ind-I-Cut™ to show you exactly how much material will be removed with each pass and Repeat-A-Cut™ to ensure that every piece exiting the machine is precisely the desired thickness. All backed by the RIDGID Lifetime Warranty against defects in material and workmanship.

As with any investment, consider your options carefully. This planer will be beating the field for years to come.



Sure-Cut:
Virtually "snipe"
free finishes.



Ind-I-Cut™:
Shows what'll
be removed,
before it's gone.



For more information call 1-800-4-RIDGID, visit our website @ www.ridgidwoodworking.com or your nearest Home Depot store



Portable Food Safe

No more smashed frosting, cracked crusts or capsized casseroles. You can take your culinary creations anywhere with this portable food safe. You can adapt the design to accommodate two pie plates, a deep casserole dish or a 9 in. by 13 in. baking pan. If you're a bread baker, size the safe for two loaf pans with a pull-out cutting board on the bottom. Whatever you're toting, it will arrive in style and in one piece!

This safe features two sliding doors and two removable trays.

Pine's a good choice for wood because it's easy to work and light in weight. Acrylic doors allow for peeking and the brass handle is an easy grip. Total cost: around \$35. (Note: The fol-

lowing how-to contains specific instructions for the food safe pictured here.)

The four sides are wide so you may have to glue up some stock. Plane the material to 5/8-in. thickness and mill to width and length (Fig. A). I like to cut the parts about 1/16-in. long so each box joint protrudes about 1/32 in. It's better to sand the pins flush to the sides than the sides flush to the pins! Once the box joints are milled (Photo 1), take

EDITOR: DAVE MUNKITTRICK • ART DIRECTION: JOEL SPIES • ILLUSTRATION: FRANK ROHRBACH • PHOTOGRAPHY: MIKE KRIVIT PHOTOGRAPHY

Beauty is only a few layers deep.

Get to it three times faster.

That's because new 3M™ SandBlaster™ Sanding Sponges cut three times faster and last three times longer.* The packaging is color coded so you can easily pick the right sponge for the right job. SandBlaster sanding sponges make any job easy and beautiful.



**3M SandBlaster Sanding Sponges.
For a Fast Finish.**

One-Day Project

the two side panels and make the dados for the two sliding doors. The acrylic I used came a little under thickness so it worked well to make the dados right at 1/4 in. Next make the dado for the upper sliding tray. Now is a good time to finish sand the inside surfaces.


Gluing and clamping all four sides at once takes four hands; here's a better



Routing box joints with a dovetail jig is very fast (this one is by Keller). The jig is easy to set up, reliably accurate and can also be used to make dovetails.

way: Dry clamp the four sides, pull the top off the sides and brush glue onto the mating surfaces of the exposed pins. Replace the top and clamp (Photo 2). Make sure the top is square to the sides. When dry, flip over and repeat the gluing process with the bottom panel. When the glue is dry, you can sand the joints flush. Cut the tray bottoms from 1/8-in. hardboard. The upper tray bottom is wider than the lower tray because it needs a lip to slide in the side dado. Cut and attach the rim boards.

Your hardware store can cut the acrylic doors for you. If you choose to cut them yourself, use an 80-tooth, carbide-tipped triple chip design or a fine-tooth steel plywood blade. To remove saw marks on the edges of the acrylic, use a sanding block. The wood trim on the doors serves as a finger grip and is attached with epoxy. Scuff the acrylic with sandpaper and tape off any place you don't want smeared with epoxy.



Clamp up the box using cauls to clear the protruding pins. Taping the cauls in place makes the job easier. For easy cleanup, line the corners with masking tape to catch glue squeeze out.

Peel off the tape when the epoxy is still semisoft.

Stain and finish to your liking. Add the handle and you're ready to go.

NOVA^{System}

New Age Routing Tools with Replaceable Tips

Patent Pending #129720

Routing out the drawbacks of routers

The new patent pending Nova System™ gives you a wide range of profiling options in a single router bit with replaceable carbide tips.

The Nova System™ consists of:

- A router bit with ball bearing guide, designed for use with portable routers.
- A router bit without ball bearing for surface work or profiling that can be used with portable or CNC machinery.
- Replaceable carbide blades are harder & longer lasting and are available in 28 different profiles.
- Anti-kickback 'BG' design for safety
- No re-sharpening needed for higher productivity and increased profile consistency.

Call 800-445-0077
for the New 2001
Amana Catalog or
to locate a dealer
near you.



See this
product at:



August 24-27,
2000
Booth 6436



Amana Tool®

Call 1-800-445-0077

for our new catalog and for the dealer nearest you,
or visit our web site at <http://www.amanatool.com>

FIG. A

Cutting List*


Overall Dimensions 7-1/2" H x 11-13/16" W x 11-13/16" D

Ref.	Qty	Dimensions	Part
A	2	5/8" x 11-13/16" x 7-9/16"***	Sides
B	1	5/8" x 11-13/16" x 11-7/8"***	Bottom
C	1	5/8" x 10-11/16" x 11-7/8"***	Top
D	2	5/16" x 5/8" x 10-5/8"	Door trim/handles
E	2	1/4" x 11-1/8" x 6-7/8"	Acrylic doors
F	1	1/8" x 11" x 10-5/8"	Upper tray bottom
G	1	1/8" x 10-5/8" x 10-5/8"	Lower tray bottom
H	4	3/4" x 7/8" x 10-5/8"	Front and back rim boards
J	4	3/4" x 7/8" x 8-5/8"	Side rim boards

*Designed for two 9-in. pie plates, Corning Ware P-309 9" x 1-1/4". Box joint pins are 9/16" wide.
 **Includes 1/16" extra (1/32" each end) for sanding pins flush after box is assembled.

Sources

Woodworker's Supply
 (800) 645-9292
 Brass handle: Item # 941-183; \$7
 Keller 15" journeyman dovetail system:
 Item # 934-385; \$140.



AW

The Woodworker's Edge... BRIDGEWOOD® Quality... More Affordable Than You Think!




BW-15BS Bandsaw...
 don't let its low price fool you, this amazing bandsaw is designed and built to provide trouble free operation cut after cut.

- Heavily ribbed, cast iron c-frame
- Cast aluminum wheels with rubber tires
- Non-rocking steel floor stand
- Miter gauge
- Motor mounted directly to cast iron frame for smooth operation
- 3/4 HP motor
- Two blade speeds: 2000 or 2600 SFM

TSC-10C Table Saw...
 with features such as a large working surface, powerful American made motor and sturdy construction you'll see we didn't spare quality to make an economical table saw

- Miter gauge with T-slot groove
- Cast iron extension wings
- Magnetic switch
- Quick release plug connection on motor
- 4" dust collection hook up
- Large 27" x 40" table
- Beveled front table edge for smooth miter gauge operation
- 1 1/2 HP American made motor
- Comes with VEGA® U-26 fence (shown)



BW-15P Planer...
 economically priced yet built like big professional planers, it offers absolutely vibration free finishes

- 3 HP motor
- 3 v-belt drive from motor to cutterhead
- Table moves up and down - cutterhead stationary for smoother cuts
- Sturdy 4 leg non-rocking stand
- Extended stock support rollers
- Anti-kickback fingers across entire width
- 3 spring chip breaker
- Heavy cast iron construction
- Magnetic switch
- Jackscrew knife adjustment

BW-6R Jointer
 Acclaimed a "best buy" among 6" jointers by a professional woodworking publication

- 3-knife cutterhead
- Jackscrew knife adjustment
- New fence tilts both ways, quick and easy adjustment. 3 positive stops
- Enclosed stand
- 1 HP motor
- Rabbeting table and ledge
- Surface ground tables
- Pushbutton switch
- Cast iron wheels



Ask about easy
 Bridgewoodworker
 LEASE PLANS



BW-002A Dust Collector...
 portable, compact unit can solve your dust collection problems at a very low cost

- 1 Micron, 16.2 sq. ft. filter bag
- Two 4" dia. hose inlets
- 1059 CFM
- 43.5 gal. see-through collection bag attached with quick release metal straps
- 2 HP single-phase motor
- Metal impeller (not plastic)

See when it's full!

WILKE
 MACHINERY COMPANY
 MACHINERY POWER TOOLS

For information and a FREE Catalog
 contact us by toll free phone...
1-800-235-2100
 visit our web page...
www.wilkemach.com
 or write:
 3230 Susquehanna Trail, York, PA 17402

Sizing a Dining Table

Few projects are more personally satisfying than building a dining table for your family. To size it right, follow the guidelines we've gathered here. We'll cover the amount of room each diner and their chair needs, give you pointers on figuring out the height that best suits your needs, cover the hidden benefits of trestle tables and look at fitting a table into a typical dining room. We've even included a chart of typical table sizes.

These guidelines are not hard and fast rules. Your *personal* preferences come first, so here's how to test the guidelines in order to figure out the dimensions of a dining table that's just right for you and your family.

Elbowroom

Let's start with the overall size of the tabletop. Answer these questions first: how many people will usually sit at the table?; how much elbowroom does each person need? The first question is easy, unless your kids are like mine and you never know if they'll be home for dinner! But let's assume that you'll want a table for four or six or eight people and tackle the harder question of making room for everybody.

Take your choice of two commonly agreed upon numbers for determining the size of a place setting (Fig. A). Two feet for each diner is considered a bare minimum, but you can allow more if your room can accommodate it.

Consider your family's dining style. If your place settings are minimal and informality rules, use the two-foot standard. But if your table is going in a for-




FIG. A

Size your tabletop based on the amount of elbowroom you're comfortable with. If you don't mind sitting close to your neighbor, allow 24 in. for each person. If you like lots of room, or plan to use the table for formal dining, you'll need up to 30 in. The head of the table requires additional space. The wider the table, the less additional space may be needed because there's more room at each corner.

FIG. B Typical sizes for rectangular, square and round tables.

Number of People	Rectangular	Square	Round
2	24" x 30"	30"	30"
4	30" x 48"	36"	36"
6	36" x 60"	—	48"
8	42" x 86"	48"	62"

mal dining room where you'll set it with your best china, expand to a 30-in. space for each diner.

To really settle the matter, take a tape measure along the next couple of times you eat out. See where you and your family settle naturally at different-sized tables and jot down some numbers.

Hundreds of table designers doing

this fieldwork have come up with a set of standard sizes for square, rectangular and round tables (Fig. B). We've assembled these numbers from many different sources, none of which exactly agree with one another, so use them as a reality check against your own calculation of the perfect table size.

Unfortunately, the world's most accomplished jig saw isn't for everyone.

We're not snobs. But as the company who invented the jig saw more than 50 years ago, we're simply making a point: Bosch jig saws are built for serious woodworkers and tradesmen. And while these guys work with wood for many different reasons, they do have one thing in common: the complete and utter inability to do a second-rate job. On anything.

Now we invite you to join them in owning the best jig saw there is.


Pick up the Bosch 1587AVS Jig Saw and you'll notice the difference right away. You'll like the heft, the feel of it. Like it was actually custom-molded for your hand. The top handle gives you an extra measure of control, especially when you're steering through curved cuts.



your hand. The top handle

Pull the trigger and you'll notice that

exceptional power is delivered to the blade smoothly and almost completely free of vibration. That's because we created a linear-counterbalance mechanism that dampens excessive vibration (A).




The
1587AVS

sports a potent 5-amp motor with ball and roller bearings, delivering power as well as precision on even the most harrowing cuts. A variable-speed trigger keeps all that power under your total control.

The unique Blade Change System, invented by Bosch, lets you easily change blades without tools. And unlike

most jig saws, the sturdy T-shank blade is firmly held (B) from the top, bottom and




sides, further guaranteeing hair-splitting control over your cuts.

The 1587AVS's orbital action can be

adjusted in four stages to match the task at hand. And its

low-positioned roller guide helps

keep all your cuts perfect—straight or angled (C).



So if all this talk about linear-counter-

balances and T-shank blades

has your mouth watering, call us at 1-877-267-2499 or visit boschtools.com.

You can find out more about the full line of Bosch Power Tools, and discover the advantages of over-engineering.

BOSCH

©2000 S-B Power Tool Company

Practical Design




FIG. C
Base the distance between the legs of your table on the number of chairs you'll be using. No one wants to straddle a leg, so plan ahead!

Table Widths

Narrow tables, from 30 to 36-in. wide, don't have much room in the middle for serving dishes and centerpieces. You may have to serve from a buffet if you have a lot of dishes to pass. But it's a practical width for an average dining room and brings everybody closer together. Wider tables (from 36 to 42 in.) have more room in the middle, of course, but it becomes harder to pass dishes across the table as you add width.

Room Between Table Legs

Have you ever been stuck straddling a leg at a dining table? You can avoid subjecting anyone to that torture by basing the distance between the legs of your table on multiples of two feet (Fig. C). That is the bare minimum for side chairs. Thirty inches is a more generous distance and also a minimum for armchairs. Use these numbers for the distance between the legs at the end of the table, too.

Does price matter?

Of course it does! And so do things like quality, reliability, and functionality. 'You get what you pay for' has never been more true because often times you get much less than what you pay for. The wrong purchasing decision can leave you with a machine that doesn't cut the mustard.

At Sunhill Machinery, our mission is to provide you with the highest quality and most innovative machinery at affordable prices. You work hard for your money, and you deserve to get the best value possible when purchasing equipment. Give us a call and see why our customers think we have the best machinery values available.

6"x52" Longbed Jointer

- 3 Blade Cutterhead
- 52" Long Bed
- 1HP TEFC Motor
- Totally Enclosed Base w/Chip Chute

Reg. \$425
Sale \$359

15" Two Speed Planer

- 3HP 1Ph. 220V. Magnetic Controls
- 3 Blade, Spring-Loaded Head
- 2 Feed Speeds: 16, 20 FPM
- Triple V-Belt Drive
- Stand included
- 500 lbs.

Reg. \$925
Sale \$849

108" Edge Sander

- Two fully adjustable tables for flat and curved work
- 2HP 1Ph. Magnetic Controls

Reg. \$1,149
Sale \$995

1HP Chisel Mortiser

- 1HP 1Ph. 220V. Magnetic Controls
- Chisel Stroke: 5"
- Depth, Haunch & Length Stops
- Table Movement: 16" x 3-1/2"

Reg. \$945
Sale \$795

Call now for more information

Visit us at: www.sunhillnic.com

1-800-929-4321

SUNHILL
MACHINERY

The Best Machinery Values in America.™

SUNHILL MACHINERY

500 Andover Park East
Seattle, WA 98108
Toll-free: 1-800-929-4321
Fax: 206-575-3617
email: sunhill@sunhillnic.com

JUST LIKE A SECOND PAIR OF HANDS

Now your table saw will support up to 48" of cut material.

Lifts quickly into position and folds out-of-the way in one simple easy step with no tools... supports 200 lbs.



FREE Color Catalog
Call: 1-800-624-2027
HTC PRODUCTS, INC.,
ROYAL OAK, MI 48068-0839

PATENTED



The first router that actually conforms to your idea of perfection.

Your unwavering devotion to precision has finally met its equal: introducing the Bosch 1617EVS Router. Every feature is designed to finally give you the levels of

(A) accuracy and control you've always demanded from a router, but have never found.

For example, not satisfied with the typical "close is close enough" bit depth adjustment, we've given you a patented Linear Height Adjustment System, which includes a Microfine Adjustment Dial (A) that can position the bit

exactly where you want it. And with adjustments as fine as .004 of an inch, we do mean exactly.

Bosch also patented a Precision Centering Design™ system

(B) that keeps the bit perfectly positioned in

the cut regardless of handle position, especially critical when following

a template or turning a corner.

The most powerful motor in its class – 2 HP, 12 AMP, variable speed – is harnessed by our innovative Soft Start

steel and wrapped in a light but strong

(C) magnesium housing, offering the highest power-to-weight ratio in its class.

Plus, classic hardwood handles reduce fatigue, and some-

how just feel right. Self-releasing collets prevent stuck bits, and allow for easy bit changes.

So, has your need for perfection been stirred? Are you looking at your old machine with a mixture of contempt and pity?

Maybe now's the time to meet a router as precise

as you. And a Bosch dealer who


understands your obsession.

For more information, please call 1-877-267-2499 or visit boschtools.com.

And discover all the advantages of over-engineering.

Technology, (C) which eliminates harmful start-up torque and reduces wear and tear. And the innovative Constant Response Circuitry maintains a consistent speed, no matter how tough the material.

Speaking of tough, the one-piece armature shaft is machined from solid



BOSCH

© 2000 S-B Power Tool Company

Practical Design




FIG. D

Build a prototype of your table to establish its height. There's no magic height that's right for everyone. It's a very personal decision, and depends largely on the chairs. Buy or make your chairs first, then sit down in front of the prototype and test it out.

Table Height

Factory-built dining tables represent a consensus on comfortable table heights and are typically 29-1/2 in. or 30 in. from floor to tabletop. Experiment to find the right height that best suits your family.


Build a small prototype table from 2x4s and plywood (Fig. D), try it out and you'll have made the best investment you can to be sure your table is well sized.

The height that feels best depends on the chair you're sitting in. *Build or buy your chairs first.* You'll probably find that a top at the lower end of the height range feels more relaxed and informal. You'll definitely notice a difference in how the table feels with every half-inch change in height.

Floor to Rail Clearance

Clamp test rails of different widths to the prototype table to check the clearance above your knees (Fig. D). The bottom of the rail should be no less than 25-in. from the floor. Dining tables with lower rails can feel very confining, especially when sitting in a chair with a high seat.

Buy Wood Online!



www.hardwoodweb.com

Free to a Good Home

\$131 Accessory Package

Accept no imitations!
Buy the Performax 16-32 Plus Drum Sander, the industry's original drum sander, and receive the accessory package absolutely FREE!

Package includes:

Infeed/outfeed tables
Conveyor belt tracker set
Box of ready-to-wrap sandpaper sized to fit

**\$131 accessory package
FREE**



The power to shape your ideas


PERFORMAX

JET, Performax and Powermatic — A Family Of Brands

Offer effective September 1, 2000 through March 31, 2001 • 800-334-4910 • www.PerformaxProducts.com



Brad pointed for you....




but this is what you really needed.


*The most complete selection
of woodworking tools & supplies.*



Pfeil Swiss Made®
Carving Tools -
Simply the best
carving tools
in the world.



**Tormek Sharpening
System** - The best
way to put the finest
edge on all your
cutting tools.



Ulmia Workbenches
- The finest in
European design
and craftsmanship.



**Woodcraft
Router Bits**-
Quality at an
affordable price.

Brad point, pointing Brad... It's understandable how some sales people might be confused. Finding someone who can supply you with these precision woodworking bits *and* show you how to best use them, needn't be as difficult as it seems. For over 70 years, Woodcraft has been serving woodworkers needs with the attention and knowledge that comes only from experience. Whether it's a butt chisel, bench dog or a brad point you need, we've got it and we'll show you how to use it.



WOODCRAFT®
Helping You Make Wood Work®

- Stores Nationwide
- FREE Catalog
- www.woodcraft.com

For the store nearest you or for a free catalog call: 1-800-542-9115

Proud sponsor of "The American Woodshop" hosted by Scott Phillips on Public Television.

Dept. #00WA09CP

Practical Design




FIG. E
Trestle tables have fewer limitations than standard four-legged tables. You can crowd chairs around the table and no one will have to straddle a leg.




FIG. F
A trestle table limits knee clearance at the ends. A large overhang may not look as well proportioned, but it affords plenty of legroom.

Trestle Tables

If you like a low dining table, or the freedom to place chairs anywhere around your table to handle a crowd, consider a trestle table (Fig. E).

There's plenty of knee clearance under a trestle table because there's no rail under the top. You can have a thick top that's fairly low to the ground and still have room to cross your legs. And you can squeeze in an extra chair along the side of a trestle table without asking some poor soul to straddle a leg.

In designing a trestle table, you don't have to worry about fitting chairs in between legs, but the person sitting at the end faces a new problem. They will bump their knees and feet into the trestle base of a table with a small overhang (Fig. F). (Many trestle tables are designed this way and don't work well for diners at the end of the table, but they're fine if everybody sits along the sides.) Although it changes the proportions of the table, one answer is to

Fisch BENCH TOP MORTISER

From the company that provides the highest quality mortising chisels & bits, comes a mortising machine with the same outstanding quality, precision and accuracy you have come to expect from Fisch Precision Tools. This heavy duty dedicated mortiser will handle all your mortising jobs with the ease.

- Double post columns add stability
- Adjustable cushioned grip handle
- Indexible metal lock knobs
- Micro adjustable fence
- Adjustable depth stop
- Spring loaded return
- Convenient tool holder
- 1/2 hp motor
- 2-year warranty

**Another
Great
Innovation
From**



Fisch Precision Tools Inc., Claysville, PA 15323
Phone: 724-663-9072 • Fax: 724-663-9065
fischusa@pulse.net

See us
at the
IWF Show,
Booth 6536



Dealers
Welcome!

Call Fisch Precision Tools
for the dealer nearest you.

**Lamello
SWISS**

Simply the best!

Lamello Classic C2 Biscuit Joiner

- **New** swivel front fence: 0° to 90° with notches at 22.5°, 45° & 67.5°
- **New** maximum depth
- **New** extra-flat, anti-slip pads
- **New** stop square for vertical work

Power, precision
and balanced
design for use on
wood, laminates,
solid surface and
aluminum materials.




E-Mail:
lamello@csaw.com

Purchase online at www.csaw.com

or call 1-800-252-6355 today!

COLONIAL SAW
MACHINERY SALES AND SERVICE



XACTA SAW™,
left- and right-tilt, 3 HP, \$1399.99*

\$177 table and legs set

FREE

*After \$100 rebate

FREE
Accessory
Package

Valuable Freebies

Plus rebates up to \$100!

Buy any JET *Gold Series* tool and we'll give you the accessory package, worth up to \$177, absolutely FREE. Plus we have rebates up to \$100 on select tools! Look for the red "FREE Accessory Package" tag at your local JET dealer for freebies that really are valuable!



Contractor-Style Tablesaw
with steel wings, \$499.99*
or with cast-iron wings, \$599.99†
\$49 carbide-tipped blade

FREE

*After \$25 rebate

†After \$50 rebate

6" Closed Stand Jointer, \$499.99
\$118 2 extra knife sets FREE

14" Closed Stand Bandsaw, \$579.99
\$148 rip fence and miter gauge FREE

16 1/2" Drill Press, \$399.99
**\$146 mortising attachment with
3-piece chisel set FREE**

1100 CFM Dust Collector, \$299.99
\$49 1 tool hook-up kit FREE

650 CFM Air Filtration System
with remote control, \$229.99
\$40 washable electrostatic filter .. FREE

1236 Wood Lathe, \$549.99
\$69 8-piece chisel set FREE



The power to shape your ideas

JET

JET, Performax and Powermatic — A Family Of Brands

Practical Design

increase the length and the overhang of the ends, so your knees have plenty of room.

The Dining Room

Finally, size your dining table to fit the dining room. There should be enough

room to pull out chairs and you should be able to walk around the table when people are seated (Fig. G).

Draw a one-quarter scale plan view of your room and include the doors, windows, ceiling light and other furniture. Try centering your ideal table with




FIG. G

Plan for clearance around your dining table before you settle on the dimensions of the top. Adequate space around your table is just as important as the theoretical amount of elbowroom.

Are You Ready? IF OSHA KNOCKS ON YOUR DOOR

Biesemeyer® can help. Our line of safety accessories is designed to increase efficiency and ease of operation without sacrificing safety. We offer a selection of guards and anti-kickback spreaders for table saws, as well as drill press guards and other accessories that will increase safety and make your shop regulation compliant.

Think safety. Think Biesemeyer®

Contact us or visit our web site
for the name of our distributor nearest you.

BIESEMEYER®

216 S. Alma School Road • Suite 3 • Mesa, AZ 85210

Fax (480) 834-8515

1-800-782-1831

Web Site: www.biesemeyer.com

E-Mail: mail@biesemeyer.com

the light and a window and see if it works. Do you have three feet of clearance all around? You may have to resize your top.

Dining rooms are often not large enough for a spacious table, which is why most traditional tables are built to expand with additional leaves. Size your table without leaves so it fits in the room with adequate clearance. With leaves added, don't get too hung up on clearance. Come Thanksgiving, with lots of guests milling about and all the leaves groaning under the weight of a big feast, everyone expects a tight fit!

Bon appetit! **AW**

Note: Most of the measurements in this article have been collected from a standard reference book used by architects. "Architectural Graphic Standards" is published by the American Institute of Architects and is available at www.barnesandnoble.com; \$50 paperback.



You're good. Now find out how good.

Built in the U.S.A., and backed by a lifetime warranty, our table saw features sturdy cast iron construction, a state-of-the-art rip fence and a Poly "V" belt drive to provide unmatched smooth running performance. Even when cutting tough material such as oak up to 3 3/8-inches thick. The heavy-duty, dual voltage Emerson motor features a thermal overload protector and conversion from 120 to 240 volts for more efficient operation in high-demand applications. Everything about this saw has been designed for



*Runs so smoothly, a nickel will stay standing with the saw running.**

the professional and serious do-it-yourselfer. From the micro adjust trunnion, to the patented Herc-U-Lift™ castor platform. And while there are too many features to list here, we invite you

to stop by The Home Depot® and see this deluxe table saw along with the complete line of our precision woodworking tools. You can also call 1-800-4-RIDGID or visit our website, www.ridgidwoodworking.com for more information. RIDGID®. A name that professionals have trusted for over 75 years. And now it's your turn.

RIDGID
TOOLS FOR A LIFETIME




Small Shop Tips

Old Door Workbench

I thought I didn't have enough room for a second work surface, until I made this one from a salvaged pre-hung door. Look for a flush, *solid-core* door with the jamb (door frame) attached. A solid-core door is sturdy, provides strong attachment for the bench legs and is heavy enough to take a pounding. I reinforced the jamb with screws and added stock where the threshold used to be. Then I screwed a 1 in. x 4-in. flange onto the back edges of the jamb with #8 x 2-in. screws. The jamb is hung on the wall at a comfortable working height with #10 x 3-in. screws. For convenient tool and accessory storage, screw

perf-board to the flange that's inside the door opening. Make two legs from 3/4-in.-threaded pipe and screw them into two 3/4-in. pipe flanges to support the workbench when it's down. Support the bottom jamb with angle brackets and add a hasp to hold the door shut.


*Joseph Pickwell
Camloops, B.C.*



Power Drill Station

My drills, chargers and all their wires took up too much precious bench space. This wall-hung drill station really cleared the clutter. Now all my drilling needs are within easy reach in one location. With the power strip I only use one outlet for all my chargers and I don't have to mess with an extension cord when I'm using power tools at my bench.

*Pat Grant
Spring Valley, WI*






Easy to turn on. Hard to turn off.

When we designed our new scroll saw, we gave it the features you wanted most. (We know, because we asked you.)

We put the power switch and variable speed controls where they made sense, up top. We designed the table to tilt both ways, instead of just one way. And the table "clicks in" every 15 degrees to make bevel cutting easy and sure. Of course, we also included handy features like a tool-less blade change, an adjustable blower and an integrated light. And we put it all on a heavy cast-iron base for solid performance. All of which makes it one of the easiest scroll saws to have fun with, right out of the box. In fact, the only hard part is turning it off.




DREMEL[®]
Tools for the Imagination[™]
www.dremel.com



2-STAGE TECHNOLOGY BLASTS THROUGH THE BOUNDARIES

Craftsman Professional 175-max PSI 2-stage compressor produces higher pressure ranges more efficiently than single stage models. Air is compressed in a large bored cylinder and cooled. It's then compressed a second time in a smaller cylinder to achieve the maximum amount of pressure.



Check out the Craftsman two-stage advantage


	20-gal. two-stage compressor	60-gal. oil-free compressor	60-gal. oilless compressor
PSI range	145-175	90-135	90-135
Power source	120-V 15amp	240-V 15amp	240-V 15amp
Requires special wiring?	No	Yes	Yes
Portable?	Yes	No	No
Runs 30% quieter than standard compressors	Yes	No	No
Pump design	2-stage	1-stage	1-stage
Maintenance	Very little	Very little	Very frequent
Continuous operation of air tools	Yes	Yes	Yes
Item #	#16777	#16650	#18416

SEARS

THE GOOD LIFE
AT A GREAT PRICE
GUARANTEEDSM

Small Shop Tips

Heads-Up Shop Rag Storage




I could never find a rag when I needed one until I discovered those boxed rags. But I got tired of kicking the box around the floor and I sure didn't want it to take up valuable bench space. I was changing a light bulb when the solution hit me. I built a simple plywood box, mounted it between the floor joists and added a couple of retainer clips to keep the box of rags from falling out. Now a rag is at my fingertips whenever I need it.

*Ben Downey
Plainfield, IL*

Tuck-Away Sandpaper Dispenser

This sandpaper dispenser holds four rolls of self-adhesive paper. Mount the box 3/4-in. below the joists, put measuring sticks out from either end, and fasten a pair of old hacksaw blades with a single screw on one end. Slip the paper through the blade and pull it to the desired length. Clamp the blade down with your thumb and tear off the paper.


*Bill Schmoll
Sioux Falls, SD*




Bridge Your Radial-Arm Saw Table

My radial-arm saw table was a handy place for my benchtop power tools. Unfortunately, I had to move a tool or two whenever I needed to cut a long board. I solved the problem by building a bridge over one side of the table. Now when I go to cut a long board I simply slip it under the bridge without having to touch my benchtop tools. If I ever need to cut anything really thick, which rarely happens, I can easily remove the tools and the bridge.

*Peter Lundebjerg
Greeley, CO*



BLOWS ORDINARY COMPRESSORS AWAY!



INTRODUCING 175-MAX PSI OF PORTABLE POWER!

Introducing a new force in your workshop! Innovative new technology packs 175-max PSI of power into a small, portable size. Quiet design runs long at higher capacity than other compressors of its size. No special wiring needed. Plug into any 120V outlet and you're ready to fully power up a full selection of Craftsman air tools. Visit Sears or call 1-800-437-9686 to order*.




MAKES ANYTHING POSSIBLE™

*Shipping & handling and sales tax on phone orders quoted over the phone. ©2000 Sears, Roebuck and Co.

Small Shop Tips

Turn Your Dust Collector on Its Head!

I use my 2-hp dust collector as a central unit. Turning the collector upside down and hanging it from the ceiling allows me to hook up my trunk line without any elbows. It also saves on floor space and because the barrel handles the chips, there's no loss of CFM from a full bag. But best of all,



Think Jig.



The World's Best Router Jig System

Thinking Jig? Think Leigh.
Whether you're a hobbyist or a

professional, the Leigh Jig will help you create your best work. Versatility with precision make the Leigh Dovetail Jig better than the rest. Rout through and half-blind dovetails, with variable spacing of pins and tails, on one jig. Create decorative Isoloc joints, finger joints, and multiple

mortise & tenons easily with Leigh attachments. And our easy-to-follow user guide will help make it happen fast! Call toll free now to learn more.

LEIGH
Joining Tradition With Today

Call For Your Free Leigh Catalog Today! 1-800-663-8932

Leigh Industries Ltd., PO Box 357, Port Coquitlam, BC, Canada V3C 4K6 Tel. 604 464-2700 Fax 604 464-7404 Web www.leighjigs.com

this system eliminates the dust storm created when removing a full bag.

Replace the metal base with 3/4-in. plywood sized to span your floor joists. (The old base makes a great shop cart!) With the help of a couple friends, bolt the whole assembly to your floor joists. To help dampen vibration, drill out the centers of six 1-1/2-in.-thick rubber stoppers to use as washers between the base and the bottom of your joists. Finally, remove the fabric bottom of one bag and use a cinch strap to attach it to a barrel with an approximately 20-in.-diameter top.


Rubber stoppers are available at most hardware stores for about \$4 apiece. You can pick up used barrels for \$6 to \$10. Look under "barrels" in the Yellow Pages. **AW**

*Ross Peterson
Hanover, MN*

If you have an original Small Shop Tip, send it to us with a sketch or photo. We pay \$200 for each one we print. Send to: **Small Shop Tips, American Woodworker, 2915 Commers Drive, Suite 700, Eagan, MN 55121.** Submissions can't be returned and become our property upon acceptance and payment.

Quiet, Compact, Powerful

Mini-Turbo Vacuum



*Finishing
is just the
beginning.*

Fein Power Tools, Inc.
1030 Alcon Street
Pittsburgh, PA 15220
1-800-441-9878



Fein

The NEW Mini-Turbo Portable Vacuum from FEIN.

Listen carefully. You can hardly hear FEIN's brand-new wet/dry vac. At 63 decibels, the FEIN Mini-Turbo is one of the quietest vacuums on the market, yet weighing less than 18 pounds, it's surprisingly portable. And this compact package, with its dual fan motor, produces an impressive 90 inches of static water lift. It is remarkably powerful for its size.

The FEIN Mini-Turbo comes with a complete compliment of attachments.

For more information and the name of a local dealer, call **1-800 441-9878**.

All accessories shown are included.






Photographer's notes: "The F-150 SuperCrew handled the tough conditions as well as it handled the crew. Chuck Bergin, THE MAN down here, said, 'All six of us fit in the cab. The clothes we wear aren't business clothes; they're heavy, thick, and we still had room. It handles smooth. And the fact that the bed extends when you need it is a plus.' Whether you're man or machine, if you're part of the crew, you do the hard work." - Raymond Gehman

Waynesboro Mississippi Ford Country December 18, 1999



For more information on the whole F-Series lineup,
including the new F-150 SuperCrew pictured,
log on to www.fordvehicles.com/fordcountry.
Or call 1-800-258-FORD, ext. SC72.



The all-new **Ford F-150 SuperCrew** digs in.

If the crew fits. Out here, there are no burger joints, no gas stations. If you need a road, you make one, and it takes a crew to do the job. "Out here" is a 110,000-acre forest. The crew is a forest management team – pros who set fires for a living. They burn to promote growth, and they say teamwork is everything. "If I don't do my job, the other guy could be in trouble – could get trapped." And the right tools are essential. On the equipment list this time out was the 2001 Ford F-150 SuperCrew. "It hauled everything we needed through ditches, down hills, through water and over six inches of Mississippi gumbo." Yeah, the mud can get thick, and the air can reach 150 degrees. Perfect conditions for a ride through Ford Country.

Turning Table Legs



FIRST, turn a prototype leg. Place your prototype leg directly behind the blank for each final leg. By sighting along the upper horizons of both pieces, you'll simplify the process of repeating specific shapes.

Turning four table legs that match may sound impossible, but it's not. With these tried and true tips, and a little practice, you can successfully turn even the largest legs. And these same techniques apply when you're copying a broken chair spindle or producing a set of balusters.

Here's what we'll show you:

- Safer ways to mount large stock. (This reduces some of the intimidation if you're new to turning on this scale.)
- How to work pommels (areas left square).
- How to mark the blank for key details and diameters.
- How to accurately and quickly size diameters.
- How to repeat the same shape from one leg to another.

Before you start turning table legs, here are some insights on making multiples that I've picked up over the years:

- Perfection can be very boring and needlessly tedious when making matching parts! I used to obsess about making an exact copy. Now I settle for similarity. If you get the layout right and the diameters and shape close, you'll do fine. As duplicated pieces get further apart (such as with table legs), approximate diameters and shapes start looking identical to the eye. Plus, slight variations add warmth and a human element that machine-made parts lack.
- Learn to trust your eye. After making the first leg to your satisfaction, place it immediately behind the next

blank on the lathe. Learn to look at the upper horizons of the prototype leg and blank and not the wood itself. This helps you to really "see" and duplicate the form (see photo above).


- Make at least one prototype before you commit to four legs. Even if you have an accurate drawing to scale, the transition from two dimensions to three will surprise you.

■ As you make the prototype leg, remove it often from the lathe and view it in an upright position, as it will be viewed mounted on the table. The transition from horizontal viewing to vertical is also astonishing, and may lead you to changes in design.




Ford F-150 SuperCrew Salutes

Local Heroes Built Tough — *F-150 SuperCrew Salutes can be found all over the country, but you won't recognize them by name. They're everyday, unsung heroes — people that humbly go the extra mile to make things happen. Some quietly make a difference in their community. Others publicly risk their lives. But all of them do it because they consider it part of their job.*



The Alvarados are hard-working, migrant farm workers who love their family and close-knit community. But with an income of less than \$10,000 last year, the family could not afford a desperately needed new home. When Mr. Alvarado heard about **Proyecto Azteca**, one of the nation's most successful housing programs, he quickly went to work to build his family and his community a better future. Proyecto Azteca is an organization that, because of its highly efficient and cost-effective building style, is able to help families construct their own homes with their own hands. After a new community is built, the organization sets up plans for community centers, parks and day care centers. Hard work from people like Mr. Alvarado helps the entire community gain a sense of pride and a great deal of hope for the future. For more information, write **Proyecto Azteca, P.O. Box 27, San Juan, TX 78589** or call **956-702-3307**.

Tony Diehl, a retired cardiologist, teamed up with eight other retirees to build houses for the working poor in Kansas City for the **Kaw Valley Habitat for Humanity**. Over the past six years, the Habitat has built over 100 homes in the Kansas City area alone, and, internationally, Habitat for Humanity is looking forward to building its 100,000th home in September. The neighborhoods where Habitat for Humanity houses are built improve themselves even after the volunteers are gone. To find out how to get involved with Habitat projects in your area, call **912-924-6935** or go to **www.habitat.org**.




Shelly Havens, a single parent and full-time 911 dispatcher, has worked with three other women to drywall, roof, side and paint the four houses that they moved into in May. Before helping to build four homes, Shelly had hardly even swung a hammer. With Shelly's hard work, along with the help of the **North East Community Action Corporation**, the women's dreams of home ownership became a reality. The NECAC in Monroe City, MO, is a self-help housing organization that provides an opportunity for individuals and families with low incomes to build and then own their own homes. Potential homeowners work in groups and build their houses collectively. Write **North East Community Action Corporation, 16 North Court Street, P.O. Box 470, Bowling Green, MO 63334** or call **573-324-2231**.

*Know of a crew worthy of being deemed hard-working, daring or even heroic? Whether they're local firefighters that have saved lives or a community group that saved a local park, we want to know about it. Nominate them to be a SuperCrew, and their story may appear on The Ford Country website. Visit **www.fordvehicles.com/fordcountry** for more information.*



Woodturning

LAY OUT the pommel (area to remain square) with a square and pencil. Only one line is necessary at the shoulder of the pommel because the spinning wood will show the line clearly.




CUT 1/8 in. to the right of the layout line with a parting tool. Make sure the edge is keen; the handle is low; take only light cuts; and widen the cut as you go deeper to prevent binding. Cut to the left until you reach the layout line.

TURN the area to the right of the pommel to a cylinder. If you're making rounded shoulders, turn the corners of the pommel with a 1/2-in. detail gouge. The line to the left of the shoulder indicates the top of the rounded portion.



YOU CAN ALSO use a skew chisel to do both square-shouldered or rounded pommels. The long point (toe) of the skew is down and leading the cut. Skews leave the best surface, but require more skill and practice to use.

USE a layout board with cut pins to accurately lay out the placement of elements below the pommel. Securely place the board on the tool rest and push it into the cylinder below the pommel.




THE PINS are simply brads or finish nails driven into the edge of a 3/4-in.-thick board at the critical points and clipped off about 1/4 in. from the surface. On longer work it's often easier to manipulate the layout board by making it in two or three sections.


TIP: Driving with a Dead Center

Although normally used in the tailstock, the dead center is a good alternative to a spur center for driving the work at the headstock. By controlling the pressure on the tailstock handwheel, you can determine the amount of slippage in driving the work—a real benefit in case of a catch or if you are intimidated by a large spinning square. You also can remove and accurately remount the leg several times, which is important for viewing the leg vertically during the design process.




To use the dead center for driving, file the shoulder of the dead center to a sharp edge. You can cut several shallow scallops along this edge to increase its grip on the wood. This shaping is easily done with a rotary tool and a small stone or a chainsaw file. Prior to mounting turning stock on the lathe, drive the center into the headstock side of the blank with a deadblow mallet to make an indentation.





Over 100 different nailers and staplers.



Over 400 different saws.



Hundreds of hard-to-find items from Jet, Performax, and Powermatic.



Over 50 different routers.



Over 1,300 products from DeWalt.

**It took over 10,000 tools
to build this site.**



Thousands of accessories including tape measures, blades, router bits and drill bits.



Over 130 sanders from random orbit to spindle sanders.



Over 500 products from Delta.



Every voltage of cordless drill.
Over 100 models in stock.



Over 600 products from Porter Cable.



FOR A FREE TOOL CRIB CATALOG OF OUR BEST SELLERS, CALL 1-800-635-5140.



Amazon.com and Tool Crib have now made your computer Earth's biggest toolbox. So for a vast selection of professional grade tools, just go to www.toolcrib.amazon.com

corded & cordless power tools measuring instruments work wear hand tools
job site office tool storage heaters & fans power supplies the pro tool store
safety equipment ladders & scaffolding gas-powered equipment lighting and more

earth's biggest selection
amazon.com



Woodturning

USE a calipers and parting tool to size critical diameters. The calipers *must* have rounded edges and make contact *only* on the side opposite the cutting tool. There must be no gap between the wood and tool rest. Hold the parting tool handle low, tucked under your forearm.



ROUND the ends of the outside calipers with a fine mill file or rotary tool before using on the spinning wood. I finish off the process with 220-grit sandpaper. The goal is to eliminate any sharp edges or corners that might catch on the wood.

CUT details with the detailing gouge. For long, gradual curves, cylinders or straight tapers, use the roughing gouge. After turning the pommel, work from the headstock toward the tailstock until the leg is finished. Control the shape by watching the upper horizon of the piece rather than the tool tip.



USE the skew chisel (long-point down) to add shadow lines, crispness and emphasis to beads, shoulders, fillets and other details. Be sure to check the leg by removing it from the lathe and examining it in a vertical position. Complete the leg with final sanding.



Wood to Turn

You'll need four pieces of 3-1/2 in. by 3-1/2 in. by 30-in. *squared stock cut exactly to the same length.* (Note: We used two pieces of 8/4 ash, glued and squared on the jointer.) Having squared stock is critical when leaving pommels on the finished piece. Cutting all the blanks the same length greatly simplifies leveling the table.

Tools and Supplies

- A spur or modified dead center (highly recommended if you are a novice turner) for the headstock side, and a live center for the tailstock side.
- An outside calipers, at least 4-in. capacity. (I keep a number of pairs sized and labeled for the different diameters. For a project of this kind even three pairs would suffice

to speed the process along.)

- A double-posted 24-in. tool rest. (This is optional, but very convenient if you plan to do longer spindle work on a regular basis. This rest also requires an additional tool rest base or banjo.)
- Turning tools: a roughing gouge (any size); a 1/2-in. detailing gouge ground to a fingernail shape (see AW #80, June 2000, page 16); a 1/2 in. or larger skew chisel; and a parting tool (any size).
- A square and a pencil.
- Layout board materials: 6 in. wide by 28 in. long 3/4-in. poplar, 1-in. brads or finish nails, a hammer and a nippers.
- Sandpaper; four sheets each of the following grits: 100, 120, 150, 180, and 220. **AW**

Sources

Dead center, #2 Morse taper, #1146-439, \$22, plus shipping.
24-in. Double-posted tool rest (for bases that hold 1-in. stems and lathes with 12-in. swing), #1146-694, \$93, plus shipping.
Tool rest base (banjo) to use with 24-in. rest. Check with suppliers of your brand of lathe.

(Packard Woodworks sells a tool rest base for lathes with a 1-1/2-in. gap in ways, and a 12-in. swing-on lathe, Item #1146-707, \$73, plus shipping.)

Packard Woodworks, (800) 683 8876;
www.packardwoodworks.com


Create the classic beauty of RAISED PANEL DOORS...

with a 1/4" or 1/2" Router, and 1/2" or 3/4" Shaper.

Plus make many other types of doors and projects with Raised Panel Door Sets:

- Flat Panel Doors • Kitchen Cabinet Doors • Cathedral Doors
- Glass Doors • Wainscoting • Entertainment Center Doors

It's easy and inexpensive with professional production quality MLCS carbide tipped door sets! Sets include Combination Rail and Stile bit, and Raised Panel bit. For instructions, tips and techniques, ask for our FREE manual, item #9069.



*Cove Raised Panel Router Bit



*Ogee Combination Rail & Stile Bit



Raised Panel Door Sets *Ball bearing included

SET#	BIT STYLE	LARGE DIA.	PRICE
#1301	1/4" Shank Router	*2"	\$69.95
#1302	1/2" Shank Router	*3-1/2"	\$79.95
#1303	1/2" & 3/4" Shaper	4-5/8"	\$99.95

#1438 Raised Panel Door Instructional VideoSALE \$9.95

15 Piece Router Bit Set

MLCS Anniversary Set at a once-in-a-lifetime price!

Featuring these carbide tipped bits:

- 4 Straight (3/16", 1/4", 1/2", 3/4"), 1 Cove (1/2")
- 1 Round Over (3/8"), 1 Roman Ogee (5/32")
- 1 14° Dovetail (1/2"), 1 V-Groove (3/8")
- 1 Hinge Mortising (1/2"), 1 Panel Pilot (1/4")
- 1 45° Chamfer, 1 Flush Trim (1/2"), 1 Rabbeting (3/8"),
- 1 Round Nose (1/4"), one Allen Wrench and one bearing to convert Round Over bit into Beading bit.

#1442 1/4" SHANK • #1443 1/2" SHANKSALE \$39.95 WOOD STORAGE BOX INCLUDED



30 Piece Router Bit Set

An amazing price for our most complete set!

Featuring these carbide tipped bits:

- 3 Cove (1/4", 3/8", 1/2"), 2 Flush Trim (3/8", 1/2")
- 3 Dovetail (14°-1/2", 5/8" & 9°-3/8"), 1 45° Chamfer,
- 6 Round Over (1/8", 3/16", 1/4", 5/16", 3/8", 1/2")
- 5 Straight (1/4", 5/16", 3/8", 1/2", 3/4")
- 2 Roman Ogee (5/32", 1/4"), 1 Rabbeting (3/8")
- 3 Round Nose (1/4", 3/8", 1/2"), 1 Bevel (25°)
- 1 Slot Cutter (1/4"), 1 V-Groove (1/2")
- 1 Panel Pilot (3/8"), 1 Allen Wrench and one bearing to convert Round Over bit into Beading bit.

#1444 1/4" SHANK • #1445 1/2" SHANKSALE \$99.95 WOOD STORAGE BOX INCLUDED



NEW Merle Clamp jaws pivot to any angle!

New flexible jaw inserts are made of non-marring high impact ABS plastic and are easily removed. The NEW dual pivot feature allows the Merle to clamp virtually any size or shape securely! 23 ft. of steel banding included.

- Clamp circles, ovals, rectangles, and with additional corners (see below) 5, 6, 7, 8 or more sides.
- Clamp drawers, doors, picture frames, cabinets, etc. Holds firmly in square.
- Adjustable, uniform clamping pressure on all sides
- Durable cast aluminum and steel construction
- Clamp from 2-5/8" x 2-5/8" to 69" x 69", or 23" around. Extend to any length by using standard 3/8" steel banding or strapping.

Merle Clamp and 23 ft. of banding

#1439SALE \$26.95

*4 Additional Aluminum Corners and Jaw Inserts

#1440 SET OF 4SALE \$14.95

WOOD Product Scorecard

Merle Clamp - Editors Choice, Winter '97	
Performance	★★★★★
Value	★★★★★



16 pc. Forstner Bit Set

High Quality Steel For Heavy Use

Sizes: 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2", 2-1/8".



WOOD STORAGE BOX INCLUDED

#1418 REG. \$141.20SALE \$43.95

Biscuit Joining Set


5/32" slot cutter router bit and 250 #20 biscuits. For our FREE instruction manual, order item #9069.



#1385 1/4" SHANK • #1386 1/2" SHANK
REGULAR PRICE \$35.....SALE \$29.95

Carbide Tipped Router Bits

- 1 OGEE RAISED PANEL
#1423 2" Large Dia.\$29.95
- 2 TONGUE AND GROOVE
#1333 Straight\$29.00
#1335 Wedge\$29.00
- 3 LOCK MITRE BIT 2" Dia.
#1433 for 1/2"-3/4" stock ...\$37.50
- 4 SOLID CARBIDE UPCUT
AND DOWNCUT SET
#1437 1/4" dia., 3/4" cutting length
Special Set Price.....\$19.95



**Shipping
is FREE!**

IN CONTIGUOUS USA
FOR ALL ITEMS



ORDER BY CREDIT CARD OR CHECK:
MLCS, P.O. Box 4053AN
Rydal, PA 19046

1-800-533-9298 • mlcswoodworking.com

MLCS

ROUTER BITS AND PROFESSIONAL WOODWORKING PRODUCTS

Call for a **FREE CATALOG** • Questions? Call for **TECHNICAL HELP**

**The MLCS
E-Store
Is Now
OPEN!**




mlcswoodworking.com

Order on the Web

©2000

Ultimate Tool Stand

by Dave Munkittrick



Downdraft Sanding Table


Glue Up Table





Chop Saw Stand



Huge Router Table



Portable Planer Stand



T-Slot Clamping System



Outfeed Table

An easy-to-use space saver

with more
functions than a
Swiss army knife.

For those of us who share shop space with a car or a washer and dryer, elbow-room is always a problem. This tool stand is the answer. A 2 ft. by 6-ft. section of floor space is all you need to store it. When you're ready to work, just roll it out, lock it down (these casters won't budge) and plug it in. It not only stores three benchtop power tools, it provides a working platform that actually improves their performance. In seconds you can

shift from a chop saw station to a huge router table and then to a portable planer stand with infeed and outfeed support.

A dead-flat torsion box is the foundation of this tool stand. This torsion box is a sandwich made from two skins of medium-density fiberboard (MDF) and a grid core (Fig. A). It offers incredible strength and resistance to sagging. It simply won't twist out of shape no matter how uneven your shop floor is.

Chop Saw Stand




The chop saw stand handles long stock with ease.


A portable chop saw begs for additional bed support and fence extensions. The ultimate tool stand does both, and set-up is as simple as ABC.



A. Pull the saw from its compartment and set it in the well.



B. Align the front edge of the base with the front edge of the tool stand and secure with T-knobs.



C. Butt the fences up against the stop blocks and secure with clamps.

Elapsed time: 55 seconds!

GETTING STARTED

\$300 buys all the material you need to construct the ultimate tool stand. We used 3/4-in. MDF to build ours.

The only tools you need are a circular saw, a router, a drill, a tablesaw and an accurate straightedge. A pneumatic nail gun makes assembly a lot easier.

Butt joints, screws and glue make for simple, sturdy construction.

DIMENSIONING THE TOOL STAND


There are two things to consider when dimensioning your tool stand:

1. The height of the bed on your chop saw.
2. The height of your tablesaw.

The tool stand consists of two boxes permanently fixed to the top to form a tool well (Fig. A). The 4-1/2-in. height of each box was determined by the height of our chop saw's bed mounted on a 1/2-in. plywood base. Adjust the width of the ribs (C5) to match the height of your own chop saw. The 34-in. height of the tool stand is just below our tablesaw so it can be used as an outfeed table. If you need a different height for your saw, adjust the length of the sides and dividers (C2) accordingly.

ACCURATE MACHINING OF PARTS

Any part that's a little bit out of square or not exactly the right size will have a ripple effect on the outcome of this project. Sides and dividers that are not square or exactly the same size will result in an uneven top. Out-of-square tops and bottoms make for poor-fitting inserts.



1 **ROUGH CUT** sheet stock down to a manageable size with a circular saw. A piece of 1-1/2-in. foam board makes an excellent backer. Make sure the blade is set to cut only slightly deeper than the thickness of the stock you're cutting! Remember, MDF is dusty stuff, use dust control whenever possible.

THE SQUARE TEMPLATE

Here's a recipe to guarantee square, perfectly sized parts:

First, rough cut the tops, bottoms and sides about 1/2-in. oversize with a circular saw (Photo 1). Then rip all the pieces to finish width on your tablesaw. *Organize your work so the fence is set just once for each dimension.* This guarantees that every piece is exactly the same width.

Each piece must be crosscut perfectly square. One surefire way to get a square end is to use a straightedge and a router with a flush-trim bit (Photo 2). Once you've created a perfectly square 24 in. by 72-in. piece, use it as a template for routing the other three 24 in. by 72-in. pieces. Simply clamp the finished piece over the rough one making sure the edges are exactly flush and the ends to be cut overhang about 1/4 in. Then trim the ends with a router and a flush-trim bit.

Use a 24 in. by 24-in. piece as a template for trimming the ends of the other 24 in. by 24-in. pieces. The smaller parts can be accurately cut on your tablesaw or chop saw.

USE THE CARCASS AS AN ASSEMBLY TABLE


There are two problems with building a large torsion box:

1. It will only be as flat as the surface you build it on.
2. It can be a bear to clamp up.

We've solved both of these problems for you.




2 **MAKE A PART TEMPLATE FROM MDF.** Square a straightedge on a rough-cut end, then rout a perfectly square crosscut with a flush-trim bit. Once you have one 24 in. by 24-in. piece perfectly square you can use it as a template for making other square cuts.

FIG. A
Exploded View


Tip

MDF is prone to splitting when screws are driven into it. To minimize the problem, keep the screws in about 1-1/2 in. from the front and back edges of the top and bottom. This keeps the sides and dividers from splitting. Also, the pilot holes should be made a little deeper than usual and countersunk for the screw heads.

Planer Stand



Planing large stock is a breeze with this setup. Perfectly flat infeed and outfeed support dramatically reduces sniping. The plywood base is secured to the table with clamps. Note: Height of the support blocks may be altered to suit your machine.



An optional pullout shelf makes for easy-access storage.

Sanding Station



The downdraft table insert captures fugitive dust and keeps your shop and your lungs clean. Flip it over and you have a continuous top with slotted channels for machining and gluing.

Create a flat surface on which to build the torsion box by building the carcass first. Assemble the carcass top, bottom (C1) and sides (C2) using glue and screws. The dividers (C2) are fastened with screws only, so the interior divisions can be altered for future needs. Be sure all the edges are flush as you build. Use a perfectly square back (D4) to square up the cabinet. Laid on its back, the assembled carcass now provides the dead-flat surface needed to build the torsion box.

THE TORSION BOX


The torsion box is designed to resist twisting. It consists of a web core made up of MDF strips notched for easy assembly (Fig. A). To ensure each piece is notched the same, gang cut the notches on the tablesaw (Photo 3). Glue and screw the sides (T2) and ends (T3) first to create a frame. Assemble the core grid (T4 and T5) inside the frame along with the corner blocks (T6) (Photo 4). Place the torsion top (T1) over the core grid and tack it in place. Be sure all the edges are flush (Photo 5). Then weight the top for clamping pressure (Photo 6). Once the glue has set, remove the weights, flip over the torsion box assembly and glue on the bottom (T1).

With the torsion box complete, add the casters and the levelers (T7). The carcass is then screwed down onto the torsion box (Fig. A).


BUILDING THE BOXES

There are four boxes that complete the tool stand. Two of the boxes are permanently fixed to the top to form the tool well (Fig. A). The other two, the downdraft table (Fig. C) and the router table box (Fig. D) are used as inserts between the fixed end boxes. Assemble the fixed boxes with glue and screws (Photo 7). Add plastic laminate for a durable top. Or, skip this step and simply treat the surface with a couple coats of polyurethane (it's a great way to use up that old can that's been opened a few too many times).

Cut the 3/8-in. T-slots in the top with a dado blade on your tablesaw. Attach the fixed



3 GANG ALL the torsion box core pieces together and notch them on the tablesaw. Mark the common ends of each core piece so they can be assembled in the same orientation they were cut.



4 SPREAD GLUE on all the edges of the torsion box core. The torsion box can only be as flat as the surface on which it is built. Build it on the carcass laid on its back (which will be dead flat). Lay the bottom of the torsion box on the carcass and assemble the core grid. The corner blocks are attachment points for the casters.



5 TACK THE TOP onto the core grid. Be sure all the edges are flush.




FIG. B
Electrical
Connections



6 CLAMP THE TOP onto the grid with weights and extra sheet stock. The extra sheet stock helps distribute the weight of the blocks evenly.




7 USE A 1-3/8 IN. BY 1 IN. BY 24-IN. SPACER STICK to help lay out the ribs on all the boxes. Use the 1-3/8-in. side to space the double ribs on all the boxes and the 1-in. side for the overhang on the two inserts (Figs. C and D).

ELECTRICAL

Part	Description
E1	Red wire connectors
E2	#12 THHN black wire, stranded or solid
E3	#12 THHN white wire, stranded or solid
E4	#12 THHN green solid wire
E5	Ground screws, #10-32
E6	4-in. square x 1-1/2-in. deep metal junction box
E7	4-in. square x 1-1/2-in. deep metal junction box with an attached mounting bracket
E8	4-in. sq. raised cover for one-duplex receptacle
E9	4-in. sq. raised cover for two-duplex receptacle
E10	Single-gang plaster ring, raised 1/2-in.
E11	1/2-in. flexible metal conduit
E12	1/2-in. flexible conduit connector
E13	1/2-in. flexible conduit straps
E14	Duplex 15-amp 120-volt receptacle
E15	12/3 SJ cord set, round cord (remove female end)
E16	Strain relief cord connector
E17	Plastic push-in connector for two cords
E18	Router switch

Router Table



This router table is huge! The router table insert can be set up or stored in seconds without having to remove the router. Just slide it out (see below), drop it into the well and clamp it to the top. The slotted top allows the fence and featherboards to be clamped with ease. The router is plugged into a convenient power switch below (Fig. B).




Crosscut Well




Cut sheet stock down to size over the open well. No more wrestling with large stock on the tablesaw or trying to cut it down on a pair of wobbly sawhorses.

Glue Up Table



Accurate glue ups are guaranteed on this dead-flat surface. Say goodbye to twisted assemblies.



A self-storing drip shield keeps your tool stand clean.

Clamping System



Slots in the top allow you to clamp anything, anywhere on this table. Machining has never been easier. Here the clamps hold straightedge guides and the piece being machined for cutting multiple dados.

boxes to the top and be sure to keep all the edges flush (Fig. A).

DOWNDRAFT BOX

Assemble the downdraft box from the inside out (Fig. C). First, glue and screw the two inside ribs (C5) to the filler pieces (C6) to create the interior structure. Then attach the bottom. Use the spacer stick to attach the outside ribs. Note: The sides of the insert boxes are inset 1-in. so they will clear the chop saw fence stop blocks (C8).

Drill a 3-in. hole into the center of one filler piece for a dust collector fitting. Perforboard makes a great template for drilling the 1/4-in. holes in the top. Use a countersink to widen the opening of each hole.

ROUTER TABLE BOX

Assemble the router table box. Note: The bottom of the router table box is cut 2-in. narrower than the top, making it flush with the outside ribs (Fig. D). This allows the router table to be lifted in and out of the well with the router attached.

The router is mounted onto a table insert that sits flush to the top. This allows you to lift the entire router out of the table for changing bits. Make two 8 in. by 16-in. access holes, one in the bottom of the router table and the other in the top of the carcass. These holes allow room for a pair of hands to adjust the router.

TOOL BASES

The chop saw is screwed to a piece of 1/2-in. plywood sized to fit into the well. To make positioning of the saw and the auxiliary fences easier, line up the front edge of the saw base with the front edge of the tool stand well. Behind the saw, drill two 1/4-in. holes through the base and the carcass. Mount T-nuts to the underside of the carcass top (Fig. A) and secure the saw with T-handle knobs. Clamp a straightedge to your saw's fence and position the chop saw fences against it. Nail the stop blocks to the fixed boxes. The planer base is made from a piece of 3/4-in. plywood. The two 1-5/16 in. by 24-in. supports bring the planer bed up to the same height as the fixed end boxes. Your planer bed may vary, so size the supports accordingly.

That's it. You're done! Now your shop will seem two sizes larger without moving a single wall!

FIG. C

Downdraft Box






FIG. D

Router Table Box



Outfeed Table

A rock-solid outfeed support that sets up in minutes is like having a second set of hands at the tablesaw.



Heavy-duty casters and levelers can handle uneven shop floors and make this tool stand mobile and stable. **AW**

CUTTING LIST

Overall Dimensions: 34-1/4" H x 72" W x 25-3/4" D

Part	Description	Qty.	Dimensions
CARCASS and BOXES {C} 3/4" MDF			
C1	Top and Bottom	2	24" x 72"
C2	Sides and Dividers	4	24" x 20"
C3	Box Tops and Bottoms	7	24" x 24"
C4	Router Box Bottom	1	22" x 24"
C5	Ribs	20	3" x 24"
C6	Fillers	4	3" x 16-1/4"
C7	Router Box Slides	2	2" x 24"
1/2" sheet stock			
C8	Chop Saw Fence Stop Blocks	4	1-3/4" x 1-3/4"
1"-thick squared up 2x4 stock			
C9	Cord Cleat Face	2	2" x 3"
C10	Cord Cleat Base	2	1-1/4" x 2"
TORSION BOX {T} 3/4" MDF			
T1	Top & Bottom	2	24" x 72"
T2	Sides	2	2-1/2" x 72"
T3	Ends	2	2-1/2" x 22-1/2"
T4	Long Core	3	2-1/2" x 70-1/2"
T5	Short Core	7	2-1/2" x 22-1/2"
3/4" plywood and hardwood sandwich			
T6	Corner Blocks	8	2-1/2" x 5-1/8" x 8-5/8"
T7	Leveler block	4	3" x 6"
CHOP SAW FENCES {F} 3/4" MDF			
F1	Faces	2	4" x 25-1/2"
F2	Bases	2	3-1/4" x 24"
F3	Brackets	4	3-1/4" x 5-3/4"
ROUTER TABLE FENCE 3/4" MDF			
F4	Face	1	4" x 25-1/2"
F5	Base	1	3-1/4" x 24"
F6	Brackets	2	3-1/4" x 4"
F7	Dust Port	1	4-5/8" x 5"
F8	Blocks	2	2-3/16" x 2-3/16"
DOOR AND DRIP SHIELD TRACKS {D} 3/4" hardwood			
D1	Door Tracks	2	3/4" x 72"
D2	Drip Shield Track	2	3/4" x 29-1/4"
D3	Drip Shield Bottom Stop	1	1" x 72"
BACK, DOORS and DRIP SHIELD {D} 1/4" sheet stock			
D4	Back	1	21-1/2" x 72"
D5	Drip Shield	1	24" x 71"
D6	Door	1	20-1/2" x 28"
D7	Door	1	20-1/2" x 19-1/4"
D8	Back Track Fill Pieces	2	3/4" x 3-1/4"
D9	Back Track Fill Pieces	2	3/4" x 4-1/2"
TOOL BASES {B} Sheet stock			
B1	Chop Saw Base	1	19" x 24"
B2	Planer Base	1	12" x 24"
Squared up 2x4 stock, 1-3/8" thick			
B3	Support Blocks	2	1-5/16" x 24"

*Adjust for your planer bed height

SHOPPING LIST

Sheet goods

4	3/4 in. x 4 ft. x 8 ft. MDF	\$80
1	1/4-in. x 4 ft. x 8 ft. hardboard	\$8
4	1/2-in. x 6-in. eye bolts	\$27
4	1/2-in T-nuts	\$3
4	1/2-in. x 3 in. lag bolts	\$2

Electrical

3	Red wire connectors	
5 ft.	#12 THHN black wire, stranded or solid	
5 ft.	#12 THHN white wire, stranded or solid	
5 ft.	#12 THHN green solid wire	
3	Ground screws, #10-32	
2	4-in. square x 1-1/2-in. deep metal junction box	
1	4-in. square x 1-1/2-in. deep metal junction box with an attached mounting bracket	
1	4-in. sq. raised cover for one-duplex receptacle	
1	4-in. sq. raised cover for two-duplex receptacle	
1	Single-gang plaster ring, raised 1/2-in.	
3 ft.	1/2-in. flexible metal conduit (or length as needed)	
2	1/2-in. flexible conduit connector	
2	1/2-in. flexible conduit straps	
3	Duplex 15-amp, 120-volt receptacle	
25 ft.	12/3 SJ extension cord set, round cord	
1	Strain relief cord connector	
1	Plastic push-in connector for two cords	
TOTAL COST OF ELECTRICAL		\$35

HIGHLAND HARDWARE (800) 241-6748

1	Router Switch with Cord Set	
	Item #W2001	\$13
1	Router Table Insert, Item #RM-3509	\$33
1	Insert Template, Item #10.20.23	\$15


WOODCRAFT SUPPLY (800) 225-1153

4	Castors, Item #140639	\$58
2	Knobs, Item #27R16	\$4
2	1/4 in. T-nuts, Item #130226	\$2

MLCS (800) 533-9298

1	Flush-Trim Bit, Item #7808	\$15
---	----------------------------	------

By Tom Caspar




TWO-PART BOOKCASE

*Here's a **big** bookcase that you can build in a **small** shop.*


Building a tall bookcase can stretch the limits of a small shop. We all know that big boards can be a bear to handle and glue up, so I've taken an old Scandinavian design and sliced it up into bite-size pieces. My solution is to break the bookcase into two interlocking sections that require only short and narrow stuff. Not to mention, that's the only way I could get it out of my shop and up the basement stairs!

Biscuits join the shelves and sides. It's a snap to put together wide boards at right angles with a plate joiner. But biscuits alone aren't enough to make a stiff case, so I've added backboards that lock the whole bookcase into a rigid unit.



1 TRIM LONG AND WIDE BOARDS on your table saw with a crosscut sled. A sled is easier to use and more accurate than a standard miter gauge. Clamp a hooked stick onto the fence to act as a stopper arm. This ensures that all your boards come out the same length.

SIDE
VIEW OF
BOOKCASE



2

RIP THE STEPPED BOARD (C) on the bandsaw. A simple fence helps you make a straight cut. Stop the cut at the top of the ogee curve and withdraw the board. Remove the fence and cut out the ogee.

Materials and Tools

Rather than splurge on the best quality lumber simply to make shelves, you can save money on this project by using a lower grade of hardwood, No. 1 Common. You'll find many good boards that are too short or narrow to make the best grade but are perfect for this bookcase. I used No. 1 Common birch because it's inexpensive (about \$1.75 per bd. ft.), a light color (the case looks less massive) and stiff enough to support heavy books. You'll need about 75 bd. ft. for a total cost of \$130.

As an alternative you can use 3/4-in.-thick boards from a home center. Pick straight ones, glue them together and plane them to 5/8 in. I built a prototype bookcase this way and it worked just fine. To tell the truth, I preferred its slim look to one made of thicker wood. However, I found that 5/8-in. thick shelves bend under a lot of weight, so they wouldn't be suitable for a set of encyclopedias. (For more on designing strong shelves, see *Practical Design*, AW #75, October 1999, page 75.)

You'll need the three basic machines for processing solid wood to make this bookcase from rough lumber: a tablesaw, a jointer and a planer. (If you build with pre-planed, 3/4-in. boards that have one straight edge, you can get by without a jointer.) A crosscut sled for your tablesaw isn't required but it sure makes life easier (see AW #75, page 38 for plans). In addition, you'll need a router, plate joiner, bandsaw or jigsaw, an accurate framing square (see Q&A, page 10) and eight pipe clamps to hold the case together during glue up.

Any white or yellow glue works fine for the biscuit joints, because both glues contain the water needed to




3

GLUE THE UPPER CASE SIDES from 1-in.-thick rough boards that are planed to 7/8-in. thick. This leaves some untouched low spots, but that's OK. Align the outside boards so their bottoms are even.

Do you have a portable planer?


Great, because we've kept every part less than 12-in. wide. That means you can flatten the sides and shelves with your planer.



4

PLANE THE GLUED-UP CASE SIDES until there are no low spots left. All the parts of this bookcase should be the same thickness, which can be anywhere from 3/4 in. to a minimum of 5/8 in.


BOOKCASE



5

CUT BISCUIT SLOTS in the ends of the shelves.

You can't go wrong if you clamp each shelf in position, right above the double lines. Set the shelf in from the back edge by the thickness of one backboard.




6

CUT MORE BISCUIT SLOTS in the case side.

Stand the plate joiner up on end and butt it against the end of the shelf. Align the center mark on the bottom of the machine with the pencil mark on the bottom of the shelf.

**FIG. A
Biscuit Placement**

#20 biscuits are plenty strong to hold a shelf's weight. They won't shear off under a load because the grain of a biscuit runs diagonally.



swell the biscuits. Use a special yellow glue with a long open time (see Sources, page 63) if you're going to glue up the cases by yourself and don't like working like a speed demon!

Preparing Rough Lumber

For the sides and backboards, select boards that don't have a pronounced twist. Twisted wood isn't worth the hassle. Rough cut your boards 1 in. over final length and 1/4 in. over final width. Set your jointer to remove 1/32 in. Run one face over the jointer only a couple of times. It's OK if this doesn't clean up the whole board.

Run the other face of the boards through a portable planer until most of the rough spots are gone and the boards are all about 7/8-in. thick. Don't sweat it if they end up a bit thinner. Then joint one edge, rip the boards 1/32-in. over final width and joint the second edge. Pay attention to boards B and F—they've got to be exactly the same width. Square one end and trim the boards to exact length using a crosscut sled and a stopper arm (Photo 1).

Do you buy lumber at a home center?

Go ahead and buy pre-thickened 3/4-in. boards. Our plans work fine with this time-saving wood or with No. 1 Common rough lumber.

Gluing the Sides

The upper and lower sides are composed of three boards that form a tongue and notch (Fig. F). There's no trick to getting the sides to nest together perfectly. It's simply a matter of being careful at glue up.

Start with the upper sides. Lay out the ogee curves on boards C and the cutouts on the top end of boards B (Figs. C and D). Cut out the curves on the bandsaw (Photo 2).

Dry clamp boards A, B and C together. Boards A and B are flush at the top. Boards A and C are flush at the bottom. Check both ends with a straightedge, then draw an alignment mark across all three boards (Photo 3).

Glue the upper sides together. Getting a perfect alignment end-to-end drove me nuts until I adopted the method of rubbing the boards together first, before clamping (see

(text continued on page 62)

FIG. C
Detail of Top Cutout

It's easier to cut this with a jigsaw than a bandsaw because it's hard to balance the board on a bandsaw's table.




FIG. D
Details of Ogee Curve and Shelf Molding

This is a 50-percent reduction. Make a copy, double its size on a photocopy machine, paste it onto an index card and cut it out.





FIG. E
Detail of Bottom Cutout

Scribe the back of your bookcase to fit around your baseboard molding. The back of the bookcase should fit tight against the wall so the bookcase can be firmly anchored.




FIG. B
Exploded View of Tall Bookcase

Safety Note:

Anchor this bookcase to the wall with screws through the backboards so it can't accidentally tip over.

BOOKCASE




FIG. F
Connection Between Top and Bottom

The top half of the bookcase fits snugly onto the bottom half. The lower backboards (H) prevent the top half from shifting side-to-side, and the notched sides lock in the top, front-to-back.






FIG. G
Detail of Shelf Slots

Screwing the backboards to the shelves stiffens the bookcase, but an allowance must be made for the backboards to shrink and swell in width with the seasons. That's why the screw passes through a slot rather than a hole. The backboard is dadoed so the head of the screw doesn't stick out.



CUTTING LIST OVERALL DIMENSIONS: 88" H x 36" W x 11" D

Part	Name	Qty.	Dimensions	Comments
Upper Unit				
A	Rear Board	2	7/8" x 3-1/2" x 52-1/4"	Glue together, thickness to 3/4" and trim bottom end so overall length is 52."
B	Middle Board	2	7/8" x 5-1/2" x 51"	
C	Front Board	2	7/8" x 2" x 28-1/2"	
D	Back	2	3/4" x 5-1/2" x 50"	
Lower Unit				
E	Rear Board	2	7/8" x 3-1/2" x 36"	Glue together, thickness to 3/4" and trim middle board to fit notch in upper unit.
F	Middle Board	2	7/8" x 5-1/2" x 37-1/4"	
G	Front Board	2	7/8" x 2" x 36"	
H	Back	2	3/4" x 5-1/2" x 32-1/2"	
Shelves				
J	Wide Shelves	4	3/4" x 1" x 34-1/2"	Glue up from 7/8" boards, thickness to 3/4" and trim to length.
K	Narrow Shelves	3	3/4" x 8" x 34-1/2"	



7 GLUE THE BACKBOARD onto the case side. Make sure it's square along the entire length. Check opposite each clamp as you tighten it down. Shift the head of the clamp in or out to change the angle of the backboard.



Nuts! We forgot to remove some squeezed-out glue before it dried!

Finish won't stick to it, so the glue has to be removed before we can move on. Fortunately, yellow glue can be softened with hot water and scraped off with a sharp chisel days after it has dried. Hot water turns the clear glue back to its original yellow color, so it's easy to see what must be removed. After scraping, wash the area with a rag dampened with hot water; let the wood dry and sand off the raised grain.

Working in a small space?

No problem. We've designed this bookcase from short and narrow pieces. Two stacking halves make it easier to assemble (fewer clamps!) and easier to move.

(continued from page 59)

Q&A, page 8). Glue the lower sides the same way. Here all three boards are flush at the bottom.

Milling the Sides and Shelves

Plane both faces of the sides and backboards so they're 3/4-in. thick (Photo 4). Congratulations if you've removed *all* the low spots, but don't hang your head if you haven't. You can plane all the boards thinner, down to 5/8 in., if that's what it takes. Remove all the mill marks by sanding with 100- and 120-grit paper.

Here's how to use the crosscut sled to trim the top and lower sides until they mate: First, saw off 1/4 in. from the bottom of both upper sides. This guarantees the bottoms are square and straight, leaving a 1-in.-deep notch. Then trim the tongues of the lower sides until they fit the notches. Because the middle boards (B and F) are exactly the same width, everything should fit tight as a glove.

Finish the lower sides by sawing the cutout at the bottom (Fig. E). It's easier to use a jigsaw than be a hero and try to balance the board on the small table of a bandsaw. Make a pattern of your baseboard molding and cut out the back corner of the side so it will fit tight up against the wall. (For more on custom-fitting cabinets, see AW #78, February 2000, page 56.)

Lay out the positions of the shelves on both the upper and lower sides (Fig. B). The shelves will be set in from the back of the sides by the thickness of the backboards. Draw this backboard layout line on the sides, too (Photo 6).


Glue up the shelves, thickness and sand them, then rout the molding on their front edges (Fig. D). Trim them to length with the crosscut sled. Finally, lay out center marks for the biscuits on the *bottom* faces.

Now for the easy joinery. Cut biscuit slots in the sides and shelves at the same time (Photos 5 and 6). Use a framing square to make sure the shelves are clamped in the right place.

Fitting the Backboards

If it weren't for the backboards, this bookcase wouldn't last a week. These hard-working boards help lock the upper and lower sections together, but more importantly they stiffen the case (Figs. F and G). Cut the backboards to length, place them in position on the case sides and lay out the slots for the

BOOKCASE



8

MARK THE POSITION of the shelves on the backboards with light pencil lines. These reference lines help you glue up the entire case square. Clamp each shelf in place, without glue, and adjust it until it's square to the case side.

screws (Fig. G). Cut the slots on the tablesaw. Stand the backboards on edge against a miter gauge and make two overlapping cuts with a standard saw blade. Then cut the dados for the screwheads.

Cut biscuit slots to join the backboards and case sides. These biscuits align the backboard flush with the side, but do not add strength. Glue the backboards to the sides (Photo 7).

Final Assembly

The backboards also help you square up the whole bookcase when you glue the sides and shelves together. Thank goodness! You can get into lots of trouble by gluing things out of square, but this system is slick. Dry clamp each shelf in place with the biscuits loose in the slots and mark the shelf's position on the backboard (Photo 8). Make the pencil lines very light because you won't be able to get into the corners with an eraser after the glue up. That's the one downside of this easy method.

Take your time and walk through a dry run of the glue up before you attempt the real thing (Photo 9). Here's the best way to do the glue up, alone, without going crazy: Support one side with a narrow (7-in.), wooden box that leaves room for the clamp heads. Insert one shelf at a



9

GLUE THE LOWER UNIT TOGETHER with cauls and pipe clamps. The thick cauls distribute clamping pressure over the entire width of the side. Use short clamps to pull the shelves tight against the backboards. Align the shelves with the reference lines. Then tighten the pipe clamps.

time, align it with the reference lines on the backboard and clamp it in place. Once all the shelves are upright, place the other case side on the ends of the shelves, clamp the shelves tight to the backboard and finally add the pipe clamps.

Finishing and Installation

After gluing both cases, sand them with 150-grit paper. Avoid dyeing or staining birch, because it has a tendency to unevenly soak up color and become blotchy. Even an oil finish can look bad, so stick with shellac, brushed-on varnish or lacquer.

This tall bookcase stands quite well on its own, but for safety, fasten it to the wall through the backboards. Then there'll be no chance for it to tip if a pet or rambunctious kid tries to climb the shelves! **AW**

Sources

Garrett Wade
(800) 221-2942
Special Slo-Set Glue, 62J04.01, 1 pt., \$7.

European Hinges


By Jim Grandbois

German engineering results in a clean look, simple and predictable installation and three-way adjustability.

Once I discovered the simplicity of hanging doors with European hinges, I was hooked. Unlike butt hinges, European hinges are totally adjustable and very easy to install.

With the help of a simple drill press table and a marking jig, you can hang a door in just a few minutes. Sound good? Read on.

FIG. A
Parts of a European Hinge
These sophisticated hinges allow complete adjustment of a door after installation. In addition, doors can be quickly released from the cabinet without removing a single screw! The hinges keep their settings when reattached—a wonderful feature.




Background

European hinges are part of a standardized construction system developed over 50 years ago in Germany. It radically changed cabinetmaking by streamlining production and reducing costs. The resulting European hinge is a beautifully engineered precision product (Fig. A). There's a hinge for nearly every application. I've used Grass brand hinges for years with flawless results. Major brands such as Grass, Blum and Mepla make a great product that lasts for years. Expect to pay about \$8 to \$13 per pair.

FIG. B Drill Press Table

This easily made jig saves time and helps you achieve consistent results.



Tools Required

Setting up for European hinges is very simple and quite inexpensive. You only need a drill press, a boring bit and a screwdriver. The drill press is a must for drilling a straight hole. While you could drill the holes by hand, it's riskier. A drill press ensures success.


If you have a lot of doors to hang, I recommend a 35 mm carbide bit, a self-centering drill bit and a magnetic-tipped screw bit. A \$25, 35 mm carbide bit keeps a sharper edge and outlasts steel bits, especially in tougher materials such as MDF. An \$8, self-centering drill bit, such as a Vix bit, is great because it centers the screw hole and controls the drilling depth. In addition, the bit's outer housing protects template holes from damage. A magnetic-tipped screw bit (\$4 to \$5) holds screws so well it's the next best thing to an extra hand. Finally, consider spending \$10 on a PoziDrive screwdriver for the adjusting screws. It delivers much better control than a standard Phillips screwdriver.

If you have only a few hinges to install, you can save some money. Use a 1-3/8-in. Forstner bit or a 35 mm, high-speed steel bit (costs less than half the carbide). A Phillips screwdriver is fine for installing a few screws and adjusting the hinges.


Installation

I always apply finish to the cabinet and doors *before* I install hinges. For an inset application (as shown in these photos), cut the doors leaving a 1/8-in. gap at the top, bottom, sides and at the center division between two doors.

Just follow Photos 1 through 8. With all the parts ready to go, installation of European hinges is as easy as eins, zwei, drei!




Drill a hole for the hinge cup. Clamp the drill press table in position (Fig. B). Hold the door against the fence, butt it up to the pin and drill the left hinge-cup hole. Pull out the dowel pin and insert it into the right hole of the jig. Then drill the right hinge-cup hole.




Screw the hinge to the door. First, insert the hinge and use a square to align the hinge's arm perpendicular to the door. Drill pilot holes into the door using a 7/64-in. Vix bit. (A Vix bit automatically centers the pilot holes at a fixed depth, so you won't accidentally drill through the door.) Install the screws. The soft pad under the door protects the finish.




European Hinges



Drill pilot holes for the baseplate. A simple template automatically locates all four holes (Fig. C). The Vix bit centers the hole, without damaging the template.



Fasten the baseplate to the cabinet. Install the baseplate with all four screws. A magnetic bit makes it easier to hang on to such a small screw!





Clip the door onto the baseplates. Attach the upper hinge first. This allows the door to hang so it's easier to handle.

FIG. C

Baseplate Template for Inset Doors

Instead of measuring and marking the cabinet for each door, make a template to locate the baseplate holes. This one is for inset doors. For overlay doors, the first hole would be about 3/4 in. from the front edge, with the other distances remaining the same.

This template is dimensioned for Grass hinges. However, each application and each brand can have a different drilling pattern, so be sure to read the specs for the hinge you are installing.



Engage the front of each hinge first. Then push on the back of the hinge arm until it clicks in place.


7

European hinges make on-site adjustments a snap. Uneven floors and walls can move doors out of line when cabinets are installed. Imagine trying to fix these misaligned doors if they had butt hinges!

Side to Side

Adjust the door left or right with the front screw. This changes the gap between the door and the cabinet side.


This is a direct-action screw, moving the door 1/16 in. per turn. Clockwise rotation decreases the gap between the door and cabinet.



Up and Down

Loosen the middle screw. This adjusts the gap between the door and the top and bottom of the cabinet.




Loosen this screw on both hinges. Move the door to the desired location. Retighten both hinge screws.



In and Out

Loosen the back screw. This adjusts the door so it will be even with the side of the cabinet.

Move the door in or out, then retighten the screw.



8

Ganz getan (all done!). AW

Sources

European hinges are available in 110-degree openings and 165-degree openings. The hinge used in this article is a 110-degree Grass 3704 clip-on hinge with a winged baseplate (Constantine's Item # CH3700). This hinge and its overlay versions, along with the other necessary items, are available at Constantine's, (800) 223-8087.

110-degree opening hinges:
CH3700, full overlay, \$3.75 each;
CH3701, half overlay, \$3.95 each;
CH3702 (Inset), \$4.20 each.

165-degree opening hinges:
CH3900, full overlay, \$5.95 each;
CH3901, half overlay, \$6.20 each;
CH3902 (Inset), \$6.40 each.

All include hinge and baseplate.

35 mm drill bits: DB35, high-speed steel, \$10.75; CDB35, carbide, \$24.


PoziDrive screwdriver: CH9800, \$10.

Self-centering hinge bit: VIX1, 7/64 in., \$8.25.

Other sources for European hinges and hardware: Mepla brand, McFeely's, (800) 443-7937; Blum brand, Woodworker's Hardware, (800) 383-0130.

By Tim Johnson



A large wooden table and a wooden chair are set up in a grassy field. On the table, there is a bowl of food and a glass. A chicken is standing near the chair. In the background, there is a barn and trees.

Farm Table

You don't need a dream shop to build this dream project.

Aside from feeding the occasional flock (when's the last time you had eight dinner guests?), a big surface where you can spread things out is invaluable, for computing, writing, hobbies or for kids' activities. A large table is the perfect gathering place for today's open kitchens and great rooms, and you can build this one even if you don't have a dream shop with lots of huge machinery.



You don't have a battleship-sized jointer?

Fine! Get perfect edge joints on these long boards using a router instead.

This table is made from white ash, a hardwood that's beautiful, durable and affordable. The top floats on a base that's built to last. Strong joinery between the legs and aprons is accomplished using an innovative and inexpensive commercial jig. Internal supporting rails are dovetailed to stiffen the structure, yet you can make and install them in minutes. And don't worry about the huge top. I'll show you how to manage gluing it all together, but only after I've shown you how to edge-joint its long boards perfectly *without* using a jointer!

WHAT IT TAKES TO BUILD

You'll need a tablesaw, a router that accepts 1/2-in. bits, four router bits, an electric drill (a drill press is very helpful, but not absolutely necessary), a BeadLOCK doweling jig (see Sources, page 77), a jig for ripping a straight edge on rough lumber, sawhorses and assorted clamps. In addition to the lumber (\$450), buy two 4x8 sheets of 3/4-in. medium density fiberboard (MDF) (\$50). One serves as a work surface and the other provides the straight-edges for jointing and squaring operations (see Fig. H, Photos 3 through 5 and 10). You won't need a


jointer. You don't have to own a planer either, because most hardwood lumberyards will mill rough lumber for you. You'll need a lathe if you want to turn your own legs. There are ready-made alternatives if you don't (\$35 to \$75 each, see Sources, page 77).

CHOOSING AND USING YOUR LUMBER

The top, aprons and internal support rails are made from 8-ft. long 5/4 boards, about 80 bd. ft., milled to 1-in. thickness. If you're having your lumber milled at the yard, have them also make a straight cut on one edge (called SL1E or "straightlining"). Milling and straightlining cost only about 30 cents per ft. and save you the trouble of doing it yourself (Photo 1).

If 5/4 boards aren't available, substitute 100 bd. ft. of 6/4. You could also use 4/4 stock and rework the dimensions for 3/4-in. material. A 3/4-in.-thick top will be lighter in weight and appearance (maybe too light for your taste), and the splines will have to be no wider than 3/16-in. The thinner, 6-ft.-long aprons will be more likely to sag. You'll also have to use smaller loose tenon

(continued on page 72)




1 RIP STRAIGHT EDGES easily with inexpensive straightlining jigs (see Sources, page 77). One thumbscrew on each jig holds the rough-edged board, the other grips an 8-ft. long by 7-in. wide MDF straightedge. After straightlining one edge, remove the board from the jig and rip the other edge parallel. (You can also have straightlining done for you at the lumberyard.)


FIG. A

JOINTING WITH A ROUTER


Step 1: Flush Trim Cut




THE FIRST CUT is an ordinary flush trim (Photo 3). The trick is that both edges of the joint are routed from a single straightedge set-up. That way, the two edges will mate perfectly, even if the straight-edge isn't perfectly straight.



2 A BIG PATTERN-CUTTING BIT works best for jointing edges. Its large cutting diameter leaves smooth, chatter-free surfaces.



- 3 ROUT THE FIRST EDGE** of each joint, using the pattern-cutting bit and an 8-ft.-long MDF straightedge. After laying out the boards for the top, draw a line across each joint, halfway from the end. Aligning these lines with a similar line at the midpoint of the MDF guarantees that the jointed edges will fit together.



- 4 USE THREE SPACER BLOCKS** to position the second board for routing and clamp it in place. Make the spacers 1/32-in. narrower than the cutting diameter of the pattern bit, so the second routing pass will remove only 1/32 in. from the board.




- 5 ROUT THE MATING EDGE** of each joint, while keeping the router firmly held against the straightedge. Because the cut is made opposite the bearing point, the edge will be ruined if the bit wanders away.

FIG. B



JOINTING WITH A ROUTER

Step 2: Cutting the Mating Edge




WHILE MAKING the second cut, the pattern bit bears against the same straightedge, but it cuts the second board, which has been moved into position on the opposite side (Photo 5). Keep in mind that jointing the top boards reduces the width of the top about 1/16 in. per joint, so lay it out oversized.

Splines align the boards in the top, so you don't spend hours sanding the joints flush later.



- 6 ROUT THE 1/2-IN.-DEEP GROOVE** for the spline in several passes, using a 1/4-in.-wide slot-cutting bit (above). Tip: To avoid tear-out, make a couple light scoring cuts, about 1/8-in. deep, moving from right to left. Then move left to right, full depth. Stop the cut 2-in. from each end of the board, so it won't show.



- 7 TEST FIT** the spline. It should slip into the groove freely, but without being loose. It can be one long piece or several short ones. Rounded ends match the ends of the slot. Dry fit each joint to make sure the spline fits inside without binding.



*Three pairs of cauls
make gluing the huge
top manageable and
guarantee that it
will be flat.*

(continued from page 70)

stock and a different BeadLOCK drilling jig that requires drilling more, albeit smaller holes.

Use 8/4 stock for the legs, milled to 1-3/4-in. thickness, cut into 30-in. lengths, and glued up. You'll need about 25 bd. ft.



White ash looks similar to oak, with one noticeable difference. Its heartwood is a dark brown color that contrasts sharply with its light-colored sapwood. When choosing or ordering lumber, look or ask for pieces that are all sapwood, especially the 8/4 stock for the legs. The 5/4 stock must have one good sapwood face. Heartwood on the back side won't show, except on the edges of the top.

You'll need twelve 5/4 boards that are at least 7-in. wide. Use the seven that look the best together, considering grain pattern and color, for the top (seven boards 6-in. wide after jointing will make a 42-in. wide top). The four aprons, including their add-on half-round details, require three of the remaining boards (you can get the four pieces for both short aprons from one board). Use one of the two remaining boards for the internal rails and the other for splines and test pieces.


Make the top first. Don't worry about making it to exact dimensions. Just use your best-looking boards and come as close as you can. (My top turned out to be 41-1/2-in. wide). Then adjust the size of the base, changing the lengths of the aprons to maintain the overhang of the top.

FIG. C CAULS FOR GLUING THE TOP

THE LOWER CAUL lifts the top off the pipe and centers it at the pressure point of the clamp. The upper caul is extra wide so it's stiff enough to hold the top flat as the pipe clamps are tightened.



8 **STACK THE BOARDS** as you glue them. Put a bead of glue at the bottom of the groove of the first board and add the spline. Roll a layer of glue onto the edge of the adjacent board, add a bead in its groove and assemble the joint. *Don't put any glue on the splines.* The glue causes them to swell and make the joint impossible to fit. Glue the top together in stages, two to four joints at a time.



9 **CLAMP THE CAULS** to the work surface with the top sandwiched between (see Fig. C). Then tighten the pipe clamps, starting at the center and working out to the ends. Remove the glue squeeze-out at the joints after it sets up, but before it hardens. After gluing, trim the long edges with the router and straightedge so they're straight and parallel.





FIG. D EXPLODED VIEW

Cutting List

OVERALL DIMENSIONS 86" L x 42" W x 30" H
BASE 79" L x 38-1/2" W x 29" H

Part	Qty.	Name	Dimension
A	1	Top	1" x 42" x 86"
B	6	Splines	1/4" x 15/16" x 81-1/2"
C	4	Legs	3-1/2" x 3-1/2" x 29"
D	2	Long Aprons	1" x 3-1/2" x 72"
E	2	Long Beads	1/2" x 1-1/4" x 72+"
F	2	Short Aprons	1" x 3-1/2" x 31-1/2"
G	2	Short Beads	1/2" x 1-1/4" x 31-1/2+"
H	16	Loose Tenons	1/2" x 1-1/4" x 2-7/8"
J	16	Corner Blocks	1-1/4" x 1-1/2"
K	2	Internal Braces	1" x 3-1/4" x 35-3/4"
L	8	Mounting Blocks	1" x 3-1/4" x 5"
M	4	Runners	1/2" x 1" x 10-3/4"
N	22	Metal Top Fasteners	



10 SQUARE THE END

of the top, using a piece of MDF with a factory corner as a template. If you have more than 1/4 in. to remove, use a saw first, to get close. Align one edge of the MDF with the long side of the top. Clamp a block against the opposite edge of the top to avoid blowout. Then trim the edge square, making shallow passes with the pattern-cutting router bit.



Don't worry about chopping mortises or trying to cut tenons on the ends of the 6-ft.-long aprons. With the new BeadLOCK system, all you need for mortise-and-tenon style joinery is a drill and a bit.

FIG. E

LEG PROFILE AND DIMENSIONS







FIG. F


EXPLODED VIEW OF LEG AND APRON JOINERY

LOOSE TENONS, cut from specially made dowel stock, fit scalloped mortises created by the BeadLOCK doweling jig, which adjusts to drill overlapping holes.




11

TURN THE LEGS from laminated 3-1/2-in. square blanks, using the dimensions from Fig. E, or order the legs through the mail (see Sources, page 77). If you want to turn them yourself, see "Turning Table Legs" on page 42.




12


MARK REFERENCE LINES for the BeadLOCK jig on the legs and aprons. Offset the centerlines on the leg by the thickness of a credit card. This slightly raises the rail above the top of the leg, allowing you to plane the apron flush after assembly (see Photo 16).



13 DRILL THE LEGS. Use a shop-made 1/2-in.-thick spacer in the BeadLOCK jig to locate the holes properly. A drill press works great for this operation. It's easier, faster and more accurate than drilling by hand.




14 DRILL THE APRONS from the end so you can be sure the holes go in straight. If the holes aren't straight, the tenons will be angled and the joint won't fit. Center the drill on your body and sight down the apron while drilling.




15 GLUE THE LONG SIDES
FIRST. Avoid a twisted glue-up by clamping the legs flat to the MDF before you tighten the pipe clamps. Use a spacer to keep the apron from sagging under the weight.



16 PLANE THE APRONS flush with the top of the legs, working from each end to the center. It's OK to leave the apron slightly crowned at its center, so the top doesn't appear to sag.




17 APPLY A TOURNIQUET to square the base after final assembly. Do this before the glue sets. Shorten the longer side by adding tension until both diagonals measure the same.




18 TWO SHORT BLOCKS reinforce each joint. The upper blocks leave room for top fasteners. The lower blocks extend and serve as stops for the half-round detail.

Oops!

DON'T ASK!
Somehow I drilled holes in the wrong leg face.




FIT AND GLUE PATCHES into the holes so that their grain matches the grain direction of the legs. Then plane or sand them flush. Glue a block on top, slightly wider than the leg. If you match the end grain, the face grain on the repair will match the rest of the leg. After gluing, plane the sides of the block flush with the leg.




SAW OFF THE WASTE, leaving a fresh face of thick veneer. Make two passes, one from each direction, with the blade set at half depth. Then trim the ends of the veneer and plane or sand the surface. No one will ever know!




Dovetailed braces strengthen the base, support the top and keep the long aprons from bowing and twisting.



- 19** **MAKE ANGLED CUTS** on the end of the rails, using a tenoning jig, with the blade height slightly less than the thickness of the mounting block. Then raise the blade and crosscut the mounting blocks at the same angle.





- 20** **LOCATE THE SHOULDER** of the rail's dovetail by using the mounting block. Then cut the shoulder square, keeping the blade low enough so it doesn't cut into the dovetail.




- 21** **GLUE THE RUNNER** in place after the first mounting block has been glued and screwed square to the apron. It'll hold the rail at exactly the right height. The runner extends below the apron, just like the corner blocks.


FIG. G
INTERNAL RAIL ASSEMBLY



- 22** **CAPTURE THE DOVETAILED RAIL** between the mounting blocks. After applying glue, set the rail on the runner and snug it against the first block. Then slide the second block tight against the rail and fasten it.




23 MAKE HALF-ROUND molding for the aprons. Round the edges of 1/2-in.-thick stock with a 1/4-in. round-over bit. After routing, rip the stock into separate 1-1/4-in.-wide pieces.



24 GLUE THE HALF-ROUND MOLDINGS to the aprons. Cut them slightly long and spring them between the legs, pressed against the corner blocks and runners that hang below the apron. They'll stay in place while you reach for the clamps.



25 ROUT SLOTS for the tabletop fasteners, using a 1/8-in. slot cutter (see Sources, below). Make a wider surface to support the router by clamping a second board to the apron.




26 ATTACH THE BASE. Allow for seasonal movement of the top by using screws at the center of each short apron and support brace and S-shaped metal fasteners everywhere else (see Sources, below). To position the base for fastening, align centerlines drawn on each of its sides with corresponding lines drawn on the top. Then clamp the base in place.

AW

FIG. H

CUTTING DIAGRAM FOR MDF

One sheet yields both straightedges needed for jointing and squaring the top, as well as spacers and a work surface for jointing.



SOURCES

White Ash (Ask for light color.)
Steve Wall Lumber Company
(800) 633-4062;
www.walllumber.com

Groff and Groff Lumber, Inc.
(800) 342-0001
e-mail: wood4u@epix.net

AW Farm Table Legs
turned in white ash;
\$75, plus shipping.
Also available in other woods.
Alan Lacer
(651) 592-4421

Factory-turned legs
(similar size but shaped differently)
Available in several woods, but not ash. \$30 to \$60 plus shipping.
Adams Wood Products
(423) 587-2942
www.adamswoodproducts.com

Jigs and Hardware
Woodcraft Supply
(800) 225-1153

BeadLOCK doweling system:
For 1/2-in. tenons, #140354, \$33.
For 3/8 in. and 1/2-in. tenons, #140355, \$47.
Extra 1/2-in. tenon stock, #140357, \$6 (need one extra pack).
Tabletop Fasteners, #27N10, \$1/bag of 10 (3 bags required).
Joint-R-Clamp Straightlining Jig, #15J50, \$15.

Router Bits
MLCS
(800) 533-9298;
www.mlcswoodworking.com

1-1/8 in. pattern cutting, #8809, \$24.
1/4-in. slot cutter with 1/2-in. shank arbor and assembly, #7648, \$16.
1/8-in. slot cutter, #305, \$12.
1/4-in. radius round-over, #6602, \$17.

by Ed Krause

12 TIPS FOR BETTER SHARPENING



Get better results in less time with these great tips.


Hand tools are a joy to use, but only when they're sharp. Just as learning to walk is the prerequisite to running, successful sharpening is the key to "unplugged" woodworking. Try these tips and you'll be surprised at the strides your sharpening skills take and by the quiet satisfaction you get from your hand tools.

This angle checker, made from a plastic lid, is a simple (and free) way to check the bevel on your chisels and planes. It only takes a few minutes to make.

Simply cut a 4- to 6-in. diameter plastic lid in half. Then, using a protractor, mark the desired angles on a piece of paper. Cut out the triangles and use them as a template to mark the angles on the lid. Cut out the angles on the lid with a pair of scissors. Drill a hole at the top and hang it on the wall near your grinder.


Homemade Angle Checker

1



No More Waterstone Mess

2




Dress for Success

3

Ever lose your temper? I mean your chisel's temper. Don't get burned by a clogged, uneven grinding wheel. Dressing your grinder wheels periodically to keep them clean and flat helps prevent the excess heat that leads to bluing and loss of temper(s).

Single-point diamond wheel dressers do a great job but they're difficult to use freehand. Try a flat-tip diamond dresser instead. It has 36-grit diamond stone particles imbedded in a 1/2-in. wide by 3/4-in.-long face. Simply place it on your grinder's tool rest and make contact with the wheel.

Flat-tip diamond dressers are available from Woodcraft Supply, (800) 225-1153, #124670, \$18.



Surefire Scraper Filing

4

You've probably heard other woodworkers talk about what a great tool the scraper is, but maybe you've never had much luck with one yourself. Using them is easy; getting a good edge on them is the tough part. The hardest step in sharpening a scraper is the first one—filing the edge square and flat. Start off right with this easy-to-make file holder:

Cut a kerf equal to the thickness of an 8-in. mill file in a 1-1/4-in. thick by 4-in. wide by 6-in.-long piece of wood. The kerf should be a little deeper than half the width of the file. This allows you to set the file at different depths to avoid dulling it in one spot. Clamp the scraper in a wood-jaw vise. Push the scraper firmly against the holder while filing for a perfectly square edge.

Getting a mirror finish on the contoured profiles of carving gouges can be a real hassle. The curved surfaces don't lend themselves to polishing on a flat stone or strop. Making a custom strop is easy. Use the chisel to cut its own contour in a piece of poplar or basswood. Rub chromium oxide polishing compound in the contour and you have a custom-made strop.

Chromium oxide is available from Lee Valley & Veritas, (800) 871-8158, #05MO8.01, \$7.



Custom Gouge Strop

5



Easy Knife Sharpening

6




Spend Less Time Sharpening

7

Less time sharpening means more time woodworking. Isn't that what we all want? Honing guides get the job done fast, but setting the blade in the guide to get the right bevel angle can be time consuming.

Here's a quick trick: Mark the appropriate blade extension for each bevel angle on your benchtop, or a wood scrap, for convenient reference. Hold the edge of the blade to the desired bevel mark, butt the guide to the edge of the bench and tighten. The side-clamp honing guide, shown above, automatically squares the blade and prevents it from rocking or shifting in the jig. This guide is available from Garrett Wade, (800) 221-2942, Item # 10M0701, \$12.



The Right Angle Every Time

8

Chisels and planes have bevel angles from 25 to 35 degrees depending on their intended use. You can buy a jig for grinding these angles, or make your own angle blocks at no cost!


Make one block for each angle. Glue up a block 2-1/2 in. deep by 4-in. wide by 10-in. tall. Mark the desired angle on the top of one side. Drill a 1-in. hole through the side of the block at the halfway point of your angle mark. Then cut the angle on your tablesaw. The remaining groove makes an excellent guide for your fingers. Cut the block to length so the top is equal to the center height of your wheel. To secure the block, drill a 1-1/4-in. hole near the bottom of the block for a bar clamp.

The edge left after filing a scraper is a little rough for fine work. Use a piece of wood to align the scraper when moving it against the stone and you'll retain the square edge you achieved with your file jig.

An extra-fine (1,200) diamond stone is a good choice for this because the scraper won't wear a groove in the stone. You can get one from Trend-lines, (800) 767-9999, Item # DM6E, \$45.


Fine Edge On Your Scraper

9



Keeping Waterstones Dead Flat

10



Flatten Blade Backs Fast

11

It would be great if chisels and planes came from the factory ready to use, but they don't. A perfectly flat, mirror-like finish on the back is essential for a truly sharp edge. Flattening always requires a large dose of elbow grease and patience. The fastest method is to use an extra-coarse diamond stone. It won't dish out the way oilstones and waterstones do and it can easily be clamped in a vise.


Once you have a flat surface, move on to finer stones until your chisels and planes shine like a mirror.

Extra-coarse diamond stones are available from Lee Valley & Veritas, (800) 871-8158, 8" x 2-5/8", Item #70M04.01, \$66.

3 Ways to Test for Sharpness


12

1. If you can see light on the edge, it's not sharp. A sharp edge is too fine to reflect light.



2. A sharp edge catches easily on the side of a plastic pen barrel. A dull edge slides right off.

3. A sharp blade slices softwood end grain cleanly (left). A dull blade tears the end grain (right). **AW**



Oscillating Spindle Sanders

An oscillating spindle sander may not be the first tool you buy for your shop, but if you do a lot of curved work the time you'll save sanding is well worth the investment. Unlike a drum sander on a drill press, the oscillating spindle sander is designed for sideways pressure. Also, the drum moves up and down as well as around. The oscillation of the drum gives you a smoother edge, more aggressive cutting, longer life for the sleeves and less chance of burning the wood. The benchtop models are easy to store when not in use. Oscillating spindle sanders are fun to use, too. The wood seems to melt away as you sand precisely to a line. The feeling of control you get with these machines is impressive.

Some tool tests reveal noticeable differences in tool performance and quality. Not so with these sanders. All the machines we tested performed well; producing a smooth, even surface without scorching. But, there were differences in other areas, and each machine had at least one outstanding feature that may form the basis for your buying decision. Here are the features we considered most important:

DRUM CHANGES

A drum that's easy to change makes for more enjoyable and productive work (see photo below). For best results

you should always use the largest possible drum for each curve. It's much easier to follow a shallow curve with a large drum. For pieces with different-sized curves, this requires changing drums frequently. The Clayton had the best system for quick and easy drum changes.

We preferred the simplicity of the fixed spindle system found on all but two of the machines. However, the replaceable spindle system on the Jet and the Bridgewood (even with its spline, clips, and three wrenches) had an advantage; namely the smallest diameter (1/4-in.) sleeve available.

Tip: Occasionally we found the rubber drums would stick onto the metal spindles. A little baby powder sprinkled into the inside of the drum eliminates this problem.

DUST COLLECTION


Power sanding is a dusty business. The health and housekeeping issues surrounding wood dust make effective dust collection an important feature. If nothing else, it's annoying to be blowing sawdust off your piece in order to see the line you're cutting to. We tested all the machines using a standard shop vacuum with a 2-1/2-in. hose. The Clayton, Craftsman, Delta and Ryobi were the best at dust collection.

AGGRESSIVENESS OF CUT

This is more or less a function of motor power. The Bridgewood, Clayton and Jet were the clear winners in this category. The exception was the 3.5-amp induction motor on the Delta B.O.S.S. that seemed far more powerful than the 3.5-amp universal motor on the Ryobi and the Craftsman.

STORAGE


With all the drums and parts that go with spindle sanders, self-storage is a welcome convenience and is offered on all the machines except the Bridgewood and the Jet.



Bridgewood/Jet

Typical single-spindle system


We found the three spindle, three wrench, screwdriver, clip and spline system used by the Bridgewood and Jet a bit cumbersome. The other machines all have a fixed spindle onto which the drums are fastened with a single bolt or nut.



TOOL TEST

by Dave Munkittrick

Portable and storable,
these sanders will
smooth all of your
rough edges.






CLAYTON

Strengths: The Clayton was our Editors' Choice. This thing's built like a truck. In fact it uses truck bearings on its spindle shaft. At 78 lbs., the Clayton provides a very stable work platform. There's no cast iron used in its construction so most of its heft is due to its heavy-duty components. The Clayton has excellent dust-collection and changing drums is a breeze. Clayton also offers the best range of accessory drum sizes.

Weaknesses: It's too heavy to be truly portable.

Outstanding Feature



Built for heavy-duty, continuous use, the Clayton offers the power and durability of large industrial machines. Heavy-duty V-belts, machined-steel pulleys, large ball bearings and a high quality, 7.6-amp American-made motor. A cam-and-follower assembly creates the oscillation and is sealed in its own oil bath housing for maximum durability.



DELTA


Strengths: The Delta is our choice for Best Buy. It offers the best combination of performance, features and price (\$208). Dust collection on the Delta was unbeatable. Its 3.5-amp motor is surprisingly powerful and drum changes are quick and easy. Its large, round, cast iron top provides good support and is heavy enough for stability but light enough for portability. Complete onboard storage for accessories comes with the optional accessory drum kit (\$50).

Weaknesses: The dust collection fitting is too small for a standard 2-1/2-in. shop vacuum. Universal adapters cost about \$10.

Outstanding Feature



An internal fan boosts the dust collection capability of the Delta B.O.S.S. ahead of all the others. Hook up a shop vacuum for unsurpassed dust collection.




BRIDGEWOOD/JET

Strengths: The Bridgewood and the Jet are very similar in design and construction. These are the machines to buy if you need extra-small spindle size or a tilting table. They both feature a powerful 7.5-amp motor that can cut aggressively without bogging down.

Weaknesses: Dust collection seemed to be an afterthought in these sanders. The dust port is too far from the drum to be effective. The 18-1/2-in. table height requires an unusually low bench for comfortable operation. Despite all the parts and tools required for drum and spindle changes there is no built-in storage for accessories.

Outstanding Features



The only machines that offer a 1/4-in. spindle for small-diameter work, the Bridgewood and the Jet also feature tables that tilt from 0 to 45 degrees allowing for beveled contours.





RYOBI/CRAFTSMAN

Strengths: If you want a machine to pull out of storage for occasional use and you don't expect to be sanding a lot of 8/4 stock, then the Craftsman and the Ryobi are hard to beat. They are the lightest and least expensive of all the machines and their dust collection systems are very effective.

Weaknesses: The universal motor is noisy and bogs down in a heavy cut.

Outstanding Features



At 26 lbs. the Ryobi and the Craftsman offer exceptional portability at a most affordable price. Perforated table inserts help both machines achieve excellent dust collection.



RIDGID

Strengths: The Ridgid comes with an oscillating belt sander attachment that makes this machine the most versatile of all the sanders. It's light and easy to move and includes onboard storage for all its accessories. Drums are fastened to the spindle with rubber-knobbed bolts eliminating the need for a wrench. Be careful not to overtighten the knobs or you'll be reaching for the pliers to get them off!

Weaknesses: The tilting table is designed for the belt sander attachment not the spindle sander. Drums tighten down onto a snap ring on the spindle rather than a welded plate. The dust collection was a little weak. **AW**

Outstanding Feature



The oscillating belt sander attachment expands the Ridgid's capabilities to include convex curves and straight edges. Designed for wrench-free drum changes, the Ridgid uses rubber knobs in place of hex nuts.

MAKE	PRICE	MOTOR	AMP/TYPE	WEIGHT (lbs.)	TABLE SIZE (inches) H x W x D	DRUM CHANGE	DUST COLLECTION	AGGRESSIVENESS	BUILT-IN STORAGE	ACCESSORIES INCLUDED	ACCESSORIES AVAILABLE	COMMENTS	SOURCE
BRIDGEWOOD	\$229	7.5	I	68	18-1/2" x 14-5/8" x 14-5/8"	G	F	E	NO	1/4", 1/2", 5/8" spindles plus 1-1/2" and 2" drums		Wide base stance is very stable. Plastic inserts are flimsy.	WILKE MACHINERY (800) 235-2100
CLAYTON model 140	\$638	7.6	I	78	18" x 14-5/8" x 14-5/8"	E	E	E	YES*	1/2", 3/4", 2" and 3" drums	1", 1-1/4", 1-1/2", 2-1/4" and 2-1/2" drums	Counterclockwise spindle rotation eliminates reverse thread on spindle.	HTC (800) 624-2027
CRAFTSMAN	\$160	3.5	U	26	13-3/4" x 14" x 20"	E	E	F	YES	1/2" spindle plus a 1" drum	3/4", 1-1/2", 2" and 3" drums	Counterclockwise spindle rotation eliminates reverse thread on spindle. Plastic laminate top.	SEARS (800) 377-7414
DELTA	\$208	3.5	I	45	12" x 18" diameter	E	E	G	YES	1/2" spindle plus 3/4" drum and dust bag	1", 1-1/2", 2", 3" drums	Sound design. Looks cool and works well.	DELTA (800) 438-2486
JET	\$279	7.5	I	66	18-1/2" x 14-5/8" x 14-5/8"	G	F	E	NO	1/4", 1/2", 5/8" spindles plus 1-1/2" and 2" drums	3" drum	Metal inserts. Base is narrower than the Bridgewood, not as stable.	JET (800) 274-6848
RIDGID	\$239	4.6	I	43	13-3/8" x 16-5/8" x 19"	E	G	G	YES	1/2", 3/4", 1", 1-1/2" and 2" drums plus oscillating belt sander		Easy to overtighten the spindle knob. Drums tighten down on a snap ring rather than a welded plate.	RIDGID (800) 474-3443
RYOBI	\$160	3.5	U	26	13-3/4" x 14" x 20"	E	E	F	YES	1/2" spindle plus a 1" drum	3/4", 1-1/2", 2", 3" drums	Counterclockwise spindle rotation eliminates reverse thread on spindle. Plastic laminate top.	RYOBI (800) 525-2579

I = Induction motor U = Universal motor

F = Fair G = Good E = Excellent

* Separate benchtop rack

OTHER SANDERS TO CONSIDER: Porter-Cable and Grizzly are bringing new oscillating spindle sanders on the market this fall and winter. See Product Reviews, pages 96 and 98 for more details. Plus, several companies (including Grizzly and Bridgewood) offer floor-model spindle sanders for \$500 and up.

100% SATISFACTION GUARANTEED!
★FREE SHIPPING!
FOR ALL ITEMS SHOWN BELOW!

HARBOR FREIGHT TOOLS

ORDER FROM OUR WEB SITE!
harborfreight.com/go/amwood

DELTA
 Delta 36-040


8-1/4" COMPOUND MITER SAW

- 9 amp, 115V motor
- Arbor: 5/8"
- RPM: 5200
- Table: 11" diameter, 2" side extensions
- Positive stops: 0°, 15°, 22-1/2°, 30°, and 45°
- Bevel cut: 0° to 45°
- Miter cut: 0° to 45° right and left
- Capacities: 2-1/8" x 5-1/8" crosscut; 2-1/8" x 3-1/2" 45° miter; 1-1/2" x 5-1/8" 45° bevel; 1-1/2" x 3-1/2" compound cut 45° miter and 45° bevel
- Factory reconditioned, factory perfect

LIMITED QUANTITIES

ITEM 51623-5KMA

~~\$99~~ **\$89**



10" WOODWORKING VISE

Heavy duty vise is ideal for furniture builders, cabinet makers and hobbyists.

- Heavy duty construction
- Jaw capacity: 10-3/8"
- Jaw dimensions: 9-3/4" x 3"
- Lead screw: 18mm
- Guide rods: 17mm
- Mounting holes: 4-3/16"

ITEM 42494-2KMA

~~\$19~~ **\$15**

Pittsburgh



10 PC. SPRING CLAMP SET

Ideal for gluing, assembling, welding, and 1001 other uses in home or shop. Made of nickel-plated, heavy gauge steel, with heavy duty tempered springs and comfortable vinyl coated handles.

- Contains four 1" capacity clamps, four 2" capacity clamps, and two 3" capacity clamps

ITEM 37451-5KMA

~~\$9~~ **\$6**

CENTRAL MACHINERY

10" INDUSTRIAL TABLE SAW



Die cast aluminum table 26" x 16", has adjustable 17-7/8" x 2" rip fence and inch/metric scale for precise cutting.

- Maximum depth of cut at 90°: 3-1/8"; at 45°: 2-1/2"
- Motor: 2 HP, 115V, 60 Hz, 10 amp, 4500 RPM
- Shipping wt.: 36 lbs.
- Blade capacity: 10" with 5/8" arbor
- Miter gauge adjusts 0° - 60° left & right
- Blade & stand sold separately

ITEM ~~\$119~~ **\$79**
 38533-1KMA

10" 40 TOOTH CARBIDE TIP SAW BLADE

Molybdenum carbide M2 tips 5/8" arbor

ITEM 00529-0KMA

~~\$49~~ **\$4**

CHICAGO
 Electric Power Tools



PLUNGE ROUTER

Professional quality plunge router has it all. Smoothly cuts and trims wood, plastics, and laminates. The 2-1/2 HP motor gives you extra power for harder materials. Accepts three collet sizes for a greater range: 1/4", 3/8" and 1/2". Includes: straight guide, guide holder, roller attachment, template guide, wrench, bit adapter, 3/8" bit and dust nozzle.

- All ball bearing construction
- Maximum RPM: 23,000
- Motor: 2-1/2 HP, 120V, 60 Hz, single phase
- Spindle lock

ITEM 41348-0KMA

~~\$99~~ **\$79**

18 VOLT CORDLESS, VSR DRILL/DRIVER KIT W/3/8" KEYLESS CHUCK

CHICAGO
 Electric Power Tools



VSR: Speed range: 0-900 RPM; 3/8" Jacobs' keyless chuck, 6 pc. screwdriver and 6 pc. drill bit sets. Includes charger, battery and carrying case.

ITEM ~~\$72~~ **\$49**
 37144-7KMA

18 VOLT CORDLESS, 5-3/8" CIRCULAR SAW KIT

Kit includes: 1 hour quick charger, 18V battery, saw and hex key. 2400 RPM, 1.3 amps, 10mm arbor, and 50° bevel capacity.

ITEM 37412-7KMA

~~\$69~~ **\$69**

18 VOLT REPLACEMENT BATTERY

For the above tools.

ITEM 37145-1KMA **\$29**

5-3/8" TUNGSTEN CARBIDE TIPPED BLADE

Teeth: 24, C2 carbide, 10mm arbor, maximum RPM: 7000

ITEM 41290-0KMA **\$79**

RIP FENCE

For circular saw.

ITEM 37449-1KMA **\$39**

8" DADO BLADE SET



WITH SAWS AND CHIPPERS

Long lasting industrial quality carbide tipped dado set produces flat-bottom cuts. Cuts clean and smooth grooves and dados from 1/8" to 3/4". Use for hard or soft woods, plywood, particle boards and laminates. C2 tungsten micro-grain carbide tips last up to 50 times longer than steel blades and can be resharpened. One chipper is 1/16" thick, all others are 1/8" thick. 7000 RPM maximum.

- Includes:
- Two 24T 8" outerblades
- Five, 2T chipper blades - one is 1/16"
- Includes brass shimstock

ITEM ~~\$39~~ **\$29**
 40745-2KMA

CENTRAL MACHINERY

BUY NOW & SAVE!

BENCH TOP SHAPER/ROUTER



Expand your workspace with this handy wood shaper. Big machine features and compact enough to store under your bench. Very advanced - accepts both shaper cutters and router bits for the exact finish you want.

- Uses 2" diameter shaper cutters and router bits with 1/4" shank
- Individually adjustable fence halves
- 115V, 4.3 amps, 7/8 HP
- 10,200 RPM motor speed
- Cast iron work table and base
- Rear chip discharge

ITEM 32650-3KMA

~~\$109~~ **\$79**

CENTRAL MACHINERY

DRILL 1/4", 3/8", AND 1/2" SQUARE HOLES MORTISING MACHINE



Make a square hole in a fraction of the time it takes by hand! Easier layout for professional mortise and tenon joints in furniture, cabinets, and restoration projects. Fence with hold down clamp keep workpieces from lifting off the table. Large capacity - up to 5" maximum height. Includes fence, workpiece clamp, and 1/4", 3/8", and 1/2" mortising chisels and bits.

- 5" throat
- 3580 RPM spindle speed
- 13-3/8" x 6" table
- 10-7/8" x 7-3/4" base
- 5" maximum workpiece height; Accepts .745" chisel shanks; 1/2 HP, 110V, 2.3 amps, 60 lbs. shipping weight

ITEM 35570-6KMA

~~\$129~~ **\$129**

ROTOZIP

Rotozip CRCT1

SPIRAL SAW

Spiral cutting action provides clean cuts in tile, acrylic, aluminum and vinyl siding, drywall, fiberglass, wood and more.

No-fail bump-off switch; Bayonet style removable base and depth guide: 115V/120V, 4 amps, 30,000 RPM motor; Reinforced 10 ft. rubber cord; 2.7 lbs. tool weight Rotozip SCS01

ITEM ~~\$79~~ **\$72**
 41302-1KMA

CIRCLE CUTTER

Cuts perfect circles from 3-1/2" to 14" in diameter.

ITEM 41307-0KMA **\$16**

CHICAGO
 Electric Power Tools

VARIABLE SPEED FOOT CONTROL



FLEXIBLE SHAFT GRINDER & CARVER

Tackle detail work in wood, metal, and plastics. This heavy duty tool grinds, deburrs, drills, polishes, buffs and sands. Motor hanger lets you mount it on any vertical surface. 1/4" ball bearing motor. Includes 38" flexible shaft, handpiece, 4mm (5/32") key-type chuck, and variable speed foot control for hands-free operation.

Motor: 1/4 HP, 1 phase, 60 Hz, 115V. Speed: 15,000 RPM. Shipping weight: 5-3/4 lbs.

ITEM 40432-1KMA

~~\$49~~ **\$49**

★ Within the 48 contiguous states / \$4.95 handling on all orders
 No per item shipping and handling charge

PRICES EXPIRE MARCH 1, 2001

Call To Order or Ask for Free Catalog:
 Order 24 Hours a Day/7 Days a Week
 Most Phone Orders Shipped in 48 Hours



FAX TOLL FREE: 1-800-905-5220

1-800-423-2567

CHARGE IT!



Or Send Check or Money Order to: Harbor Freight Tools,
 3491 Mission Oaks Blvd. Box 6010, Camarillo, CA 93011

5017

FREE SHIPPING!

FOR ALL ITEMS SHOWN ON THESE TWO PAGES!

LOW PRICE GUARANTEE! • PRICES EFFECTIVE THRU 3-1-2001

WE'LL BEAT ANY COMPETITOR'S PRICE ON ANY IDENTICAL ITEM - EVEN IF IT'S AN ADVERTISED SPECIAL

WE CARRY
OVER 5000 ITEMS!
CALL TODAY FOR
A FREE CATALOG
SUBSCRIPTION

SKIL
Skil
5150R



7-1/4" CIRCULAR SAW

LIMITED
QUANTITIES

- Maximum cut @ 90°: 2-7/16"; @ 45°: 1-15/16"
- Factory reconditioned, factory perfect
- Handy scales and cutting guide
- 10 amps, 2-1/3 HP, 4600 RPM

ITEM
06188-4KMA

~~\$2999~~

CIRCULAR SAW BLADE WITH MOLYBDENUM TIPS

- 5/8" arbor, 24 tooth blade
- M2 molybdenum tips

ITEM 38534-1KMA

~~\$199~~

CENTRAL FORGE

TWO
CLAMPS
PER SET



SAVE
UP TO
50%


BAR CLAMP SETS

Hold your work safely and at the correct tension with these quality sets of bar clamps. Two clamps per set.

- Heat-treated steel bar & cast iron jaws
- Plated steel screw with hardwood handle
- 3-1/2" throat depth

OPENING	ITEM	PRICE PER SET
12"	01473-3KMA	\$249
16"	04068-2KMA	\$399
20"	04069-1KMA	\$699
24"	04070-1KMA	\$799

CENTRAL MACHINERY



16" SCROLL SAW

- Precision milled 14-1/2" x 8" table tilts 0° to 45°
- 7/8" blade stroke
- Uses pin end blades, 5-1/2" long
- Heavy duty cast iron frame and base reduce vibration
- 1/8 HP, 110V, .83 amps
- 1750 SPM blade speed
- Cast aluminum table
- Single speed

ITEM 37908-2KMA

~~\$699~~ \$4999

DEWALT

LIMITED
QUANTITIES

DeWalt DW733R

EXTRA
LONG
INFEEED AND
OUTFEED
TABLES



HEAVY DUTY 12-1/2" PORTABLE PLANER

- 4 column design with head lock
- Turret depth stop for accurate cuts
- Magnified, easy-to-read depth scale
- No load speed: 20,000 CPM
- Feed rate: 26 FPM
- Amps: 15
- Factory reconditioned, factory perfect

ITEM
51736-4KMA

~~\$28999~~

HEAVY DUTY 12-1/2" PORTABLE PLANER

- New DeWalt DW733

ITEM
37659-5KMA

~~\$39999~~

REPLACEMENT PLANER KNIVES

DeWalt DW7332

ITEM 37709-0KMA

~~\$4999~~

CHICAGO
Electric Power Tools

FREE
10" x 40T
C2 TIP BLADE



10" COMPOUND SLIDE MITER SAW

Get professional results with this dependable saw. Positive stops at 0°, 22-1/2°, and 45° left and right. Transparent blade guard lets you see your work. Electric brake stops blade in seconds. Trigger safety button. Comes with hold-down clamp, 40T C2 carbide-tipped blade, lug-style arbor wrench, dust bag, and spare brushes.

Powerful motor: 1-3/4 HP, 110V, 60 Hz, single phase, 11 amps; 4000 RPM; cutting capacity @ 90°: 3-1/2" deep x 12"W; arbor: 5/8"

ITEM 41168-0KMA

~~\$14999~~ \$12999

OVER 5000 ITEMS!

VISIT OUR WEB SITE!
harborfreight.com/go/amwood

WEB SITE AUCTION!

NOW OPEN!

DAILY SPECIALS!

SEASONAL SPECIALS!

CLOSEOUT ITEMS!

LIMITED
QUANTITIES

10" DIRECT DRIVE TABLE SAW

- Convenient rail mounted safety switch
- Precision T-style, cam lock, quick release fence
- Precision T-style miter gauge with positive stops at 45° right and left
- Full 22.25" x 38.5" table surface with extensions
- Removable stand for bench top use
- Includes 10" x 28T carbide blade, wrench and manual

Motor: 2 HP, 115V, 15 amp 4200 RPM; Maximum rip capacity: 27" right, 15" left; Maximum cut depth @ 45°: 2.25"; Table height: 34.25"; Overall dimensions: 38.75" x 51" x 36"; Tool weight: 154 lbs.

ITEM 53648-4KMA

~~\$35999~~ \$29999

7-3/4"
DIAMETER
WHEEL



MOBIL/FOLDING POWER TOOL STAND

Extend the capacity of your benchtop saw, shaper or sander. Extension wings with rollers make stabilizing large pieces easy. Large table and rugged construction support virtually all shop tools no matter what the size. Folds away for easy storage. Enamel finish.

- Maximum extension length: 13ft. 10"
- Table top: 28" x 19-1/2"
- Wings extend to 57"
- Overall: 22" x 52" x 37-3/4"

ITEM 40612-2KMA

~~\$6999~~ \$4999

RASK



RADIAL ARM SAW KIT

The performance of a radial saw at a fraction of the cost. Award-winning patented design features easy setup with most 7-1/4" and 7-1/2" circular saws. Makes fast accurate bevels, rips, miters, and crosscuts. Ruggedly built and completely portable.


- Saw and table wood not included
- Maximum miter & bevel: 45°; Crosscut: 12-3/4"; Length: 24"; Rip capacity: 15-3/4"; Height: 22"; Weight: 23 lbs.

ITEM 33576-1KMA

~~\$5999~~ \$4999

CENTRAL MACHINERY

LIMITED
QUANTITIES



12" DIRECT DRIVE BENCH TOP DISC SANDER

Get sharp, accurate finishes without burning or marring. Direct drive disc won't slip. Base pads prevent creeping. Table tilts to 45°. 2" dust collection outlet. Features fan-cooled brushless motor, miter gauge, and safety switch. Iron disc and table. Includes 60 grit, 12" sanding pad.

- 1 HP, 120V, 10 amps
- No load speed: 1793 RPM
- Base: 13" x 10"
- Wheel diameter: 12"
- Shipping Wt.: 92 lbs.

ITEM
37297-3KMA

~~\$8999~~

12" SANDING DISCS

GRIT	ITEM	(PK. OF 2) PRICE
36	38001-1KMA	\$699
60	37958-1KMA	\$699
120	37959-1KMA	\$699

★ Within the 48 contiguous states / \$4.95 handling on all orders

No per item shipping and handling charge

Call To Order or Ask for Free Catalog:

Order 24 Hours a Day/7 Days a Week

Most Phone Orders Shipped in 48 Hours



FAX TOLL FREE: 1-800-905-5220

1-800-423-2567

CHARGE
IT!

NOVUS

VISA

MasterCard

MasterCard

Or Send Check or Money Order to: Harbor Freight Tools, 3491 Mission Oaks Blvd. Box 6010, Camarillo, CA 93011

5017

TOOL TEST Vises

By Randy Johnson and Tom Caspar

**Add clamping power
to your workbench.**

A good vise is tool money well spent. It's a solid investment in your workbench that pays off every time you need to hold a piece of wood.

Two Types of Vises

Everybody's familiar with the standard metal-jaw vise, but there's a second type of vise to consider: the wood-jaw vise.

Here's a quick comparison:


Metal-jaw vises are easy to install (Photo 1). To drop the jaws slightly below the top of your bench, make a wooden plate that fits between the bottom of the bench and the vise body. If you want the inner jaw of the vise to be flush with the edge of your bench (the set-up we prefer), you'll have to cut a notch out of your benchtop. In any case, add wood cheeks.

Wood-jaw vises generally come as starter kits (Photo 2). You buy the metal


hardware and make the front jaw, an optional lower rear jaw and turn or buy the handle. If you want a traditional look to your bench, this is the way to go. The front edge of your bench must be straight and square because it serves as the rear jaw.

Features

Vises are built to last. Every vise we tested delivered plenty of clamping pressure and was robust enough to hold up to a lifetime of service. If you're going to



1 A METAL-JAW VISE is ready to go right out of the box. Add wood cheeks, bolt it to your bench and you're ready to clamp.



2 A WOOD-JAW VISE requires assembly. Make your own jaws and turn a handle of any length (or buy one). The front of the bench doubles as the upper half of the rear jaw.

spend your woodworking career with one vise, it makes sense to buy one that's a pleasure to use. Here are the features we feel make the most difference:

- **Jaw Size.** Large jaws offer more surface area to hold your workpiece. More surface area means more friction to keep your work from slipping. You can increase the effective surface area of any metal-jaw vise by adding oversized cheeks, but we prefer vises that start out with large jaws.

For a wood-jaw vise you can make virtually any size jaws. Use a stiff wood such as hard maple and make the front jaw 3-in. thick.

- **Jaw Opening.** Rarely will you open your vise all the way, but a deep capacity gives you more clamping versatility. The day will come when you'll need it! Some metal-jaw vises have a huge capacity, but wood-jaw vises generally have shorter openings after allowing for the thickness of the jaws.


- **Quick Release.** Sliding the front jaw in and out without turning the handle is convenient but not a feature you're likely to use often. Almost all the metal-jaw vises offer one of two types of quick release. They all work well. It's a matter of personal preference, but we like the lever action best (Photo 3).

Most of the wood-jaw vises do not have a quick release, but two (see the chart, page 92) offer the reverse action type (Photo 4).


- **Vise Dog.** You can hold work *on top* of your bench with the vise dog that's found on every metal-jaw vise (Photo 5). Friction-fit, spring-loaded dogs are the easiest to use.

You'll have to make your own dog hole in the front jaw of a wood-jaw vise. One pre-made kit includes the dog hole (see the chart, page 92).

- **Handle.** You'll be using it a lot, so a handle ought to be comfortable. Some metal-jaw vises have large-diameter



3 SQUEEZE THE LEVER on this quick-release mechanism to slide the front jaw in or out. The spring-loaded lever is connected to a bar that releases the nut from the vise's screw. We prefer this type of quick release.



4 REVERSE THE HANDLE one-half turn for another type of quick release. This action releases the nut. To engage the nut, turn the handle clockwise. One metal-jaw and two wood-jaw vises have this feature.


OUR RECOMMENDATION:

Get the largest vise your bench and wallet allows. The essence of a great vise is even pressure applied over a large area.

Types of Handles


LARGE-DIAMETER HANDLES

are comfortable to grip. One metal-jaw vise comes with a short metal handle (below, left), while two others have longer wooden handles (below, right), similar to what you'd add to a wood-jaw vise.




LONG METAL-ROD HANDLES

give you more leverage and a more sensitive adjustment (below, right). We find short metal-rod handles or those with capscrew ends (below, left) less comfortable.



The Wilton Vise



Two features set this vise apart from the others:

- **Pivoting Jaw.** It's perfect for holding tapered work. Raise up the pivoting jaw to make a huge dog. Remove a pin, slide off the jaw and you've got a standard vise.

- **U-Channel Guide Bar.** You can place your workpiece very close to the screw, minimizing side-to-side racking. The channel also protects the screw from damage.



5 **HOLD A BOARD ON TOP** of the bench with a vise dog. All metal-jaw vises come with dogs. Make your own dog hole in a wood-jaw vise.

handles that are easier to grip than the rod-type handles.

To fine-tune the amount of pressure a vise is exerting, a handle should have a long "throw" (the distance from the center of the screw out to the handle's tip). Regardless of the amount of throw, all the vises have plenty of clamping power.

Choose your own handle length with a wood-jaw vise. The handle must be a fairly large diameter to fit into the socket.

SOURCES

Garrett Wade, (800) 221-2942

Grizzly Tool, (800) 823-4777
(Grizzly brands; Record)

Highland Hardware, (800) 241-6748
(Record; Veritas lg. #01.97.01 and sm. #01.97.02)

Lee Valley, (800) 267-8735
Canada (800) 267-8761
(Veritas; Record)

Sears, (800) 349-4358; (Wilton)

Tools on Sale, (800) 328-0457
(Jorgensen; Pony; Record; Wilton)

Trend-Lines, (800) 767-9999


Woodcraft Supply, (800) 225-1153
(Jorgensen; Record; Woodcraft brands; Veritas lg. #01E22 and sm. #01E22; handle for wood-jaw vise #17E52, \$4.50)

Woodworker's Supply, (800) 645-9292
(Jorgensen; Woodworker's Supply brands)

What's the Deal with Racking?

When your workpiece slips in a vise, blame "racking." Before you tighten a vise, the jaws are more or less parallel, but when you apply pressure the front jaw can noticeably tilt or twist. That's called racking, and it results in unbalanced pressure on your work (Figs. A and D).

Some amount of racking is present in every vise, but some suffer more than others. Vise manufacturers have two tricks up their sleeves to combat racking (Figs. B and E). Just as good are the solutions that woodworkers have used since the days of sloppy fitting all-wood vises (Figs. C and F).



Top-to-Bottom Racking

The Problem




FIG. A Uneven pressure (red arrows) pinches the bottom of your workpiece causing it to slip or vibrate. The culprit is the fit between the guide bars and their supports. The more play there is, the more the vise will rack.

Manufacturer's Solution




FIG. B "Toe-in" is built into some metal-jaw vises to counteract top-to-bottom racking. The jaws become parallel top-to-bottom when pressure is applied.

Shop Solution




FIG. C Create your own toe-in by making tapered cheeks. Experiment to find the right amount of taper. This solution works for both metal- and wood-jaw vises.

Side-to-Side Racking




FIG. D Uneven pressure pinches one edge of your workpiece. The more you tighten the handle, the worse the racking gets! This racking is also caused by play in the guide bar system.




FIG. E Placing the screw closer to the right guide bar is one solution adopted by some wood-jaw vise manufacturers.






FIG. F Use a spacer block on any vise to defeat side-to-side racking. The block must be the same thickness as your workpiece. Hold it in place with tape.

Metal-Jaw Vises




Editors' Choice

Record # 53 is a robust vise. It has huge jaws, great features and very little play in its smooth-acting guide system.



Editors' Choice

The Garret Wade 9-in., quick-release vise has an extra-long handle, ample jaws and a unique plastic dog to protect your cutting tools from accidental damage.





Best Buy

Woodcraft's 9-in. vise combines good features, smooth action and an excellent price (\$60).

Wood-Jaw Vises

Editors' Choice

Woodcraft Supply's #17A11 features both an offset screw and a quick release.



Best Buy

Start with the Garrett Wade large vise kit (or the kit distributed by Veritas Tools) to build a big, economical vise (\$65).

	Vise	Price	Jaw Size (HxW)	Jaw Opening	Quick Release	Vise Dog	Handle Throw ^a	Toe-in	Comments
Metal-Jaw Vises	Grizzly (G9850)	\$53	2-1/2x7"	8"	Lever	Thumbscrew	7-1/2" Rod	Yes	Handle has cap nut ends
	Grizzly (G9851)	\$65	2-5/8x9"	10"	Lever	Thumbscrew	7-1/2" Rod	Yes	Handle has cap nut ends
	Grizzly (G2780)	\$80	2-3/4x9"	12"	Lever	Thumbscrew	7-1/2" Rod	Yes	Handle has cap nut ends
	Woodcraft (129849)	\$50	3" x 7"	8"	Lever	Thumbscrew	6-1/2" Rod	Yes	
	Woodcraft (129850)	\$60	3-1/2" x 9"	10"	Lever	Thumbscrew	7" Rod	Yes	
	Woodworker's Supply (817-575)	\$85	4" x 10"	12"	Lever	Thumbscrew	5-1/2" Rod	Yes	Quick release is on/off lever
	Woodworker's Supply (801-801)	\$55	3-1/4" x 7"	10-1/2"	Lever	Thumbscrew	5" Rod	Yes	Quick release is on/off lever
	Garrett Wade Quick Release	\$100	4" x 9"	13-1/2"	Lever	Handle	10-1/2" Rod	Yes	
	Record #52	\$90	3" x 7"	8"	Lever	Thumbscrew	6" Rod	Yes	
	Record #52-1/2	\$125	4" x 9"	13"	Lever	Thumbscrew	8" Rod	Yes	
	Record #53	\$130	4" x 10-1/2"	15"	Lever	Thumbscrew	8" Rod	Yes	
	Jorgensen 40709	\$100	4" x 7"	9"	Reverse	Friction	8" Lg. Dia. Wood	No	
	Jorgensen 41012	\$115	4" x 10"	12-1/2"	Reverse	Friction	8" Lg. Dia. Wood	No	Editors' Choice Runner-Up
	Pony 27090	\$33	4" x 7"	9"	None	Friction	8" Rod	Yes	
	Wilton 78A	\$100	4" x 7"	10"	Reverse	Friction	6" Lg. Dia. Metal	No	
Wood-Jaw Vises	Trend-Lines (JTJ7)	\$63	2-3/4" x 9"	7-1/2"	Lever	Thumbscrew	7-1/2" Rod	Yes	Handle has cap nut ends
	Trend-Lines (JTJ9)	\$72	2-3/4" x 9"	9-1/2"	Lever	Thumbscrew	7-1/2" Rod	Yes	Handle has cap nut ends
	Trend-Lines (JTJ12)	\$81	2-3/4" x 9"	12"	Lever	Thumbscrew	7-1/2" Rod	Yes	Handle has cap nut ends
	Woodcraft Supply (17A11)	\$135	Make your own	8" ^b	Reverse	You Make Hole	Variable		Offset tightening screw
	Woodcraft Supply (17D04)	\$95	Make your own	9" ^b	None	You Make Hole	Variable		Offset tightening screw
	Woodcraft Supply (17D03)	\$65	Make your own	6" ^c	None	You Make Hole	Variable		
	Woodworker's Supply (907379)	\$150	Make your own	8" ^b	Reverse	You Make Hole	Variable		
	Veritas Tools -large	\$65	Make your own	8-1/2" ^b	None	You Make Hole	Variable		Offset tightening screw
	Veritas Tools -small	\$45	Make your own	6" ^c	None	You Make Hole	Variable		
	Garrett Wade (70G04.01)	\$60	Make your own	8" ^b	None	You Make Hole	Variable		Offset tightening screw
	Garrett Wade (70G03.01)	\$40	Make your own	6" ^c	None	You Make Hole	Variable		
	Garrett Wade (10H03.01)	\$170	2-1/4" x 14-3/4" ^c	6-1/2"	None	Hole Provided	10"		Comes with jaws and handle

^a Distance from screw's center to end of handle.

^b Based on 3" thick front jaw and 1-3/4" thick lower rear jaw.

^c Based on 2-1/2" front jaw only.

^d Designed for 1-3/4" thick benchtop

AW

**Attention
Woodworkers!**

4-WAY MONEY-MAKER!

● PLANES ● MOLDS ● SANDS ● SAWS



**FREE
30-DAY
TRIAL!**

4-in-1 Woodmaster planes to exact thickness, sands satin-smooth, saws with power feed. Quickly turns a \$2 rough board into \$25 worth of finished trim! Molds over 350 standard patterns, tongue & groove, picture frame stock, any custom design. Choose from 12", 18" and 25" models!

Variable Feed Makes The Difference!

Just a twist of the dial adjusts the Woodmaster from 70 to over 1,000 cuts per inch. Produces a glass-smooth finish on tricky grain patterns no other planer can handle. Plenty of American-made "muscle" to handle low-cost, "straight-from-the-sawmill" lumber.

*5-Year Warranty,
Easy Terms.
Made in
U.S.A.*



Best Value - "After checking them all, Woodmaster was obviously the best deal for the money. Also I would like to acknowledge the polite and prompt service."

E. D. Holtz, North Carolina


Runaway Hobby- "Thanks to Woodmaster, what started as a hobby is now a full time millwork business."

D. E. Probst, Pennsylvania

Power-fed sanding speeds production and improves the quality of your work. No more waves or cross-grain scratches. Separate sanding head installs in just minutes.



New rip saw attachment lets you gang-rip with power feed in a fraction of the time it takes for multiple hand-fed passes on an ordinary table saw.



Woodmaster's Quick-Change Molding Head lets you create custom moldings from any stock. Choose from over 350 standard trim and picture frame patterns...or design your own!

**Call
Today
For**

FREE FACTS!

1-800-821-6651

Ask For Extension PY61



☐ **YES!** Rush my **FREE** Information Kit! Please include details on your "Big Savings Offer!"
Woodmaster Tools, Dept. PY61 1431 N. Topping Ave.
Kansas City, Missouri 64120

NAME _____

ADDRESS _____

CITY _____

STATE _____ ZIP _____

Visit our web site at www.WoodmasterTools.com

Remember the smile you had junior high

Here's the grown-up



Sponsored by



Dodge



Different.

SUBURBAN DETROIT

Novi Expo Center
September 29-
October 1, 2000

SUBURBAN PHILADELPHIA

Fort Washington
Expo Center
November 3-5, 2000

SAN DIEGO

San Diego
Convention Center
March 16-18, 2001

CENTRAL NEW JERSEY

New Jersey Convention
and Exposition Center
March 30-April 1, 2001

The AMERICAN WOODWORKER *Show*™

**Great...Demonstrations,
Information, Entertainment,
Instruction...Simply a Great Value**

- **Hundreds of exhibitors** offer the latest tools, shop accessories, materials and supplies...all at Special Show Discounts!
- **Demonstrations, workshops and seminars** taught by nationally-renowned woodworkers. Talk to master craftsmen and learn new skills and techniques.
- **Increase your woodworking knowledge and improve your skills** with this three-day, hands-on "Crash Course".
A 3-Day Pass is just \$10! That'll give you more time to enjoy all the great bargains, exhibits and enroll in all of the workshops and seminars.

VISIT OUR WEB SITE

www.americanwoodworker.com

3-Day Pass ONLY \$10

Show Hours: Friday 11-6 • Saturday 10-6 • Sunday 10-4

on your face when woodshop?

version.

WORKSHOPS AND SEMINARS

WORKSHOPS

HANDS-ON instruction with a master woodworker.
\$45 Each! Tickets available only at box office.
Limited class size.

Cutting Dovetails, Frank Klausz

Fri., 12:30-2:30; Sat., 3:00-5:00
Think hand-cut dovetails are hard to make? Prepare to be surprised. In two hours, you'll learn to lay out and cut through dovetails by hand. Sharp tools provided.
Capacity: 12

Sharpening, Paul Anthony

Fri., 3:30-5:30; Sat., 12:00-2:00
Learn how to put a truly keen edge on your chisels and plane irons. Bring a couple of your favorite tools for a serious tune-up. **Capacity: 12**

Using a Cabinet Scraper, Joseph Hoover

Sun., 1:00-3:00 pm
Sick of sanding scratches? Tired of choking on dust clouds? Learn how to tune up and use a cabinet scraper for smoothing woods. **Capacity: 15.**

SEMINARS

\$20 Each! Tickets available only at box office.

Finishing Basics, Joseph Hoover

Fri., 1:00-2:30 pm; Sat., 12:00-1:30 pm.
Learn how to select the best finish for the job. Understand wood stains and use them correctly. From surface preparation to final polish, you'll learn what it takes to get a quality finish.

Must-Have Hand Tools, Andy Rae

Fri., 1:00-2:30, Sat., 2:30-4:00
Which hand tools are worth your time and money? No gimmicks here, just commonsense tools that no woodworker should be without. From the right planes and chisels to hand-held power tools, learn which tools to get and how to use them.

Planning Your Project, Carol Reed

Fri., 1:00-2:30; Sat., 2:30-4:00
A good plan leads to a good project. Learn how to choose, customize, or make a plan from scratch, and how to create a materials list, select the appropriate joinery and hardware, and determine the best finish.

Tables Tables Tables, Frank Klausz

Fri., 3:30-5:00; Sat., 12:00-1:30
From coffee tables to conference tables, this slide show and discussion covers a lot of ground. A master cabinet-maker shares tips on design, joinery, wood selection, hardware, and everything else you need to know to build the best tables.

Using Your First Router, Carol Reed

Fri., 3:30-5:00; Sun., 12:00-1:30
So you finally got a router. Discover how to use it to make joints and decorative edges. Learn about fences, router tables, guide systems and other useful accessories.

Understanding Wood, Geoffrey Noden

Fri., 3:30-5 pm; Sat., 2:30-4:00 pm.
Get "wood savvy." Learn about quartersawn vs. plainsawn, kiln dried vs. air-dried, warp, board foot measure, grain direction, designing for wood movement, composing figure, and other insights for improving your woodworking.

Gluing Up, Geoffrey Noden

Sat. and Sun., 12:00-1:30
A successful project depends on a quick, efficient, well-ordered glue up. Discover the professional tricks for preparing surfaces, applying various glues, aligning pieces, and clamping up.

Getting Started at Woodworking, Frank Klausz

Sun., 12:00-1:30
Learn how to select and understand tools, machines, and materials, and how to choose projects and joinery suited to your needs and abilities.

NEW 2000-01 SEASON


KIDS' PROJECT WORKSHOP

Enjoy the fun of woodworking through the eyes of your children or grandchildren. They will receive a Junior Achievement certificate, a keepsake and a memory that will last a lifetime!

PLUS Sunday is Family Day.
Bring the whole family
for only \$20.00!

ANTIQUE TOOL ROAD SHOW

Free appraisals by
Clarence Blanchard, Editor
of Fine Tool Journal and
"the antique tool authority".
Bring your old tools to the show.



For more information call **800-914-9395**

Product Reviews

Hand-Held Oscillating Sander



Yep, that's right—a hand-held oscillating spindle sander. Brand new from Porter Cable and totally unique, this sander can be taken to your work, instead of taking your work to the sander.

The variable-speed, 6-amp motor runs from 2,400 rpm to 3,600 rpm. You'll get 40 to 60 oscillations per minute with a 1/2-in. oscillating stroke.

I really like this hand-held design. Tables on oscillating sanders are pretty small, so when I've tried to use them for bigger work, like aprons or case sides, I've had to build auxiliary tables. This sander eliminates this problem.

Have you ever tried using a portable belt sander to sand a straight edge? It ain't easy. Porter Cable addresses that too. You can use the included edge guide to precisely control how much material you're taking off. The edge guide has two fences that work like infeed and outfeed tables on a jointer. Set one flush with the drum and set the other to the amount of material you want to take off.

If you want the best of both worlds, mount this sander in your router table. You'll need a router table insert just for the sander. The 5-1/4 in. by 9-3/4-in. base fits in your table.

A dust port is included and dust collection is good. A 2-in. drum and optional 1/2 in., 3/4 in., 1 in., and 1-1/2-in. drums are available.

If you only work with small parts, a drum sander in a drill press or a stationary oscillating sander will probably be adequate for you. But if your woodworking includes a mix of big and small parts, you'll like Porter Cable's latest innovative tool. You can buy it for \$250.

Porter Cable, (800) 487-8665

The fences on the edge guide can be offset, making sanding a long, straight edge easy.



SUBSCRIBE NOW
and **SAVE 33%**

The Family Handyman



Wanna Build This?

This beauty and hundreds of other GREAT home improvement projects,
with complete
how-to.



Subscribe now to the world's leading do-it-yourself magazine. **The Family Handyman** shows you how to tackle big projects like this gazebo as well as how to fix everything in your house, including the kitchen sink!

To save nearly \$10 off the cover price, fill out and mail the attached card. Or you can subscribe by calling (800)285-4961 (mention code C0009SXS). You'll receive a one-year subscription (10 issues) for just \$19.97. That's a 33% savings!

Product Reviews



Big Sander, Small Price

Grizzly Industrial is working on a new oscillating spindle sander that should be available in January, 2001. It looks like a heck of a deal!

\$175 will get you a floor-model sander with a 1/2-hp, 4.6-amp induction motor. The cast iron table (14-1/2 in. by 14-1/2 in.) tilts to 45 degrees. A 5-1/2-in.-long spindle spins at 3,450 rpm, with 64 oscillations per minute and a 1-in. stroke length.

As we went to press, Grizzly was still finalizing production of this tool, so final specs and pricing could change, but this sounds like a sander that'll be worth a good look!

Grizzly Industrial, (800) 523-4777

Buy Our Best Seller

10" x 40T only \$107
or \$101 on 2nd blade

EXTRA BONUS! 3 AT \$5 EACH!

Buy a blade or dado and get \$15 worth of sharpening discount coupons from Forrest, good on any make blade or dado set you own. The first 100 customers will receive a FREE Picnic Table Plan and Router poster!

THE ONE BLADE THAT LEAVES A SMOOTH-AS- SANDED SURFACE



Outperformed 36 other premium blades, both foreign and domestic, WOOD magazine test, Sept. 1998, pg. 45.

DURALINE HI A/T

7 1/4" to 16" diameter available

Cuts MELAMINE PERFECTLY. 220 mm & 300 mm available. Our best PLYWOOD blade. 8", 7 1/4" & others available.

	Sale Price	10% Off 1st Blade	15% Off 2nd Blade
10" x 80 T (1/8" or 3/32" K)	\$169	\$143	\$135
12" x 80 T (3/8" or 1" hole, 1/8" K)	187	163	154
14" x 80 T (1" hole)	197	177	168
14" x 100 T (1" hole)	326	203	192
16" x 100 T (1" hole)	243	219	206

BUY ONE & SAVE - BUY MORE & SAVE MORE

Buy any sawblade or dado in this ad and save 10% off the sale prices. Buy additional sawblade(s) or dado(s) and save even more—15%! Sale good through September 30, 2000.

WOODWORKER II

5 1/8" to 14" diameter available

All purpose—tablesaws and portable circular saws. Special 10% Discount! Take 15% off second blade of your choice.

EDITOR'S CHOICE AND TOP RATING OVER 18 COMPETING SAW BLADES.

The 10" x 40T earned the Editor's Choice Award for the best performance regardless of the price. See American Woodworker magazine, April 1998, pp. 68-69.

	Sale Price	10% Off 1st Blade	15% Off 2nd Blade
14" x 40 T x 1"	148	\$134	\$127
14" x 30 T x 1"	136	125	118
12" x 40 T x 1"	128	116	110
12" x 30 T x 1"	118	107	101
10" x 40 T x 1/8" or 3/32"	118	107	101
10" x 30 T x 1/8" or 3/32"	98	89	84
9" x 40 T	108	98	93
9" x 30 T	98	89	84
8 1/2" x 40 T x 3/32"	98	89	84
8" x 40 T x 3/32"	98	89	84
8" x 30 T x 3/32"	88	80	78
7 1/4" x 30 T x 3/32"	68	62	59
6" x 40 T x 3/32"	88	80	78
5 1/8" x 40 T x 10mm	88	80	78

NEW for *Sears & Makita Table Saws **Saw Boss ***Dewalt Cordless

BLADE STIFFENER

Make all your blades cut better and quieter with a blade stiffener!

- 4" ...\$21
- 5" ...\$24
- 6" ...\$25

CHOPMASTER BLADE

6 1/2" to 15" diameter available

Specially designed for sliding compound miter, miter-chop, and radial saws.

	Sale Price	10% Off 1st Blade	15% Off 2nd Blade
6 1/2" x 40 T Delta, Sidekick, & Others	98	\$89	\$84
8 1/4" x 60 T Sears, Delta, Ryobi	108	98	93
8 1/2" x 60 T Hitachi, Dewalt, Ryobi, FreudTR125	118	107	101
9" x 80 T Delta & Others	128	116	110
10" x 80 T Delta, Bosch, Mitachi, Makita, Ryobi, AEG, & All	138	125	118
12" x 80 T Dewalt, Hitachi, Makita, B+D, Sears, & All	148	134	127
14" x 100 T Makita, Ryobi	188	170	161
15" x 100 T Hitachi, Ryobi	198	179	169

WOODWORKER I

7 1/4" to 14" diameter available

Designed for radial arm or tablesaws—fine crosscut.

	Sale Price	10% Off 1st Blade	15% Off 2nd Blade
8", 8 1/4", 7 1/4" x 60T	108	\$98	\$87
10" x 60 T (1/8" hole)	128	116	103
12" x 60 T (1/8" or 1")	138	125	111

CANADA SALES: CMR RON COLLIER
3644 SCHUMANN RD., BAY CITY, MI 48706
Phone 800-229-4814, FAX 517-684-0402

FREE SHIPPING

on orders over \$275 from 3-01-00 to 6-30-00
All Major Credit Cards Accepted
FL, NJ, NY Residents - Please add Sales Tax
YOUR SATISFACTION GUARANTEED!

EXCLUSIVE OFFER

Peels Plus
16 oz. can
may be
purchased
separately
\$7.95 ea + \$6.50



Select one of these items FREE when placing an order for any saw blade or dado purchase from this ad in AW magazine. Choose from the eight book titles shown, imprinted cap, or 16 oz. can of spray blade cleaner. Hurry! This special offer is limited while supplies last on orders placed by September 30, 2000.

FORREST DADO-KING

Unmatched Precision on Every Dado Cut!

The Forrest Dado-King gives you flat-bottomed grooves and no splintering—even when crosscutting oak plys and melamine. This award-winning set comes with six 4-tooth chippers (including 3/32" chipper), two 24-tooth outside blades plus shims. Cuts 1/8" to 29/32" grooves.

	Sale Price	10% Off 1st Dado	15% Off 2nd Dado
6" Set	269	\$242	\$229
8" Set	289	260	245
10" Set	349	314	297
12" Set	449	404	382

FREE CARRYING CASE
10" Blade Runner Case with 6", 8" or 10" Dado Sets. \$21 Value.

"EASY-FEED" STANDARD DADO

For solid hard and soft woods only! (No plys, no melamine!) 8" D, with positive hook 24 tooth blades & 2 tooth chippers and shims. Cuts 1/8" to 1 1/2" wide.

LIST	SALE	10%	15%
\$249	\$218	\$196	\$185

3-5 DAYS SHARPENING


ON ALL MAKES OF CARBIDE BLADES, ROUTERS, CUTTERS, PLANERS, & JOINTER KNIVES

FORREST

FORREST
MANUFACTURING
COMPANY, INC.


ORDER BY MAIL: 457 River Road, Clifton, NJ 07014 • BY PHONE: 800/733-7111 (IN NJ: 973/473-5236) • BY FAX: 973/471-3333
SEE OUR INTERNET STORE AT woodmall.com OR stores.yahoo.com/forrestman

Product Reviews



Handy Layout Tool

Here's a great tool for only \$16. The Tri Scribe is a well-machined pair of pencil holders that attach to a ruler or square. They can be used three ways: like a pencil gauge, to layout circles, or to make parallel lines.



Both heads come with scribe points, which can be used instead of a pencil if you prefer a scribed line.

Clamp the Tri Scribe to a ruler (2-in. wide or less) using the brass knobs (included). Insert a pencil and you're ready to lay out. My favorite way to use this tool is on a combination square. It's remarkably easy to adjust. You can also use the Tri Scribe to lay out mortise-and-tenon joints.

If you want to use the Tri Scribe like a cutting gauge, get the optional Tri Blade for \$7. It's a small, snap-off razor knife that replaces a scribe point.

Woodcraft Supply, (800) 225-1153,

www.woodcraft.com

Tri Scribe, Item # 141116

Tri Blade, Item # 141541

Save Up To 50% On Home Heating Cost

And never have to buy fuel—wood, oil, gas, kerosene—ever again.

Hydro-Sil is a unique room heating system that can **save you hundreds of dollars** in home heating costs.

It can replace or supplement your electric heat, oil or gas furnace, kerosene heaters and woodstoves. Hydro-Sil is designed for whole house or individual room comfort. Hydro-Sil heating works like this: inside the heater case is a sealed copper tube filled with a harmless silicone fluid that will never spill, leak, boil or freeze. **It's permanent. You'll never run out.** Running through the liquid is a **variable watt** hydroelectric element that is **only** being supplied a **proportional** amount of power on an **as-needed basis**. When the thermostat is turned on, the silicone liquid is quickly heated, and with its heat retention qualities, continues to heat after the Hydro element shuts off, **saving you money**. This exclusive technology greatly increases energy savings and comfort.

www.hydrosil.com

Your benefits with Hydro-Sil

- Slash Heating Cost - Up to 50%
- Lifetime Warranty - no service calls
- Safe for children & furniture
- Clean - no fumes - no smoke
- U.L. Listed
- Preassembled - ready to use
- No furnaces - ducts - chimney
- Portable (110V) or permanent (220V)
- Whole House Heating or Single Room
- Room by Room Control

Save with Hydro-Sil: Many families are benefitting — you can too!

• **Consumer Digest:** Buying Guide rates Hydro-Sil "Best Buy" for heating—a product that offers outstanding value for its price.

• **Grant M. (Accountant):** "With no insulation or storm windows, I saved 51% when changing from oil to Hydro-Sil."

• **William C. (General Contractor):** "I replaced electric heat with Hydro-Sil. I am pleased to report that your units have provided comfort, safety, and considerable savings on electricity."

• **R. Hanson:** "I cannot begin to tell you how pleased I am with Hydro-Sil. First time in 25 years our electric bill was reduced - **Saved \$635 - over 40%!***"

SEASONAL DISCOUNT AVAILABLE NOW



LIFETIME WARRANTY • UL LISTED

ORDER TODAY AND SAVE • TWO MODELS TO CHOOSE FROM
PORTABLE 110 VOLT - PERMANENT 220 VOLT

220 Volt Permanent	Approx. Area To Heat	Discount Price	Quantity
8' 2000 watts	300 sq. ft.	\$259	
6' 1500 watts	250 sq. ft.	\$239	
5' 1250 watts	200 sq. ft.	\$219	
4' 1000 watts	150 sq. ft.	\$199	
3' 750 watts	100 sq. ft.	\$179	
2' 500 watts	75 sq. ft.	\$169	
Thermostats - CALL for options			
Portables (110V) Thermostat Included			
5' Hydro-Max 750-1500 watts		\$219	
4' Convector - Dual watt		\$179	
3' 750 watts - Silicone		\$169	
\$15.00 shipping per heater		\$	
Total Amount		\$	

You Can Do Something About the High Cost of Winter Heating

Order by Phone or Mail, Credit Card or Check • MasterCard-VISA

CREDIT ORDERS ACCT. # _____

1-800-627-9276 EXP. DATE _____

MAIL TO: HYDRO-SIL, PO BOX 662, FORT MILL, SC 29715


NAME _____

ADDRESS _____

PHONE _____

Free load of accessories

With a savings of up to \$292, it's time to **load** up with **free** accessories!
When you buy a Powermatic 66 Tablesaw, a 64A Contractor Saw or the 6" Jointer, you'll receive the accessory package absolutely free!



66 TABLESAW:
• 28" x 36" extension table
• adjustable steel support legs
• dado insert
• motor cover
\$292 accessory package FREE!



64A CONTRACTOR SAW:
\$67 40-tooth carbide blade FREE!



6" JOINTER:
\$79 mobile base FREE!

The power to shape your ideas **POWERMATIC**

Offer effective September 1, 2000 through March 31, 2001.
800-248-0144 • Website: www.powermatic.com

JET, Performax and Powermatic — A Family Of Brands

HAMMER
Machines + Tools for Wood

A company of the **FELDER GROUP**

The most powerful machine in its class!

Call now for free Info
60min
PRODUCT VIDEO!

1-800-700-0071
www.hammerusa.com

C3-31

Combination machine
cast iron tables,
jointer/planer 12"
3 speed shaper
sliding table 31" to 79"
3 motors



The HAMMER range:
- combination machine
- planer/jointer (12"/16")
- shaper
- bandsaw

WO200_100900_H00222

HAMMER USA 1851 Enterprise Blvd. W. Sacramento • CA 95691 •
Tel: 916-375-3196 • Fax 916-375-3199 • www.hammerusa.com • info@hammerusa.com

Wide Belt Performance ...At About 1/3 The Cost!



**5-Year
Warranty**

**Free
30-Day
Trial!**

**Made in
U.S.A.**

Cabinet shop owners across the U.S. call Woodmaster's 26" and 38" drum sanders "the best kept secret in woodworking." These commercial-duty sanders fill the niche between slow hand methods and expensive wide belt sanders. And there's no sacrifice in quality. But don't take our word for it . . . call today for free information and the names of Woodmaster owners nearest you. This way, you can find out first-hand how a Woodmaster sander might be just the machine you've been looking for.

1-800-821-6651 ext. DB61

Woodmaster Tools, Inc. 1431 N. Topping Ave. Dept. DB61
Kansas City, Missouri 64120
www.WoodmasterTools.com

"I'll give you my \$30 Car Vac absolutely free just for trying my 8-lb. Oreck XL."



David Oreck


Hi, I'm David Oreck. I'm so confident that my 50% more powerful, 8-lb. Oreck XL is pound for pound, the best vacuum in the world that I'll give you my Oreck XL 1200 Car Vac just for taking The Oreck Challenge. That's right—you get to keep the Car Vac, a \$30 value, just for trying my 8-lb. marvel risk-free for 30 days.

If you don't love it, you don't keep it.

The Oreck XL is rated #1 in pick-up performance by a leading international consumer testing institute.

It's used in thousands of luxury hotels, airports, offices and millions of homes like yours. In fact, this vacuum is so extraordinary, it's used at The Windsor Court, which *Condé Nast Traveler* magazine called the best hotel in the world. It's hypo-allergenic and has virtually every feature you could ask for in a vacuum. The Car Vac is rated #1 for superior cleaning ability and ease of use.

Decide to keep the 8-lb. Oreck XL and I'll also give you my super-powerful 5-lb. Compact Vacuum, as a gift. It's the one you've seen on TV pick up a bowling ball. So take The 30-Day Oreck Challenge and get your home and your car Oreck clean.



Call toll free

1-800-471-1437 ext. BD760

Visit us at oreck.com/acf



Or mail in this coupon today.

BD760

- ☐ Yes, please send me a free information kit. I understand I will receive absolutely free, an Oreck Super Compact vacuum with purchase of the Oreck XL.
- ☐ Yes, please call me to arrange a **free 30-day home trial** of the 8-lb. Oreck XL and send me my free Oreck XL 1200 car vac just for taking The Oreck Challenge.
- ☐ Also include details of Oreck's 12-month Payment Plan. No Interest or Finance Charge.

Name _____

Address _____ City _____

State _____ Zip _____ Tel () _____


ORECK

Nothing gets by an Oreck.®

PBB3R

Oreck Direct, LLC 100 Plantation Road, New Orleans, LA 70123

Product Reviews



Bandsaw Duplicator

Cutting lots of identical curved parts is easier if you use a template and a template follower. This \$20 setup from Woodworker's Haven, is one of those "Geez, why didn't I think of that..?" tools. Attach the duplicator to the upper guide on your bandsaw using the included hardware. The guide pin that projects down off the duplicator follows your template. You can set the pin to the left or right of the saw blade and control how much waste you leave outside the template edge.

Unlike shop-made followers, nothing gets clamped to the table, so your work isn't bumping into a tableful of obstructions. I've been using my shop-made duplicator for years (AW #74, August 1999, page 43), but now I've traded it in for this one.

When you're not using the duplicator you can remove it, or just raise the upper guide so the pin is above your work. To change blades, it only takes a few seconds to pop off the duplicator.

The duplicators are saw-specific and are available for most models.

Woodworker's Haven, (888) 994-2836,
www.woodworkershaven.com

RAZOR SAW
It cuts FASTER! EASIER! MORE
ACCURATELY!

Order now, only \$24.95 post paid!
Craftsmen around the world
Have discovered the secret of
better quality work. The Razor
Saw cuts by pulling, and will
give a cleaner, more accurate
cut in half the time.

Purchase a RAZOR SAW now
and we will include our 72
page catalog of the world's
finest woodworking tools. Or
send \$3.00 for a two year sub-
scription to our Catalog.

The Best handsaw for ALL woodworkers!
Dealer Inquiries Invited.
Dept D2

THE JAPAN WOODWORKER

1731 Clement Ave. • Alameda, CA 94501 • 1-800-537-7820

Refinish Your Future.

The image shows a man in a red shirt, likely a Furniture Medic franchisee, working on a piece of furniture. He is using a tool to apply finish to a dark, polished surface. The background is a blurred workshop setting.

Own your own business.

Let your passion for furniture lead you into a new business with a Furniture Medic franchise. We're a complete on-site repair and restoration-refinishing business servicing homes and companies as well as handling moving and insurance claims. We offer extensive training and support with a low initial investment and manageable overhead. Financing is available to qualified candidates and franchises are offered nationwide. Call today to brush up on the details.

FURNITURE MEDIC®
"the prescription for damaged furniture"

www.furnituremedic.com **1-800-WE SERVE**

Get Rid of Your Gutters!

RAINHANDLER[®]

Self-Cleans.

Unique louver design allows leaves and debris to blow or wash away.

Protects Property.

The Rainhandler self-cleaning system eliminates clogged, overflowing gutters and downspouts. No ground erosion. No more destructive ice dams from frozen gutters.

Protects You.

The Rainhandler self-cleaning system protects you from the need to climb ladders and roofs to clean clogged gutters.

Prevents Erosion.

Rainoff is converted to a 2 to 3 foot wide band of soft rain-sized droplets sprinkling the landscaping.

Maintains Itself.

The all-aluminum, never-rusting, maintenance-free Rainhandler louvers make messy, deteriorating gutters and downspouts history.

Beautifies.

The Rainhandler system is practically invisible. No gutters, downspouts, leaders or splash blocks to detract from the natural beauty of your home.

Installs Easily.

Each 5-foot section comes with 3 brackets & 6 screws. Do your entire home in 3 or 4 hours.

Guarantees.

Rainhandler comes with a 25-year manufacturer's warranty. Performance satisfaction is guaranteed for one full year.

Phone or Write for FREE Information



from Savetime Corp.

Dept. AW090

2710 North Avenue/Bridgeport, CT 06604

1-800-942-3004/Fax 1-800-606-2028

Name

Address

City State

Zip Phone ()

www.rainhandler.com

Finishing Tips


The Best Brush for Waterborne Polyurethane

Read the label on most cans of waterborne polyurethane and it will say to use a synthetic brush. That's because water causes natural bristles to splay, making the brush useless. What they don't tell you is that synthetic bristle brushes are made from either nylon or polyester. Always go for the nylon. These softer bristles are less likely to leave brush marks in a clear finish. Polyester bristles are stiffer than nylon making them better suited for use with latex paint.


Use Two Brushes to Control Drips

A big brush that holds a lot of finish is great for covering a large flat surface. But that same big brush often leaves too much finish on its thin front edge. The remedy: Use two brushes. First, using the big brush, quickly cover the front edge and an adjacent section of the top with finish. Tip off this swath of finish on the top with the big brush. Then switch to a second smaller brush and smooth out the

coat on the edge, removing any sags and drips as you go. Once the edge is finished, switch back to the big brush, feather in where you left off and finish the top.



1 DRIPS AND SAGS on the front edge of a board are hard to clean up with a big brush because it leaves a heavy coat that's likely to sag.



2 USE A SECOND BRUSH—small, disposable foam ones work great—to get rid of drips and sags on edges. The secret is to keep this second brush fairly dry—only dampened with mineral spirits—so it can wick up excess finish. Hold this brush at an angle so it cradles the bottom lip of the edge and make one long end-to-end stroke. If you need to make a second pass, put on a plastic glove and squeeze out the brush with your fingers.

You Could Earn Up To \$60,000 Annually Working Part Time From Your Home, Showing People How To Save Up To 25% On The Cost Of Their New Home...Working With A Local Builder.

Eagle's Nest Homes...Changing the way people acquire their new home - saving them up to tens of thousands.



"My contractor wanted \$130,000 for this Regency II. I saved \$30,000 using Builder Assisted."

"Using Builder Assisted I shaved \$50,000 off my contractor's bid on a beautiful Country French home."



Representatives earn an average of \$7,500 per customer showing local people how to save enough money to buy more home than they thought they could afford or substantially reduce their mortgage payments.

NATIONAL ALLIANCES

- FINANCING – Construction and permanent with as little as 5% down. Closing points and construction interest rolled into the permanent loan to qualified buyers.
- LOWE'S® HOME IMPROVEMENT WAREHOUSE – Local in-store promotional assistance for "Eagle's Nest Homes" Builder Assisted Representatives and one-stop interior finishing.

**Work Part Time From Your Home &
Earn Up To An Additional \$60,000 Annually!**

*** 25 Models & Custom Bidding ***

All you need to get started is a \$7,500 deposit...100% applied to future home package purchases at wholesale. No building experience required.

For a **FREE** Full Color Catalog
Call **Mr. Storm** at **1-800-579-1079**
Fax (770) 720-7605 or write to:
205 Eagles Nest Drive, Canton, GA 30114-7972

*Eagle's Nest
Homes*
Since 1983

<http://www.eaglesnesthomes.com>

Finishing Tips

Applying Bright-Colored Stains

Ground pigment stains can now offer you bright, transparent colors that are clear and colorfast—a combination of the best features of stains and dyes. They're highly concentrated—as the tiny bottles attest.

Here's a trick for evenly applying these concentrated colors to a large surface: First, wet the wood with mineral spirits. This makes it easy to add and spread the color which won't soak in right away because the surface is saturated. Instead the color mixes with the solvent and slowly soaks in as you spread it around. To deepen the color, work in more of the concentrate.


Sources

Woodburst Wood Stains
Six color set, \$23
Emerald City Color Company
3234 Ocean Gateway
Cambridge, MD 21613
(410) 221-8700;
www.woodburst.com



MINERAL SPIRITS

MOBILIZE WITH THE ORIGINAL



- Premium mobile bases in Over 1000 Custom-fit sizes
- Capacities to 1,500 lbs.
- Exclusive 3-point self-leveling design
- Seamless welding with all-steel tubular construction
- Lifetime warranty

FREE Color Catalog
Call: 1-800-624-2027

"We'll put these bases under our machines anyway"

—Wood Magazine, Dec 1998



HTC PRODUCTS, INC., ROYAL OAK, MI 48068-0839

Take a fresh look at FELDER!

The new 700 series - continuous quality with even better operating convenience.



- sliding table length 48" (78" optional)
- linear roller bearing guiding system guaranteed for 6 years
- rip capacity 31" (50" optional)
- Double miter crosscut fence
- available scoring unit
- Motor 4.0 - 10.0 HP

Call now for free info
1-800-572-0061

The K 700, one of 25 precision machines made by FELDER.

FELDER

Machines and Tools for Woodworking

FELDER USA

1851 Enterprise Boulevard · W. Sacramento, CA 95691 · Fax 916-375-3194



www.felderusa.com

WO200_010900_F000649


AMERICAN WOODWORKER.

5 YEAR INDEX

Coming in 2001

Five years of
American Woodworker
tips, techniques,
projects and tool
tests. It's
on our Web site.

www.americanwoodworker.com



Great Clamps – Low Prices

Clamps From Garrett Wade

These are German made with the expected high quality design and workmanship – and at less than \$4.50 each, they are a phenomenal value.

Light, strong and easy to use (throat depth 2½") with vinyl capped swivel ends and wooden handles. It's terrific to have a bunch around the shop. The Clamp size (listed below) is the maximum opening.

We cannot recommend these enough. Ten of each saves you considerably. Real value doesn't come any better than this.

		Regular	Sale
37F02.10	4" Cab. Clamp(10)	\$62.95	\$44.95
37F02.20	8" Cab. Clamp(10)	\$68.95	\$48.95
37F02.30	12" Cab. Clamp(10)	\$73.95	\$52.95

Combo. Set consists of 10 of each of the 3 sizes of clamps. 30 Clamps total- only \$4.65 each.

37F20.10	Combo. Set	\$205.85	\$139.50
----------	------------	----------	-----------------

Garrett Wade	Shipping Charges
161 6th Avenue	\$6.95 to \$9.95
New York, NY 10013	depending on value.



FREE GARRETT WADE CATALOG

Our high quality Woodworking Catalog has thousands of tools to choose from. Visit our web site at www.garrettwade.com or call us at the numbers below.

CALL TOLL-FREE 800-221-2942 or fax 800-566-9525

ENERGY-SAVING SUNPORCH® CONVERTIBLE SUNSPACE®



MOUNTS
READILY ON
DECKS, PATIOS,
OR LANDSCAPE
TIES.

INSULATED WINTER SUNROOM CONVERTS TO A SUMMER SCREEN ROOM!

Full Top-To-Bottom Wall Area Screens!

- ☐ QWIK® window/screen change system ☐ Do-it-yourself kit, no contractors needed ☐ Meets building codes for snow & wind loads ☐ Unique Climate Control System
- ☐ No extras, comes complete ☐ Buy factory direct & save ☐ America's #1 value since 1974.

FOR MORE INFO & BONUS OFFER:

MAIL
COUPON
WITH \$2.

WEB SITE
www.sunporch.com
(Bonus Code: AMW)



SunPorch® Structures, Inc.
P.O. Box 368, Dept. AMW
Westport, CT 06881-0368

SunPorch® Structures, Inc.
P.O. Box 368, Dept. AMW
Westport, CT 06881-0368

☐ **YES** I enclose \$2. Please send complete details, Color Catalog & Prices.

Name _____


Address _____

City _____

State _____ Zip _____

Remove Water-Soluble Dye

It happens to everybody. On your sample, the color was perfect, but on your piece, it doesn't look right. Don't despair. There's an easy way to remove water-soluble dye color so you can try again. Sponge the surface liberally with regular household chlorine bleach. Almost instantly the color will lighten and begin to disappear. Two coats of bleach may be necessary and the process may slightly change the color of the raw wood. Rinse everything with water, sand the raised grain, and you've got a second chance. **AW**



SYNTHETIC SPONGE

NEW!

www.wwhardware.com
Expanded Website!



We have the
largest selection of
cabinet hardware
in this industry.
**Over 6000 items
in stock.**

FREE Fall Sale Flyer!



Woodworker's HARDWARE
PO Box 180 • Sauk Rapids, MN 56379
24 HOUR FAX: 888-811-9850
800-383-0130
Mention offer #222

NEW!

Laser "guided" Routing™



**For exact
reproductions
of your
paper patterns**

Mounts into edge guides of most
1-2 hp routers

Trace the line
of the pattern
with the "safety
laser" red dot and
the router is guided
to faithfully carve the
work below. 15 FREE patterns
included to get you started.

Suggested retail price under \$100.

Distributor: The Big Horn Corp., Buffalo, WY 82834 Ph: 307.684.7292

(patented)

Pacific LaserCraft





TO ORDER CALL TOLL FREE:

1-800-260-2647



900 S. Main Street
East Peoria, IL 61611
email: catalog@ai-supply.com

STOCK YOUR SHOP!

Fax Orders 24 Hours A Day To: 309-698-0877

Limited Quantities. Prices Subject to Availability

NEW & IMPROVED ONLINE SHOPPING AT:
www.ai-supply.com

FREE SHIPPING!

(On orders over \$75 in the Cont. U.S.)

We Won't Be Undersold On Most Items!

BOSCH

1613EVSP 2HP Plunge Router.....\$185.35
NEW! 1617EVSP 2HP EVS Router.....\$178.00

NOTE: Above routers come with FREE 7 pc. #RA1125 template kit (a \$37.43 value)

NEW! 1618EVS 2 HP D-Handle Router.....\$208.90
1278VSK Comp. Belt Sndr Kit \$128.90
1640VSK Fine Cut Kit.....\$159.00
3960CFK 24V Drill/Saw Kit \$458.90
NEW! 3650K 14.4V T-Handle Cds Drill Kit w/2 batt., case & charger.....\$188.00
3725DVS 5" H.D. R/O Sndr-Plshr \$138.90
NEW! 1587AVSP Jigsaw Kit with 9 assorted blades & case.....\$154.00

We Want Your DeWalt Business!

Some Prices Too Low to Advertise. CALL NOW!

DEWALT

DW733 12-1/2" Planer with extra set of knives.....CALL FOR SPECIAL PRICE!
DW789 Scroll Saw with FREE stand (a \$79 value).....\$427.90

DW708 12" Comp. Sdg. Miter Saw.....CALL!
DW744S 10" Table Saw BONUS: Includes Stand (A \$138.00 Value).....CALL!
DW682K Biscuit Joiner with FREE 100 Biscuits (an \$8 value).....\$156.90

DW911 AM/FM Radio Charger.....CALL!
DW423K 5" EVS R/O Sander w/H&L & Dust Collector.....\$87.95

DW991KS 2-1/4" Combo Drill & Saw Kit with case.....CALL!
DW364 7-1/4" Circ. Saw w/Brake \$147.00

DW4K 4 Piece Fat Boy Combo Kit
Recr. Saw, Circ. Saw, Hammer Drill/Driver, Flex Flashlight, Charger & Case.....CALL!

DW625P VS Elect. 3HP Plunge Router BONUS: Free Fine Depth Adj. & DW6913 Edge Guide (\$75.00 value).....\$257.90

DW621P 2HP VS Plunge Router BONUS: Free Fine Depth Adj. & DW6913 Edge Guide (\$72.00 value).....CALL!

DW995KS 2-1/8" Combo Drill & Saw Kit w/case.....CALL!
DW321K 5.8A Jig Saw Kit.....\$159.00

DW972K 2-1/2" Cordless Drill, 2 Batt. CALL!
DW990K 2-1/4" Cordless Drill, 1/2" Chuck 2 Batteries.....CALL!

DW995K 2-1/8" Cordless Drill, 2 Batt. CALL!
DW746X 30" Table Saw.....CALL!
DW746-52 Base Unit w/52" Fence.....CALL!

PORTER-CABLE

Nailer/Air Compressor Kits
Choice of: BN125A or BN200A Brad Nailer - OR - FN250A or DA250A Finish Nailer.

Kits include: 1HP comp., brad or fin nailer kit, 25 ft. air hose & M/F hose connections.

#PCT CFBN125.....\$249.00
#PCT CFBN200.....\$287.00
#PCT CFDA250A.....\$405.00
#PCT CFFN250A.....\$339.00

JDS COMPANY

NEW! JDS 750 750 CFM Filtration System.....\$255.00
JDS 8-12 1570 CFM Filtr. Sys. \$488.00

Makita

NEW! LS1212 12" Com Mtr Saw \$688.00
NEW! DK10212L 18V 5Pk Cris Kit \$579.00
3612C 3HP Plg. Router w/ Brake \$246.90
9820-2 Blade Sharpener.....\$237.90
AF503 2" Brad Nailer.....\$124.90
NEW! 6213DWBLE 12V Cds Drill Kit \$158.90
6233DWBLE 14.4 Cds Drill Kit \$188.90
DK1016 18V Drill/Saw Kit.....\$399.00

PORTER-CABLE

NEW! 557 Plate Joiner Kit
• Does mini size biscuits & standard size 7/5 amp motor.
• Tilt-fence does not have to be removed for flush cuts. 7-position depth stop
• Fence lets you position your cut from outside face. Includes case, dust bag, 2" & 4" blades & extra biscuits.

SUPER SALE.....\$197.90
5554 1000 Pc. Asst. Biscuits \$19.50

Brad, Finish & Framing Nailer Kits
All kits include case

BN125A 18G "1-1/4" Brad.....\$86.90
BN200A 18G Brad Nailer Kit.....\$118.00
DA250A 15G 1-1/2" Finish.....\$199.90

FN250A 16G "1-1/2" Finish.....\$167.90
NS150A 18G "1-1/4" Crn Splr \$118.00
FC350 Clipped Head 2"-3-1/2"

Framing Nailer Kit.....\$267.90
FR350 Full Round Head 2"-3-1/2"

Framing Nailer Kit.....\$267.90
693PK 1-1/2 HP Plunge Router Kit

Includes 690 w/ fixed base, plunge base w/ case.....\$189.90
NEW! 691RS Router Work Shop \$296.90

NEW! 7529 2HP Plunge Router.....\$215.00
NEW! 97529 2HP Plunge Router with case and Micro Edge Guide.....\$247.90

690 1-1/2 HP Router.....\$135.00
691 1-1/2 HP D-HDL Router.....\$161.50
6931 Plunge Base Only.....\$82.00

6911 D-Handle Base Only.....\$72.00
7539P 3-1/4 HP Plunge Router-Plus Free Fine Depth Adj. (\$26.50 Value).....\$294.90

7518 3-1/4 HP SSP FB Router \$284.90
97310 Laminate Trim Kit.....\$188.00

697 Router Table w/ 1-1/2 HP Router.....\$238.00
698 Router Table w/out motor \$135.75

NEW! 9543 Jig Saw w/ case.....\$167.90
9866 12V Cordless Drill Kit w/ 2 batteries.....\$139.90

NEW! 9876 14.4V Cordless Drill with 2 batteries.....\$153.90
NEW! 9884CS 19.2V Cordless Combo.....\$352.50

9444 Sander Kit.....\$98.00
330 Speed Block Sander.....\$69.90

332 5" QS Palm Sander.....\$59.90
333 5" QS R/O Dst Sdr H&L.....\$63.90

333VS VS R/O Palm Sander.....\$83.00
334 5" QS R/O Dustless Sdr \$63.25

352VS VS Belt Sander.....\$173.00
7335 5" VS R/O Sander.....\$115.00

97355 5" VS R/O Sander with Dust Collection & Case.....\$147.90
552 Prod. Pocket Cutter.....\$609.00

7800 Drywall Sander.....\$379.70
362 4x24 Belt Sdr & Bag.....\$229.00

362VS 4 x 24VS Belt Sander & Bag \$235.00
360VS 3x24VS Belt Sander & Bag \$229.00

347K 7-1/4 Circ. Saw & Case \$117.90
743K LH 7-1/4 Circ. Saw & case \$117.90

FACTORY RECONDITIONED TOOLS

Full One Year Warranty!
352VSR VS Belt Sander.....\$139.90

9444R Profile Sander Kit.....\$79.90
340R 1/4 Sheet Fin Sander.....\$38.90

FEIN

FIN 9-11-20 FEIN Mini Turbo Vacuum.....\$144.95
FIN 9-55-13 FEIN Turbo II - Dust Free Vacuum.....\$214.90

FIN MSXE-636-2 VS Triangle Sander w/ Case.....\$168.90

Win A Delta Uni-Saw!

(List Value \$2,287.00)

Place An Order For Any Delta Item & You're Automatically Entered.

Void Where Prohibited - See Complete Rules Below



BONUS: Free Extra Set of Planer Knives & Dust Chute!

12-1/2" Planer
#DEL 22-560P List \$568.00
SALE.....\$317.90

New! DELTA New!
NEW! 36-945 Platinum Unisaw.....\$1599.00*

NEW! 36-475 Platinum Cont.'s Saw \$785.00*

NEW! 28-255 Platinum Edition Band Saw
Includes Enclosed Stand, Precision Rip Fence with 18" Guides, Mobile Base & high quality Blade.....\$788.00*

NEW! 43-420 Platinum Edition Shaper.....\$1370.00*

*Prices Shown After Rebate
Uni-Saws With Biesemeyer or Uni-fence

36-830 3HP. w/30" Uni-fence.....\$1499.00
36-831 3HP. w/30" Biesemeyer T-Square Fence \$1499.00

36-820 3HP. w/52" Uni-fence (Special Edition).....\$1599.00
36-821 3HP. w/50" Biesemeyer 52" T-Square Fence.....\$1599.00

NEW! 22-680 15" Planer with Stand & Outfeed.....\$1167.90
NEW! 22-680P 15" Planer with Stand & Outfeed Bonus With Extra Set of Knives (a \$131.00 value).....\$1217.90

28-275 14" Open Band-Saw.....\$569.00
37-190 6" Deluxe Jointer.....\$429.00

37-190P 6" Deluxe Jointer w/extra set knives.....\$469.00
NEW! 37-195 6" Pro Jointer.....\$497.90

NEW! 37-195P 6" Pro Jointer w/extra set knives.....\$539.00
37-350A 8" Jointer with stand.....\$1429.00

31-280 Sanding Center.....\$778.00
NEW! 31-120 12" Disc Sander.....\$168.90

NEW! 34-183 Tenoning Jig.....\$94.95
14-650 1/2 H.P. Hollow Chisel Mortiser including 4 standard Mortise Chisels & Bits, 1/2", 5/16", 3/8" & 1/2".....\$247.90

50-840P 1 HP 650 CFM Dust Collector
Includes Over \$27.00 Value Free

•FREE 1-Delta 4' x 10' Dust Hose
•FREE 1-Delta Alum. Blast Gates
•FREE 2-Delta 4" Hose Clamps

TOTAL PACKAGE ONLY \$229.90

50-850P 1-1/2 HP 1200 CFM Dust Collector
Includes Over \$42.00 Value Free

•FREE 1-Delta 4' x 10' Dust Hose
•FREE 2-Delta Alum. Blast Gates
•FREE 4-Delta 4" Hose Clamps

TOTAL PACKAGE ONLY \$298.90

NEW! 50-820 Portable Dust Collector.....\$184.90
36-965 Versa-Feeder.....\$239.00

50-860P 850 CFM Air Cleaner w/2 FREE Filters.....\$245.00
NEW! 50-660 3/4 HP 2 Stage Dust Collector.....\$299.00

NEW! 50-665 1 1/2 HP 2 Stage Dust Collector.....\$417.90
31-780P Oscillating Spindle Sander Super Bonus Buy: FREE Delta 31-781 Sanding Spindle Set (\$69.00 value).....\$209.90

36-235 12" Compound Miter Saw.....\$297.90
NEW! 40-680P P-20 20" ScrL Saw BONUS: 36 Free Blades \$488.00

40-650 Q-3 18" Scroll Saw.....\$398.90
NEW! 37-380 8" Pro Jointer with stand.....\$1085.00

NEW! 37-380P 8" Pro Jointer w/ stand & extra knives \$1139.00
43-505 Router/Shaper.....\$287.90

DELTA

NEW! 17-965 16-1/2" Floor Drill Press.....\$383.00
23-710 Sharpening Center.....\$154.00

31-460 4x6 Belt/Disc Sander.....\$118.95
31-695 6x9 Belt/Disc Sander.....\$297.90

NEW! 31-250P 18/36" Drum Sander with FREE 50" 120G Abrasive Roll (\$32.00 value).....\$788.00

QUICK-GRIP

506QC 12" Bar Clamp/Spreadr \$14.25
512QC 12" Bar Clamp/Spreadr \$16.75

518QC 18" Bar Clamp/Spreadr \$18.00
519QC 18" Bar Clamp/Spreadr \$19.25

536QC 24" Bar Clamp/Spreadr \$21.85
550QC 50" Bar Clamp/Spreadr \$26.20

Some dovetail jigs promise you everything...

The Keller Dovetail System only promises what it can deliver.

Fast setup. No test cuts. Precision joinery. Unlimited widths. Classic and variable spacing. Compound, acute and obtuse angles. Curved dovetails. Box joints. Made in USA since 1976. 20-yr. warranty. 30-day money-back guarantee.

"Your best choice. It's the easiest of all the jigs to use and great for production use."

- Woodworker's Journal

VIDEO: \$8.95 + \$2 P/H


To find out more, contact your Dealer or



KELLER & CO
1327 T Street, Dept. R90
Petaluma, CA 94952
1-800-995-2456
707-763-9336

Keller Dovetail System
Simple. Fast. Accurate. Enjoyable!

THE STANDARD IN SANDERS



Clayton Spindle Sanders are built in the USA with precision balanced spindles, oversized bearings, and a premium Baldor Induction Motor.

- Benchtop and full-sized, professional models
- Large table surface
- Built-in dust port
- Quick-change drums

Clayton tackles the toughest sanding jobs...smoothly.

FREE COLOR CATALOG, call: 1-800-971-5050

CLAYTON
Spindle Sanders
ROYAL OAK, MI 48068-0520

*TWO WAYS TO WIN: 1) You will be automatically entered each time you place an order by calling A&I Supply's 800 number. To be eligible for the sweepstakes, your order must be received by 10/31/00. 2) No purchase necessary. Hand print your name, address & daytime phone number on a 3" x 5" piece of paper & mail in a #10 envelope, with first class postage affixed, to: A&I Supply Delta Giveaway, 900 S. Main St., East Peoria, IL 61611. Entries must be postmarked by 10/31/00. Winners selected in random drawing by independent judging organization.

Simple Tablesaw Sled




FIG. A Use it for cheek cuts.




FIG. B Use it for cross cuts.




FIG. C Constructed from three simple pieces.

In AW issue #75, October 1999, we showed you how to build the ultimate tablesaw sled. For *small* jobs, build this simple and versatile, scaled-down version of a tablesaw sled invented by Frank Gregg. Frank's sled has five sterling qualities:

1. With only three major pieces, it's easy, fast and inexpensive to build.
2. You can make accurate crosscuts on smaller stock.
3. It doubles as a tenoning jig that uses your rip fence for a rail and guide when making cheek cuts.
4. It can be used without removing the blade guard.
5. It stores easily and compactly.

To build the jig, you'll need:

A flat 14 x 18-in. piece of 1/2-in. plywood (9-ply Baltic birch is ideal); a straight piece of 14 x 2 x 1-1/2-in. hardwood; an 18-in. plastic runner that fits your miter slot (available from Woodcraft Supply, (800) 225-1153, or www.woodcraft.com).

STEP 1. Place the plastic runner in the miter slot and attach the oversized plywood base with three countersunk 3/4-in. wood screws.

STEP 2. Trim the right side of the jig by running it through the left miter slot, then use the other miter slot to trim the left side.

STEP 3. Using your large tablesaw sled, square the ends of your jig.

STEP 4. Cut the rabbets (Fig. C) on each side of the push block/rail.

STEP 5. Cut a 1/8-in.-deep dado across the plywood base. Make the dado as wide as the narrow shoe of the push block/rail and position it so the jig floats 1/8-in. above the table-saw table when it's used as a tenoning jig.

STEP 6. Attach the push block/rail to the base with 3-3/4-in. countersunk wood screws and trim the ends by running the jig through both miter slots.

This year, *American Woodworker* magazine "hit the road" on what we call the Blue Highway Tour. Our goal was to visit the workshops of exceptional woodworkers and bring some of their best ideas to you. One of our stops was Dallas, Texas,



Frank Gregg

where we met Frank Gregg. In Frank's shop jigs were virtually jumping out of every nook and cranny.

The double-duty tablesaw sled you see here is only one of the hundreds of clever solutions to common shop problems that Frank has invented. Consequently, we gave him the honorary title of "The Blue Highway Tour Jiggernaut." **AW**



Major funding for this special project from Ford Motor Co. To learn more, visit www.ford.com

Dust Problems?

Central Air Cleaner



Chip Collector

Dust Solution!



1.5 hp Collector*

→ Clean Air

Filter Efficiency

99% @ 1-2 micron
100% @ 5 micron

\$659⁰⁰

FOB Syracuse, NY

Flex Hose & 35 gal. Bin ^{\$29⁰⁰}



*Patented Design

← Dust

Made in the U.S.A.

Free Duct Design




www.oneida-air.com

800-732-4065 Fax 315-476-5044

1001 W. Fayette St. Syracuse, NY 13204

Just ask a **HAWK Scroll SAW** owner

Meet Danny Ferrington who uses his Hawk to create one of a kind guitars for stars like Waylon Jennings, Emmy Lou Harris, Eddie Van Halen and Eric Clapton to name a few. Don't let your tools limit you in creating your project of a lifetime. Learn why craftsmen like Danny choose the Hawk Scroll Saw for their shop.



K518

- ▶ Variable cutting action gives more control
- ▶ Smooth vibration-free performance
- ▶ Cuts so smooth, no sanding required
- ▶ Blade changes in seconds
- ▶ Save money buying factory direct
- ▶ 3 models to choose from

MADE IN USA

Call about our
No Risk
in the Shop
30 Day Trial



Call Toll Free!

1-800-487-2623

RB Industries PO Box 369 Harrisonville, MO 64701
www.rbiwoodtools.com

DuoSharp™

A superior two grit diamond sharpening system



- | | | | |
|---|---|---|--|
| ♦ sharpens, hones, laps knives & tools fast | ♦ precision flatness for precision sharpening | ♦ extends carbide tooling life 5 to 7 times | ♦ flattens conventional stones & waterstones |
|---|---|---|--|



Diamond Machining Technology, Inc.
85 Hayes Memorial Drive
Marlborough, MA 01752 USA
www.dmtsharp.com 508-481-5944

FREE PRODUCT INFORMATION

To receive literature from any of the companies listed below, send in the attached Reader Service Card.

Circle the numbers which correspond to the information you wish to receive,
place stamp on postcard and just drop in the mail. Also, you may send requests to:

American Woodworker, Reader Service Management Department, P.O. Box 5337, Pittsfield, MA 01203-5337.

	Page	Circle		Page	Circle
3M	21	1	Macbeath Hardwood	116	56
A&I Supply	109	2	Marples Woodworking Tools	17	57
Adams Wood Products	120	3	Mastergag.com	118	58
Airware America	114	4	McFeeleys	114	59
Amana Tool	22	5	Miracle Steel	117	60
American Woodworker Shows	94, 95	6	MLCS Ltd. Router Bits	39, 47	61, 62
Atlanta Hardwood	28	7	Murray Clock Craft	115	63
Ball & Ball	117	8	Norwood Sawmills	115	64
Bartley	117	9	Nyle	116	65
Beall Tool Co.	120	10	Oneida Air Systems	112	66
Biesemeyer Manufacturing	12, 32	11, 12	Oreck	101	67
Classic Design by Matthew Burak	119	13	Pacific Laser	108	68
Clayton Machine Corp.	109	14	Packard Woodworks	117	69
Colonial Saw	30	15	Performax Products	28	70
Country Accents	115	16	Powermatic	99	71
Critter Spray Products	118	17	Pootatuck	116	72
Delta International Machinery	2	18	Rainhandler	103	73
DeWALT	9, 11, 13	19	rbindustries	112	74
Dodge	6, 7	—	Record Hand Tools	16	75
Dremel	35	20	Ronk Electrical Co.	115	76
Dynabrade	107	21	Santech	99	77
Eagle America	116	22	Scoopworks	116	78
Eagle's Nest	105	23	Sears Hand Tools	36, 37	79
Ebac Lumber	114	24	Senco	122	80
Econ Abrasive	121	25	Seven Corners	111	81
Emerson Tool Company	19	26	Shaker Workshop	115	82
Endless Pools	119	27	Shopbot	117	83
Felder Hammer	100	28	Shopsmith	117	84
Felder USA	106	29	Skill-Bosch Power Tool Company	25, 27	—
Fisch Precision Tools	30	30	Slim Power	117	85
Ford Supercrow	40, 41	—	Steelmaster Buildings	116	86
Forrest Manufacturing	98	—	Steve Wall Lumber	119	87
Freud USA	15	31	Sunhill	26	88
Fuji	117	32	Sunporch Structure	107	89
Furniture Designs, Inc.	115	33	System Three Resin	114	90
Furniture Medic	102	34	Timberking	120	91
Garrett Wade	112	35	Tool Crib of the North	45	92
Grace Manufacturing	115	36	Tropical Exotic Hardwood of Latin America	115	93
Grizzly Industrial	Cover 2, 1	37	United Gilsonited Laboratories	18	94
Groff & Groff Lumber, Inc.	116	38	Universal Laser	114	95
Harbor Freight	86, 87	39	US Steel	118	96
Hardware.com	4	—	Van Dyke's	116	97
Hearne Hardwoods	119	40	Wilke Machinery	23	98
Highland Hardware	114	41	Willard Brothers	115	99
Home Depot	33	42	Windy Hill	116	100
HTC Products	26, 106	43, 44	Wood on Line	115	101
Hut Products	118	45	Woodcraft Supply	29	102
Japan Woodworker	102	46	Woodland Power	121	103
JB Dawn Products Division	117	47	Woodmaster Tools	93, 100	104, 105
Jet Equipment & Tools	31	48	Woodmizer	118	106
Jointech	118	49	Woodpeckers	118, 119, 120	107
Keller Dovetails	109	50	Woodworker's Hardware	108	108
Laguna Tools	Cover 4	51	Woodworker Supply	121	109
Laser Art	118	52	Woodworkers Discount Books	115	110
Leigh Industries	38	53	Woodworkers Source	114	111
Lie Nielsen Toolworks	114	54	Woodwrite	115	112
Lignomat	117	55	Yankee Hardwood	116	113



WOODWORKER'S MARKETPLACE

Look for the Reader Service Numbers on page 113

3M™ Power Visor

\$159⁰⁰ Includes Battery Charger
(\$5 Freight Charge)

Airware America

Box 975, Elbow Lake, MN 56531-0975

3M Authorized Distributor

www.airwareamerica.com

Free Info **1-800-328-1792**

Ideal for wood dust



SQUARE DRIVE SCREWS



Simply the Best

Square Drive Beats Driver Slippage
Deep Thread for Super Grip
Hardened Steel for Superior Strength
Made in the US or Canada!

Send \$5 for Samples, Catalog, & \$5 Off Coupon

McFEELY'S PO Box 11169 • Dept AWW
SQUARE DRIVE SCREWS Lynchburg • VA • 24506
Call Toll Free: 1-800-443-7937

Why use laser technology in the woodworking industry?

Answer: www.ulsinc.com/wood.html


Call 800-859-7033 for a
FREE introductory video.

UNIVERSAL
LASER SYSTEMS INC.

16008 North 81st Street
Scottsdale, AZ 85260
Tel: 800-859-7033 or 480-483-1214
Fax: 480-483-5620 • www.ulsinc.com

FREE TOOL CATALOG

Helping You Become a Better Woodworker



highland hardware
Our giant tool catalog gives more than
just manufacturer's specs.
We provide detailed tool descriptions,
useful techniques, as well as a
schedule of educational seminars.

Visit us on the Internet at
<http://www.highland-hardware.com>
Call TOLL-FREE for FREE catalog

888-500-4466

HARDWOODS

Over 100 Quality Hardwoods
from Around the World
LUMBER • VENEER • TURNING STOCK

- Timbers from Protected Forests •
- Quantity Discounts •
- Prompt Shipping Arranged Worldwide •
- Custom Milling - Lumber Cut To Size •
- All Inquiries Welcome •

Call or Write for a Free Catalog
• Satisfaction Guaranteed •

Visit us on the World Wide Web
www.woodworkerssource.com
for Specials, Current Prices and
Complete Wood Descriptions
e-mail: wood@woodworkerssource.com

1-800-423-2450

WOODWORKERS Source

5402 S. 40th St. • Phoenix, AZ 85040



Lie-Nielsen TOOLWORKS INC.

P.O. Box 9, Warren ME 04864

1-800-327-2520

Free Brochure

www.lie-nielsen.com

Independence Dovetail Saw
\$125 + shipping



EPOXY

Quick Cure

The definitive "five-
minute epoxy" for
fast, permanent repairs
to wood, fiberglass,
ceramics, glass, leather
and plastics.

For the nearest dealer,
call 1-800-333-5514

SYSTEMTHREE

System Three Resins, Inc.
P.O. Box 70436 • Seattle, WA 98107

DRY YOUR OWN LUMBER

Ebac's user friendly dry kilns 200BF - 40,000BF
Mix species in same load. Great 3 year warranty!
Over 7,000 systems worldwide!

Ebac Lumber Dryers

Call Today! 800-433-9011

Manufactured by craftsmen in Williamsburg, VA.

Show your
**TRUE
COLORS**

COLOR INCREASES READERSHIP BY 40%!

215-321-9662

**FACTORY DIRECT • LUMBER
SQUARES • SLABS • LOGS • BOWL STOCK**



OVER 1-1/2 ACRES, 100
SPECIES OF EXOTIC WOOD!

Our website updates almost daily:
www.anexotichardwood.com

ORDERS: (TOLL FREE) 888-434-3031

QUESTIONS:
760-434-3030

**TROPICAL
EXOTIC
HARDWOODS
OF LATIN AMERICA**



Build a Clock!

Clock kits, from grandfather to shelf clocks, including plans, movements, and dials. Send \$2.00 for a full-color catalog, and receive a \$5.00 credit voucher toward your first purchase.

MURRAY CLOCK CRAFT

512 McColl Ave., Dept. AW
Willowdale, Ont. M2H 2E1
Tel: (416) 499-4531, Fax: (416) 499-3686
E-mail: clock@interlog.com

www.murrayclock.com



SHAKER CHAIR KITS

Discover the classic beauty and simplicity of Shaker furniture design. Our catalog features reproduction dining chairs, tables, rockers, bar stools, clocks, oval boxes, baskets, peg board and Shaker chair tape. Furniture available as precisely fashioned kits for easy finishing or custom finished.

FREE Catalog

SHAKER WORKSHOPS

Box 8001-AW1, Ashburnham, MA 01430
1-800-840-9121



**The Future of Mini-Lathes
IS NOW!!**

Call now to see our WEB SITE for more information on our world class

Precision Mini-Lathes

including the "automagic" Model 361.
Also see our new CNC lathe, Model 461!

Pen Turning Supplies

Titanium Gold Pen Kits

Lowest Prices Available (Retail/Wholesale)

Pre-cut & Drilled Pen Blanks

in 38 Varieties of Rare & Exotic woods

Turner's Magic™

Friction Drying Sealer & Polishes

WoodWrite Ltd.

888-WOODWrite(966-3974)

www.WoodWriteLtd.com

WOODMALL™

Woodworking
Shopping
Service
from WOOD®
Magazine

Over
25,000 Tools
& Accessories
Available
Online

www.woodmall.com

**Operate
3-Phase
Shop Motors
from Single
Phase Power**

Different Models
To Fit Your Needs

The Ronk ROTO-CON®

Rotary Phase Converter will provide 3-phase power from single-phase sources to operate single or multiple motor applications found in woodworking shops.

The Ronk Phase-Shifter is a medium-duty static-type converter for shop applications such as drill presses, mills, saws, etc., where continuous full load use is not required, but low initial cost is important.

RONK
ELECTRICAL INDUSTRIES, INC.

Phone:
1-800-221-RONK
EXT. 207

P.O. Box 160, Dept. 207 • Nokomis, IL 62075 • Ph: 217/563-8333 Ext. 207 • Fax: 217/563-8336



**The best
sawmill
value...ever.**

\$3795

FREE INFORMATION - USA & CANADA

1-800-661-7746 ext 348

NORWOOD
EQUIPMENT TRADING, INC.

Sawmill
Kiln
Hardwoods
Exotics




WILLARD BROTHERS WOODCUTTERS

300 Basin Road, Trenton, NJ 08619

CALL 1-800-320-6519

FOR PRICE LIST AND CATALOG



Add that **Distinctive Look** to your wood-working projects. Quality handcrafted yet reasonably priced panels. Many finishes & designs. Do-it-yourself materials & kits, too! Large colorful catalog \$5.00 or catalog with 14-pc. sample pack \$22.95 ppd.

MasterCard/Visa accepted.

Visit us on the web!
www.piercedtin.com

pierced tin

Country Accents®, PO Box 437, Dept. AW
Montoursville, PA 17754 • Ph. 570-478-4127 • M-F 9-5
email: caccents@webtv.net

CURIO/CHINA CABINET



Full Size Plan

shows complete construction details. Glass shelves and mirrored back show off your collection. Can be wired for interior lighting.

41-1/4" x 15-5/8" deep
x 75" high

Plan #323 \$25.50 ppd

1-800-657-7692 or write:

Furniture Designs, Inc.

Dept. NC-30

1827 Elmdale Av. Glenview, IL 60025

<http://www.furnituredesigns.com>

Woodworking Books for Less!

- Over 450 books, plans & videos in stock
- Free shipping on US orders of 3 or more
- Save up to 20% off bookstore prices



**Woodworkers'
Discount Books**

1-800-378-4060

PH: 719-579-8330 FAX: 719-579-8287

4460 Tierra Rojo Dr.
Colorado Springs, CO
80926

Shop On-Line at:
www.discount-books.com



The **NEW**
REPLACEABLE and **REVERSIBLE**
Microplane® Rasp

"Microplanes® shave the wood
instead of tearing and gouging."

- Scott Phillips

For more info call: **1-800-555-2767**

Microplane
A Product of Grace Manufacturing

www.microplane.com
info@microplane.com

Hot Summer Clearance
STEEL BUILDINGS
 FACTORY DIRECT



EASY "Do-It-Yourself" Construction

- 30 YEAR WARRANTY
- STATE CERTIFIED BLUEPRINTS
- MAINTENANCE FREE
- 100% USABLE SPACE
- FINANCING AVAILABLE

MODELS & SIZES
 TO FIT YOUR
 SPECIFIC NEED

ECONOMY • QUALITY • INTEGRITY

Call 1-800-341-7007 for FREE Brochure

STEELMASTER
 www.steelmasterusa.com

AMERICA'S LARGEST MANUFACTURER OF ARCH STEEL BUILDINGS

Lion Miter
 Trimmer

**A good miter
 is hard to find...**

now you
 know where
 to look!



Made in New England

POOTATUCK CORPORATION
 P.O. Box 24 • Dept. AW800
 Windsor, VT 05089 • 802/674-5984

WAGON WHEELS
 www.windyhillwoods.com

HOW TO MAKE WORKING DECORATIVE WAGON WHEELS

For a catalog send \$4.95

WINDY HILL WOODS, P.O. Box 14169
 KANSAS CITY, MO 64152
 (816) 746-4695

MacBeath Hardwood
 Online Store "OPEN"

featuring Lumber Packs,
 Furniture Squares, Veneer,
 Ash Bat Blanks, Maple
 Counter Tops, Hand Rail
 Fittings, Plywood and more.

MacBEATH HARDWOOD
 COMPANY

930 Ashby Avenue,
 Berkeley, CA 94710

1-800-479-8005 • www.macbeath.com

GROFF & GROFF LUMBER, INC.
 OVER 70 DOMESTIC AND IMPORTED SPECIES

Custom-Made Flooring

Curly Cherry 4/4 to 16/4 • Birdseye & Tiger Maple
 Mahogany 30" • Premium Walnut & Cherry

Matching Joints, 5/4 to 8/4 18"-40" wide
 K.D. Lumber, Nationwide & International Shipping
 No Order Too Large or Too Small

E-mail: wood4u@epix.net
 (717) 284-0001 800-342-0001 FAX (717) 284-2400

Select hardwoods
 Price quotes; monthly specials

Providing woodworkers with top quality
 hardwood for their prized creations.

Web: www.yankeehardwood.com
 OR phone us at: 800.646.6929

Clearance items available/MasterCard/Visa

**YANKEE
 HARDWOOD
 SPECIALTIES**

VAN DYKE'S RESTORERS
 SUPPLIES FOR WOODWORKERS AND ANTIQUE RESTORERS



Visit us at www.vandykes.com

Featuring the industry's most
 complete selection of:

- Veneer
- Period Furniture Hardware
- Table Pedestals & Legs
- Wood Appliques & Moldings
- Trunk Hardware
- Period Furniture Kits
- Finishing Supplies, Glues, Fasteners,
 & Much More!

Over 8,000
 Items!

Free 320 Page
 Catalog!

Call 1-800-558-1234
 Or Write
 Dept. 60900 PO Box 278 Woonsocket, SD 57385

Router Bit Special

FLUSH TRIM

MADE IN
 USA



• 1/2" Diameter
 • 1" Length
 • Two flute
 • Carbide tipped
 • 1/4" Shank

Order Special Part
 #917-0822AW
 List \$21.00, Reg. \$14.99

NOW JUST
\$7.49

Limit two per order please.
 Add \$4.95 shipping & handling. Expires 10-31-00

FREE CATALOG

**EAGLE
 AMERICA**



Receive your **FREE** 108 page color
 catalog today. Simply contact us or circle the
 business reply number.

1-800-872-2511
www.eagle-america.com

Order by phone, fax, mail or web. If ordering this
 special offer by mail, send this ad and check to:

EAGLE AMERICA P.O. BOX 1099
 CHARDON, OH 44024

When on the web, enter special part number
 #917-0822AW in the search field.

AW 900

Quality Kiln Drying

**It's Easy and Affordable
 with a Nyle DH Kiln!** Made in USA

Call today for free
 facts on our compact,
 easy to use dehumidi-
 fication kilns.

800-777-NYLE

<http://www.nyle.com>
 EASY PAYMENTS
 AVAILABLE

Kilns from 300 BF and up!


**FREE
 Booklet!**
 16 fact-filled pages—
 call for yours today.

nyle
DRY KILN SYSTEMS
 PO Box 1107 Bangor ME 04402-1107




The Toughest TOOL in Cleaning!

**Heavy-Duty
 SHOP-SCOOP™**
 by The Scoop Works



- All Steel Pan Construction
- 1 gallon capacity
- 14" wide

Works Great on:

- Sawdust
- Woodchips
- Even liquid spills!

Visit us at: www.scoopworks.com

Or call for more information:
(800) 526-0906

The Scoop Works
 P.O. Box 379, Rockford, MI 49341

Advertise.

Call today for rates and information.

Toll-Free **(800) 394-5157** ext. 12

Need a workshop?

**BUY MANUFACTURER-DIRECT
AND SAVE THOUSANDS**



- Easy, do-it-yourself assembly—no heavy equipment required.
- Strong, durable steel frame construction is made to last and withstand severe weather.
- Wide assortment of building styles, sizes and colors available.
- Take delivery now—or defer it up to 12 months with our FREE Storage Program.

SPECIAL LIMITED OFFER

**36' x 48' (a \$15,681 value)
NOW ONLY \$7,988**

Includes steel frames & endwalls, galv. sheeting, hardware, trim & complete assembly plans.

MIRACLETRUSS®
1-800-663-0553
www.miracletruss.com

THE BARTLEY COLLECTION
Antique Reproduction Furniture Kits in
18th & 19th century designs. Online
catalog - www.bartleycollection.com
Or 1-800-787-2800 for free brochure.

CNC under \$5,000 • 3D / 3-Axis

ShopBot®
The Workshop RoBot



PC-controlled tool that precisely moves a standard router in
3D • 4' x 8' and larger work area
**Guitar bodies, 3D models,
raised panel doors, signs, metalwork**
Durham, NC • (919) 680-4800

888-680-4466 www.ShopBotTools.com

A Complete Home Woodworking Shop

600,000
Solid!



Shopsmith's MARK V

The ONLY alternative to a shop full of
expensive single tools. It's a...

- Table Saw
- Disc Sander
- Lathe
- Drill Press
- Boring Machine

Call For FREE Kit
1-800-543-7586

6530 Poe-AW • Dayton, OH 45414



got power?

www.slimspowertools.com

WEEKLY SPECIALS / FREE FREIGHT

Get a Free Copy of our
CATALOG for
WOODTURNERS

Call Toll Free...

or write... **1-800-683-8876**

Packard Woodworks PO Box 718 Tryon, NC 28782

E-Mail Address... packard@alltel.net



WOOD MOISTURE METERS

- Universal
- Accurate - Handy
- Pinpoints moisture problems from the surface to the core!
- For heavy timbers to veneer, for rough, smooth or curved surfaces. For wet and dry wood.
- Lignomat USA
- PO Box 30145
- Portland, OR 97294



Lignomat :: 800-227-2105

SELF-ADHESIVE 70% WOOL FELT

TAPES • STRIPS • DOTS

1-800-796-2333

APPROX. 1/4" & 1/2" THICK
BROWN, GREEN, BLACK,
WHITE, AND SILVER GRAY

JDANN
PRODUCTS DIV.

9611 S. COTTAGE GROVE AVE.
CHICAGO, IL 60628
773-735-2344 • FAX 773-735-2390

Enjoy the benefits of HVLP with a SUPER System!



- High transfer efficiency
- Soft, easy to control spray
- Compact and portable

Our SUPER model offers you the
most powerful 3-stage turbine
motor made by Ametek-Lamb.

"Quality of atomization rated 9.8
out of 10... This system includes an
excellent three-stage turbine... the
gun atomizes beautifully and has a
full range of features."


— American Woodworker

FUJI
INDUSTRIAL SPRAY
EQUIPMENT LTD.

65 Martin Ross Ave, #5, Toronto, Ontario, Canada M3J 2L6
1-800-650-0930 • Fax: (416) 663-6238 • <http://www.fujispray.com>

HARDWARE

Reproduction Brass and Iron Hardware



- Lighting Fixtures
- Fireplace Accessories
- Furniture Hardware
- Builder's Hardware




For details, call, write or
visit our web site:
www.ballandball-us.com
Or, send \$7.00 (refunded on 1st
order) for our 108 page catalog.

463 W. Lincoln Highway • Exton, PA 19341
Phone: 610-363-7330 • Fax: 610-363-7639
Orders: 1-800-257-3711


ROUTER BOXJOINT JIG

CNC CUT ALUMINUM
MACHINE 4 SIDES AT ONCE
MACHINE A BOX IN LESS THAN 10 MIN..
THREE SIZES 1/4-3/8&1/2 INCH
BOXJOINTS MADE EASY

\$99^{EA} ALL 3 FOR \$229 +\$8.H



1-877-994-4278



Tune your table saw to perfection!

MasterPlate \$49 Flat, ground 6 x 10 x 1/4 inch thick aluminum plate. Fits 5/8 and 1.0 inch arbors.
SuperBar \$69 Fits 3/4 x 3/8 miter slots (also Sears). Includes precision dial indicator - reads to 1/1000 inch. Order today! Toll Free 888 893-8300
mastergage.com

DISCOVER FACTORY DIRECT SAVINGS ON STEEL BUILDINGS!

- 25 Year Warranty
- Easy Do-it-yourself Construction
- FREE Storage
- Maintenance Free
- Free Blueprints



SAVE THOUSANDS ON SELECT SIZES

25x34 • 30x46
40x56 • 50x116
Additional sizes available

U.S. Buildings

UP TO 60% OFF MSRP

FREE!

1-800-463-6062

BROCHURE AND FACTORY PRICE LIST
www.us-buildings.com

JOINTTECH

Ultra-Precision Woodworking Systems



CabinetMaker's System® shown on JOINTTECH ROUTING CENTER

With Jointtech's CabinetMaker's System you can make any kind of joinery for boxes or drawers, even make your own raised panel doors. Systems include Clincher Machine which uses joint making templates and the Award Winning SmartFence for all shaping & jointing operations.

System can adapt to any standard router table in minutes, or with our new Saw Train rails you can now bring incredible precision to any Cabinet, Bench or Contractors saw... With Jointtech all you need is ONE FENCE to do it all - NOT THREE!

To request a catalog call 1-800-619-1288 or go to: www.jointtech.com



- 5-Pt Locking System
- Absolute Parallelism
- Large Rip Capacity
- Vacuum Fence
- Micro-Adjustable
- Reversible
- .001" Repeatability

CabinetMaker's System® shown on JOINTTECH SAW TRAIN™
8ft Rails Shown

118 SIPHON GUN

AN ECONOMICAL WAY TO SPRAY:

STAINS LACQUERS
PAINTS ADHESIVES

Ideal for many woodworking projects!
EASY TO OPERATE
EASY TO CLEAN
CONE SHAPED SPRAY PATTERN



15oz STANDARD SEALER JAR IS IDEAL FOR STORING DIFFERENT COLOUR STAINS OR PAINTS FOR QUICK - FAST SETUP

Available at:

Lee Valley Tools Ltd. 1 800 871-8158
Woodworker's Supply 1 800 645-9292
The Woodworkers' Store 1 800 279 4441
Woodcraft Supply Corp. 1 800 225 1153

CRITTER
SPRAY PRODUCTS

Website: www.wwdc.com/critter Email: critterspray@wwdc.com

Save Money—saw your own lumber.



LT15G13 Personal Sawmill

Make Money—saw for others.

- Cut logs up to 28" D. x 11' L.
- Extra bed sections permit longer lengths.
- Easily transportable.
- Video available.

Free \$2! Catalog!


Wood-Mizer®

Number One in Worldwide Sawmill Sales
www.woodmizer.com

8180 W. 10th St. Dept. AW56
Indianapolis, IN 46214

1-800-553-0219

Turn to Quality.



- HIGH-QUALITY pen, project & duckcall kits
- LARGEST SELECTION of pen blanks
- HUT wood finishes & polishes
- SHERLINE lathe systems & accessories
- INNOVATION, not imitation

FREE NEW CATALOG! 1-800-684-9371

www.hutproducts.com
15361 Hopper Rd.,

HUTpfw@aol.com
Sturgeon, MO 65284

Over 26
NEW items!


AMAZING NEW FINISH!

HUT Crystal Coat Friction Finish • Only \$8.99! Glass like finish in seconds. Try it on all your wood projects! Easy application! 6 oz. bottle

Order Today!
1-800-547-5461



Incra® Fine-tune your shop!



INCRA's new precision dual-carriage, router table split fence. The ultimate fence for joint-making, edge-forming, shaping and even raised panel doors.

INCRA TWIN LINEAR

Call for your FREE Video Brochure

1-800-752-0725



Woodpeckers Inc.
The Incra Tool Source

www.woodpeck.com

STEVE WALL LUMBER CO.

Quality Hardwoods and Woodworking machinery For
The Craftsman and Educational Institutions

The trusted supplier from the Heart
of North Carolina Furniture County.

HARDWOODS • EXOTICS • THIN
CRAFTWOOD • AROMATIC CEDAR
HARDWOOD PLYWOOD • CUSTOM PANEL
DOORS • HARDWOOD FLOORING

See Our Catalog on the WEB: walllumber.com

BOX 287 • MAYODAN, N.C. 27027
336-427-0637 • 1-800-633-4062
Email: wood@walllumber.com
SEND \$1.00 FOR CATALOG

www.routerbits.com

Whiteside Router Bits
Systimatic Saw Blades
Fisch Forstner Bits
HTC Mobile Bases



Router Bits on the Web

FURNITURE PARTS for Serious Woodworkers

NEW! Architectural
Columns
and Spindles

ALSO IN STOCK:

- Table Legs
- Apron Stock
- Bed Posts
- Extension Slides
- Bun Feet

BELOW:
KITCHEN
ISLAND WORK
STATION,
KIT OR LEGS,
2 SIZES

In cherry,
oak, maple,
mahogany
and pine



VASE
TURNED
COLUMN
505-36

FREE catalog
and pricing at

www.tablelegs.com
800-843-7405

CLASSIC DESIGNS by MATTHEW BURAK

P.O. BOX 329, ST. JOHNSBURY, VT 05819

HEARNE HARDWOODS

Specializing in

Pennsylvania Cherry

Plain & Figured Cherry from 4/4 to 16/4

Also: Premium Walnut, figured Maples & a large variety of exceptionally
fine domestic & imported lumber including free form slabs, turning blanks,
burls, & Instrument grade lumber.

200 Whiteside Drive, Oxford, PA 19363
Toll Free 888-814-0007 Fax 610-932-3130


National & International Shipping



New Inkra Videos

Dovetails:

- Through
- Double
- Drawer Front
- Half-Blind



Box Joints & Wooden Hinges

- Learn the secrets
to making perfect
box joints.
- See the tricks to
making wooden
hinges.



Reg: \$24.95 ea.

SALE: \$19.95 ea.

or \$35.00 for both (\$5.00 S&H)

Order your Videos today!

1-800-752-0725



Woodpeckers Inc.
The Inkra Tool Source

www.woodpeck.com

Swim At Home™



Swim or exercise against a smooth
current adjustable to any speed or ability.
Ideal for swimming, water aerobics,
rehabilitation and fun. The 8'x15' Endless
Pool™ is simple to maintain, economical to
run, and easy to install inside or outdoors.

FOR FREE VIDEO CALL
(800) 233-0741, Ext. 1234

Visit www.endlesspools.com
or write Endless Pools, Inc.
200 E Dutton Mill Rd, Dept. 1234
Aston, PA 19014



Your Tool To Increased Sales! THE WOODWORKER'S MARKETPLACE & CLASSIFIED

Call today for rates and information.

Toll-Free **(800) 394-5157** ext. 12

Made In Tennessee

Table Bases

Stocked
In a Variety
of Woods

A0124 Walnut, Cherry,
Mahogany,
Maple and Oak

A0100

COFFEE
TABLE

A0115

No
Minimum

Free
Catalog

A0111

A0106

Adams Wood Products™ L.T.D., L.P.
P.O. Box 728, Morristown, TN 37815-0728,
Dept. #AW32
Phone 423-587-2942 • Fax 423-586-2188
www.adamswoodproducts.com

ONE-MAN SAWMILL

Turns Timber Into
CASH!



MODELS START AT
\$5199.00

Call NOW for FREE Facts:
1-800-942-4406 ext. SY23
TimberKing, Inc. 1431 N. Topping Ave. Dept SY23
Kansas City, Missouri 64120 www.timberking.com

THE BEALL COLLET CHUCK



For accurate wood turning.
Available collets hold
pieces from 1/4" to 3/4"
securely without marking.
No wrenches required.
For 1" - 8" spindles.

For information call or write: Dept. AW
THE BEALL TOOL COMPANY
541 Swans Road, N. E. • Newark, OH 43055
Toll Free (800)331-4718 Fax (740)345-5880
See our Web Site: www.bealltool.com

The fence your table saw dreams about!



THE NEW INCRA TS-III

Call for your FREE Video Brochure
1-800-752-0725

Woodpeckers Inc.
The Incra Tool Source

www.woodpeck.com

ACCESSORIES

**GLASS SOURCE for WOOD-
WORKERS.** Glass and mirror custom
cut, beveled, edged, etched, or grooved to
your specifications. Shipped direct from
our shop to yours. Call for free brochure,
inquiries, or to place an order.
Glass Source: 1-800-588-7435.

BOOKS/VIDEOS

**TRICKS OF THE TRADE VIDEO
SERIES.** Call Toll-Free 1-877-WOOD-
GUY (1-877-966-3489) for free sample
tape, \$4.95 S&H credited on first order or
visit www.woodguy.com

BUSINESS OPPORTUNITIES

BUNK BEDS. Clear \$300/day making
Bunk Beds. Start at home in your spare
time. (800) 382-3180, ext. 1465*.

COUNTRY CRAFTS. Earn \$2,000/
weekend making crafts and small
wooden furniture. Call for information
pack. (800) 382-3180 ext. 7072.

FINISHING SUPPLIES

SPRAY-ON SUEDE. Line boxes easily.
New Mini Flocker. FREE brochure
(sample included). DonJer Products,
13142 Murphy Road, Winnebago, IL
61088. 1-800-336-6537. www.donjer.com

RAGS RAGS RAGS Quality Finishing
rags. White all cotton knit. 5lbs., 12"x12"
squares, \$12.95. 1-800-428-0289
www.rags4you.com

MISCELLANEOUS

NATURAL VIAGRA ALTERNATIVE -
Potent aphrodisiac recreates youthful
libido & performance without side effects!
Toll Free 1(877) 832-9369 AW

MUSICAL SUPPLIES

**BUILD YOUR OWN GUITAR, VIO-
LIN, OR DULCIMER!** Free 108-page
catalog featuring kits and all the tools,
finishing supplies and instructions you
need to build your next instrument.
Stewart-MacDonald's Guitar Shop
Supply, Box 900W, Athens, OH 45701.
Call (800) 848-2273. www.stewmac.com

PLANS/KITS

MUZZLELOADING RIFLE KITS:
Assemble your own Pennsylvania or
Kentucky rifle, 1861, 1863 Springfield,
Brown Bess, Charleville, or other muz-
zleloading rifles with one of our kits.
Order the GIANT 750-pg. Dixie Gun
Works catalog today! Send \$5 or \$8.50
COD to: Dixie Gun Works, Dept. AW,
P.O. Box 130, Union City, TN 38261.
Or call: (901) 885-0700.

**CARLYLE LYNCH MEASURED
DRAWINGS -** Museum and private col-
lection furniture plans by Carlyle Lynch.
Catalog \$2. PO Box 13007, Arlington,
TX 76094. (817)861-1619.

CLASSIFIED

SCHOOLS/INSTRUCTION

New England School of Architectural
Woodworking. 37 week training pro-
gram in cabinetmaking. Job assistance.
413-527-6103. www.nesaw.com.

WOODWORKING COURSE. Com-
puter-based training. Windows 95/98,
interactive, CD-ROM-based with course
manual. \$39. White Mountain Design,
visit www.whitemountdesign.com or call
(613) 612-4850.

TOOLS/ACCESSORIES

Quality German Workbenches
DIEFENBACH BENCHES
Call 1-800-32Bench



www.workbenches.com

Custom Branding Irons

As low as \$56.25!
Any logo, design, signature
Guaranteed. VISA/MC
BrandNew
800-964-8251 www.brandnew.net

WOOD/VENEERS

**OLD GROWTH QUARTERSAWN
WHITE & RED OAK.** Wide Quarter-
sawn & curly Sycamore. Precision sawn
lumber and book-matched flitches.
Talarico Hardwoods, RD #3, Box 3268,
Mohnton, PA 19540 (610) 775-0400.
VISA/MC

FANTASTIC INVENTORY—Logs,
lumber, turning blanks, instrument
woods. Catalog \$2.00. Gilmer Wood
Company, 2211 NW St. Helens Road,
Portland, OR 97210. (503) 274-1271.

**HIGHEST QUALITY FIGURED
MAPLE,** curl, quilted, burl, and spal-
led. Boards, blocks, and instrument. Randle
Woods, P.O. Box 96, Randle, WA
98377. www.randlewoods.com, 360-
497-2071

SAWMILL DIRECT. Bloodwood,
Cocobolo, Bocote, Tulipwood 4/4, 8/4,
12/4, 16/4. Select Ebony billets \$3.00 lb.
Tropical Exotic Hardwoods: (888) 434-
3031 www.anexotichardwood.com. See
our other ad in this issue for more
information.

Your Tool To Increased Sales!
THE WOODWORKER'S CLASSIFIED
Call today for rates and information.
Toll-Free (800) 394-5157 ext. 12

Econ-Abrasives

WE MAKE ABRASIVE BELTS ANY SIZE, ANY GRIT!



VELCRO® VACUUM DISCS
8 Hole pattern
For Bosch Sanders



ABRASIVE SHEETS: (9 X 11)

CABINET PAPER

	50/pk	100/pk
40D	\$18.90	\$35.60C
50D	17.80	32.25
60D	16.70	30.00
80D	15.60	27.80
100 thru 150C	14.50	25.60

FINISHING PAPER

80A	\$11.15	\$18.90C
100 thru 280A	10.00	16.70

WET/DRY PAPER

220 thru 600	\$15.56	\$26.67C
--------------	---------	----------

NO LOAD PAPER

180 thru 400A	\$12.25	\$21.25C
---------------	---------	----------

C = 100 SHEETS

ABRASIVE BELTS

PLEASE SPECIFY GRITS

1X30	\$.81 ea.
1X42	.81
1X44	.81
2 1/2X16	.85
3X18	.86
3X21	.90
3X23 3/4	.93
3X24	.93
3X27	.96
4X21 3/4	1.06
4X24	1.10
4X36	1.35
6X48	3.50
2 1/4X80	3.25

Other sizes priced upon request

Note: * = thru 320 grit * Now in 5 hole pattern *

Nuisance Dust Mask

This double absorbent filter material screens out dust, and lets air pass freely!



ONLY \$10.50/box of 50

STEEL BAR CLAMPS

Size	Price
2-1/2 x 6	\$6.50 ea.
2-1/2 x 12	7.00
2-1/2 x 24	7.75
2-1/2 x 36	9.50

SPRING CLAMPS

Clamps come with PVC tips and grips.

Size	Price
4"	\$1.75 ea
6"	2.25
8"	3.50

Lint-Free Wiping Cloths

Handy for all your cleaning or finishing jobs around the shop or home.



3LBS. FOR \$4.50

TACK CLOTHS



1-10 - \$.95 ea.
Box of 10 - \$7.60

JUMBO CLEANING STICK

ONLY \$8.80 2X2X12

JUMBO ROUTER PAD(24" x 36")
It will not allow small blocks of wood to slip out under router or sanding applications.
ROUTER PAD ONLY \$8.95ea.

* OTHER PRODUCTS *

*WIDE BELTS*ROLLS*FLAP WHEELS*PUMP SLEEVES
*PSA DISCS*ROUTER BITS*WOOD GLUE*WOOD BITS

*MINIMUM ORDER \$25.00
*MasterCard, VISA, Check or C.O.D.
*SATISFACTION GUARANTEED!!!
*CALL FOR FREE CATALOG

- TX & NV Add Sales Tax
- Continental U. S. Shipping
Charges add \$5.50

ORDERING LINE

(800)367-4101

Econ-Abrasives

P. O. Box 1628

Frisco, TX 75034

(972) 377-9779

Wood Online

www.woodcraft.com

8,000 of the finest woodworking tools, supplies and wood are just a mouse click away.

Helping You Make Wood Work®

1-800-535-4482
Dept.00PW09S

CLEAR ACRES—SITTING DOWN!

INTRODUCING THE INCREDIBLE

Cyclone Rake™

Effortlessly Clear Acres of Overgrown Grass & Weeds, Heavy Wet Leaves, Pine Needles, Sticks...Even Lawn Debris

...with 10 times the lifting power and 5 times the capacity of mowers using the amazing CYCLONE RAKE™



Patents Pend.



Unique design folds flat for easy storage. It even hangs on the wall!

You'll never dread field or yard clean-up again once you use the Cyclone Rake™. 5HP engine driven vacuum-mulcher hitches to any riding mower. You can easily sweep and pulverize tons of leaves, acres of overgrown grass, weeds, sticks and more with 10 times the lifting power of mowers. Power mulching reduces volume 5 to 8 times. 200 gallon capacity lets you whiz through huge areas without stopping. Automatically bag for curbside pick-up or power unload to your compost heap even over a wall or right up a hill! And when you're done, it folds flat without tools for compact storage. Affordable for home or business.

YES! Please rush me FULL INFORMATION on the revolutionary CYCLONE RAKE™ and special pre-season sale prices.

Name _____

Address _____

City _____ State _____ Zip _____

MAIL TO: WOODLAND POWER PRODUCTS, INC. Dept. AW900

72 Acton St., Westhaven, CT 06516

©1998 Woodland Power Products Inc.

So, **WHY STRUGGLE** with rakes, mowers, blowers, or mulchers that jam and clog?

Mail the coupon at right for FULL INFORMATION about the amazing CYCLONE RAKE!

TOLL FREE 1-800-252-2006

AMERICAN WOODWORKER®

5 YEAR INDEX

Coming in 2001



www.americanwoodworker.com

Woodworking, craft and home improvement projects? Get AccuSet!



A200BN Brad Nailer

A100MP Micro Pinner

DRIVES STAPLES
AND BRAD NAILS
2 IN 1



New AccuSet A2N125
drives 5/8" to 1 1/4" brads
and 1/2" to 1" staples.



Are you a woodworker, hobbyist or home improver? Have you experienced the precision and speed of pneumatic nailing and stapling? Professionals use pneumatic fastening in applications from small bird feeder production to cabinet building and finish and trim work. Now SENCO, the brand of choice of professionals, has a new line of tools, fasteners and accessories just for you! Check out AccuSet brand finish nailers, brad nailers and staplers from the pros at SENCO. They're loaded with power, great features and have a two year warranty – the best in the business! To find the retail outlet nearest you, call 1-888-222-8144, or click on the dealer locator on our newly expanded website: www.accuset.com

AccuSet

THE TOOLS YOU NEED FOR THE WORK YOU DO.



1-888-222-8144

Visit our newly expanded
website: www.accuset.com



Woodworking
TOOL-OF-THE-YEAR
1998



Quickly becoming one of America's most preferred woodworking tools.

©2000 Senco Products, Inc. 8495 Broadway Road, Cincinnati, Ohio 45244-1699 Safety First The only way to work!

Shop Solutions

continued from page 124

This cabinet is designed to keep flames away from your flammables for 10 minutes so you have time to escape a fire.

Keeping all your finishing supplies in one highly visible spot allows firefighters to quickly isolate a danger zone and have more time to fight the fire.

This cabinet is cheap insurance. While a commercial metal safety cabinet this size could set you back about \$400, the total cost for our wooden version is about \$150, \$75 for the plywood, \$45 for the optional fire-retardant paint, \$12 for the sign, and \$10 for the hardware.

Flammables cabinets are required in most professional shops. Why not set the same standard at home? **AW**

Note: This flammables storage cabinet has been designed to meet the code requirements of the National Fire Protection Association. For more information about fire protection contact the NFPA at (617) 770-3000 or visit www.nfpa.org

CUTTING LIST

Overall Dimensions: 32"H x 32"W x 16"D

Part	Name	Qty.	Dimensions	Material
A	Face frame/door	1	32-1/2" x 31-1/2"	1" Exterior Fir Plywood
Cut pieces A1 - A4 from piece A				
A1	Stiles for Face Frame	2	2-1/2" x 31"	1" Exterior Fir Plywood
A2	Top Rail for Face Frame	1	2-1/2" x 27"	1" Exterior Fir Plywood
A3	Bottom Rail for Face Frame	1	5" x 27"	1" Exterior Fir Plywood
A4	Door	1	26-7/8" x 23-3/8"	1" Exterior Fir Plywood
B	Back	1	32" x 31"	1" Exterior Fir Plywood
C	Top	1	16" x 32"	1" Exterior Fir Plywood
D	Sides	2	15" x 31"	1" Exterior Fir Plywood
E	Bottom	1	15" x 31"	1" Exterior Fir Plywood
F	Loose Shelf	1	13-5/8" x 29-1/2"	1" Exterior Fir Plywood
G	Door Seals- Side	2	2-1/2" x 27-1/2"	1/4" Hardboard
H	Door Seals- Top/Bottom	2	3" x 25"	1/4" Hardboard

SHOPPING LIST

Name	Qty.
1" x 48" x 96" Exterior fir plywood	1 sheet
1/4" x 12" x 28" Hardboard	1 piece
28"-long shelf-standard brackets	4
Shelf support clips	4
#20 biscuits	4
1-5/8" drywall screws	100
Overlay screen door spring hinges	1 pair
Cupboard latch	1
Silicone caulk	small tube
Intumescent (fire-retardant) paint	1 gal. (see Sources, page 123)

Shop Solutions

FIG. A

Exploded View of Flammables Cabinet 32" H x 32" W x 16" D




FIG. B Plywood Cutting Diagram





FIG. C Door Detail



Sources

"Flammable-Keep Fire Away" sign:
EMED Co.

(800) 442-3633

#33591-B-VA, \$12.

Fire Retardant Paint:
Your local paint retailer or contact:

Benjamin Moore (Retardo),
(800) 344-0400; www.benmoore.com

Northwest Protective Coatings, LLC
(877) 486-3388; www.firecoating.com

Sherwin Williams
(800) 4-SHERWIN; www.sherwin.com

If you have an original Shop Solution, send it to us with a sketch or photo. We pay \$200 for each one we print. Send to: Shop Solutions, American Woodworker, 2915 Commers Drive, Suite 700, Eagan, MN 55121. Submissions can't be returned and become our property upon acceptance and payment.

Flammables Cabinet

*Keep your shop
and family safe!*

Have you got finishing supplies scattered all over your shop? Concerned that they're a fire hazard? Organize them into this cabinet built out of one sheet of plywood and you'll sleep better at night.

The basic purpose of a flammables storage cabinet might come as a surprise to you. I always thought the cabinet was supposed to *contain* a fire. Not so.

The real purpose of a flammables cabinet is to keep fire away from flammable liquids as long as possible, both for your benefit and for firefighters.

*continued on page 122
(That's right—go backward!)*





HARDWARE
• c o m •

Frustrated with driving all over town looking for what you need? Hardware.com was created for pros like yourself to give you instant access to hard-to-find products and design trends, plus installation tips and the latest industry news. All the things contractors need. All at one place. Hardware.com. Build on it. ***Give us a try and receive a special promotion on your first purchase. Log on to www.hardware.com today.***

Taking Band Saws to New Levels



You have heard about them, you know that they are called the best, now it is time to own one. Our band saws have won an Editors Choice Award and our customers rave about them. But don't take our word, call today and order your free demonstration video and see for yourself why they are in such great demand.

Designed by Laguna Tools and imported from Italy, we have the finest and largest selection of European band saws in the country.

- Best specifications in the industry
- Dynamically balanced cast-iron flywheels
- Wider blades for straighter and smoother re-sawing
- Euro guides
- Conforms to the toughest dust standards
- Quiet and smooth with more power
- Robot welded steel frames
- More resaw height
- Rack and Pinion
- Easy blade change
- Mobility kit available
- Manufactured in Italy
- Order a custom made band saw to suit your needs.

LAGUNA TOOLS

You Build With Wood, We Build With Trust.

800-234-1976

17101 Murphy Avenue Irvine, CA 92614
(949) 474-1200 • FX (949) 474-0150

800-234-1976

100 Central Avenue South Kearny, NJ 07032
(973) 491-0102 • FX (973) 491-0591

E Mail: mail@lagunatools.com Web: www.lagunatools.com